

Fire Fighter 1 Skills Completion



Name:		Overall Score:	□Pass	∏Fail	☐Incomplete	
Class Number:	Instructor Signature					
	Student Signature					

Skill	Skill	NFPA 1001 Objective	Pass/Fail	
Number		2019 Edition		
FF 1 - 1	Donning Personal Protective Equipment	4.1.2	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 2	Hoisting a(n): Axe, Charged Hose Line, Ladder, Pike Pole, Uncharged Hose Line	4.1.2, 4.3.20	☐ Pass	☐ Fail ☐ Did not test
	(5 Skill Sheets)			
FF 1 - 3	Tying a: Clove Hitch Around an Object, Clove Hitch in the Open, Figure Eight Knot, Figure Eight on a Bight, Figure Eight with a Follow Through, Half Hitch, Halyard, Safety Knot (8 Skill Sheets)	4.1.2, 4.3.20	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 4	Securing with Rope	4.1.2, 4.3.20	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 5	Initiating a Response to a Simulated Emergency	4.2.1, 4.2.1(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 6	Operating and Answering Fire Station Telephone and Intercom	4.2.2, 4.2.2(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 7	Using a Radio	4.2.3, 4.2.3(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 8	Initiating a Mayday Call	4.2.4	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 9	Replacing an SCBA Cylinder	4.3.1, 4.3.1(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 10	Replacing an SCBA Cylinder on Another Firefighter	4.3.1, 4.3.1(B)	Pass	☐ Fail ☐ Did not test
FF 1 - 11	Donning SCBA Using the Coat Method and Donning SCBA Using the Over-the-Head Method (2 Skill Sheets)	4.3.1, 4.3.1(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 12	Inspection of SCBA	4.3.1, 4.3.1(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 13	Use of SCBA (Restricted Passage) Vertical Egress (between wall studs)	4.3.1, 4.3.1(B), 4.3.9, 4.3.9(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 14	Use of SCBA (Restricted Passage) Horizontal Egress (crawl space)	4.3.1, 4.3.1(B), 4.3.9, 4.3.9(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 15	SCBA Failure Procedures	4.3.1, 4.3.1(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 16	Emergency Response on Motorized Fire Apparatus	4.3.2, 4.3.2(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 17	Deployment of Traffic and Scene Control Devices	4.3.3, 4.3.3(B), 4.3.2, 4.3.2(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 18	Identify and Carry Tools	4.3.4, 4.3.4(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 19	Forcing Entry into an Inward-Opening Door and Forcing Entry into an Outward-Opening Door (2 Skill Sheets)	4.3.4, 4.3.4(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 20	Forcing Entry Through a Double-Hung Window	4.3.4, 4.3.4(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 21	Breaching a Wall Frame	4.3.4, 4.3.4(B)	Pass	☐ Fail ☐ Did not test
FF 1 - 22	Action When Trapped/Disoriented (with hose)	4.3.5, 4.3.5(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 23	Action When Trapped/Disoriented (without hose)	4.3.5, 4.3.5(B)	☐ Pass	☐ Fail ☐ Did not test
FF 1 - 24	One Fire Fighter Extension Ladder Carry and Raise	4.3.6, 4.3.6(B)	Pass	☐ Fail ☐ Did not test

Skill Number	Skill	NFPA 1001 Objective 2019 Edition	Pass/Fail		
FF 1 - 25	Performing a Two Fire Fighter Shoulder Carry Performing a Two Fire Fighter Suitcase Carry (2 Skill Sheets)	4.3.6, 4.3.6(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 26	Performing a Two Fire Fighter Beam Raise	4.3.6, 4.3.6(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 27	Performing a Two Fire Fighter Rung Raise	4.3.6, 4.3.6(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 28	Performing a One Fire Fighter Rung Raise for Ladders Less Than 14'	4.3.6, 4.3.6(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 29	Single Ladder Lower/Removal (1 person) (See FF 1 – 28)	4.3.6, 4.3.6(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 30	One Fire Fighter Single Ladder Carry and Raise/ One Fire Fighter Roof Ladder Deployment	4.3.6, 4.3.6(B)	Pass	☐ Fail	☐ Did not test
FF 1 - 31	Escaping from an Entanglement	4.3.5	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 32	Fire Extinguishment - Passenger Vehicle	4.3.7, 4.3.7(B), 4.3.10, 4.3.10(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 33	Extinguish an Exterior Class A Fire	4.3.8, 4.3.8(B), 4.3.10, 4.3.10(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 34	Deploy Master Stream Device (2 person) Performing the One Fire Fighter Method for Operating a Large Handline (2 Skill Sheets)	4.3.8, 4.3.8(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 35	Rescuing a Downed Fire Fighter as a Two Person Team Rescuing a Downed Fire Fighter Using SCBA Straps as a Rescue Harness (2 Skill Sheets)	4.3.5	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 36	Rescuing a Conscious Victim from a Window	4.3.9, 4.3.9(B), 4.3.6, 4.3.6(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 37	Rescuing an Unconscious Victim from a Window	4.3.9, 4.3.9(B), 4.3.6, 4.3.6(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 38	Conducting a Primary Search	4.3.9, 4.3.9(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 39	Conducting a Secondary Search	4.3.9,4.3.9(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 40	Drags and Carries (1 & 2 person) Performing a: Blanket Drag, Clothes Drag, Firefighter Drag, One Person Walking Assist, Standing Drag, Two-Person Chair Carry, Two- Person Extremity Carry, Two-Person Seat Carry, Webbing Sling Drag (9 Skill Sheets)	4.3.9, 4.3.9(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 41	Fire Suppression - Interior Structure, Grade Level	4.3.10, 4.3.10(B) 4.3.8, 4.3.8(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 42	Fire Suppression - Interior Structure, Above Grade Level	4.3.10, 4.3.10(B) 4.3.8, 4.3.8(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 43	Fire Suppression - Interior Structure, Below Grade Level	4.3.10, 4.3.10(B) 4.3.8, 4.3.8(B)	☐ Pass	☐ Fail	☐ Did not test

Name

Skill Number	Skill	NFPA 1001 Objective 2019 Edition	Pass/Fail
FF 1 - 44	Performing a Horseshoe Hose Load Performing a Minuteman Hose Load Performing a Shoulder Carry Pre-Connected Flat Hose Load Triple Layer Hose Load (5 Skill Sheets)	4.3.10, 4.3.10(B) 4.3.8, 4.3.8(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 45	Advancing an Uncharged Hoseline Up a Ladder Operating a Hose Stream from a Ladder (2 Skill Sheets)	4.3.10, 4.3.10(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 46	Operating a Fog Stream Nozzle Operating a Smooth Bore Nozzle (2 Skill Sheets)	4.3.10, 4.3.10(B), 4.3.13, 4.3.13(B), 4.3.8	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 47	Replacing a Hose Section	4.3.10, 4.3.10(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 48	Adding a Length of Hose See FF 1 - 47	4.3.10, 4.3.10(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 49	Performing the One Fire Fighter Foot-Tilt Method of Coupling a Fire Hose Performing the One Fire Fighter Knee-Press Method of Uncoupling a Fire Hose Uncoupling a Hose with Spanners (3 Skill Sheets)	4.3.10, 4.3.10(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 50	Performing the Two Fire Fighter Method for Coupling a Fire Hose Performing the Two-Firefighter Stiff Arm Method of Uncoupling a Fire Hose (2 Skill Sheets)	4.3.10, 4.3.10(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 51	Draining a Hose	4.5.2	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 52	Working from a Ladder	4.3.11, 4.3.11(B), 4.3.6, 5.3.6(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 53	Hydraulic Ventilation	4.3.11, 4.3.11(B), 4.3.19, 4.3.10(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 54	Delivering Negative Pressure Ventilation	4.3.11, 4.3.11(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 55	Delivering Positive Pressure Ventilation	4.3.11, 4.3.11(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 56	Maintaining a Power Saw	4.3.4 (B)	Pass Fail Did not test
FF 1 - 57	Roof Ladder Deployment see FF 1 - 30	4.3.12, 4.3.12(B), 43.6, 4.3.6(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 58	Roof Ladder-Lower and Removal see FF 1 - 30	4.3.12, 4.3.12(B), 4.3.6, 4.3.6(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 59	Climbing a Ladder While Carrying a Tool	4.3.12, 4.3- 3.12(B), 4.3.11, 4.3.11(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 60	Sounding a Roof	4.3.12, 4.3.12(B)	☐ Pass ☐ Fail ☐ Did not test
FF 1 - 61	Vertical Ventilation	4.3.12, 4.3.12(B)	☐ Pass ☐ Fail ☐ Did not test

Name	

Skill Number	Skill	NFPA 1001 Objective	Pass/Fail		
		2019 Edition 4.3.13,			
FF 1 - 62	Opening an Interior Wall	4.3.13(B), 4.3.10, 4.3.10(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 63	Folding and Rolling a Salvage Cover Performing a Balloon Toss Performing a One-Firefighter Salvage Cover Fold Performing a One Firefighter Salvage Cover Roll Performing a Salvage Cover Fold for Use by One Firefighter Performing a Salvage Cover Fold for Two- Firefighter Deployment Performing a Shoulder Toss (7 Skill Sheets)	4.3.14, 4.3.14(B)	☐ Pass	∏ Fail	☐ Did not test
FF 1 - 64	Constructing a Water Catch All	4.3.14, 4.3.14(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 65	Constructing a Water Chute	4.3.14, 4.3.14(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 66	Stop Water Flow from Sprinkler	4.3.14, 4.3.14(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 67	Drafting (Static Source) 4 Person Team	4.3.15, 4.3.15(B)	Pass	☐ Fail	☐ Did not test
FF 1 - 68	Making the Hydrant Connection	4.3.15, 4.3.15(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 69	Performing a Forward Hose Lay Shutting Down a Fire Hydrant (2 Skill Sheets)	4.3.15, 4.3.15(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 70	Performing a Reverse Hose Lay	4.3.15, 4.3.15(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 71	Connecting a Hoseline to Supply a FDC	4.3.15, 4.3.15(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 72	Connecting and Advancing an Attack Line from a Standpipe Outlet	4.3.15, 4.3.15(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 73	Operating Portable Fire Extinguishers	4.3.16, 4.3.16(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 74	Emergency Scene Illumination	4.3.17, 4.3.17(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 75	Securing Building Utilities	4.3.18, 4.3.18(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 76	Fire Extinguishment - Ground Cover Fire	4.3.19, 4.3.19(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 77	Inspecting, Cleaning, and Maintaining a Ladder	4.5.1, 5.5.1(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 78	SCBA Preparedness and Maintenance See FF 1 -12	4.5.1, 5.5.1(B)	Pass	☐ Fail	☐ Did not test
FF 1 - 79	Salvage Cover Inspection and Maintenance	4.5.1, 5.5.1(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 80	Cleaning Fire Department Ropes Inspecting Fire Department Ropes (2 Skill Sheets)	4.5.1, 5.5.1(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 81	Rolling a Hose (Multiple Skills one Skill Sheet)	4.5.2, 5.5.2(B)	☐ Pass	☐ Fail	☐ Did not test

Name _____

Skill Number	Skill	NFPA 1001 Objective 2019 Edition	Pass/Fail		
FF 1 - 82	Cleaning and Inspecting Fire Hose and Couplings	4.5.2, 5.5.2(B)	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 83	Using a Multi-Gas Meter to Provide Atmospheric Monitoring	43.21	☐ Pass	☐ Fail	☐ Did not test
FF 1 - 84	Securing an Opening in a Structure	4.3.14	☐ Pass	☐ Fail	☐ Did not test



JPR Task: Donning and Doffing Personal Protective Equipment. PERFORMANCE CRITERIA AND INSTRUCTIONS Skill No. FF 1-1 INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. Bunker Coat and pants 2. Boots 3. Helmet 4. Gloves 5. Nomex hood INSTRUCTIONS TO THE CANDIDATE "Don personal protective equipment." Minimum PPE: Structural FF gear (See above) **PERFORMANCE** Candidate must complete this skill timely and efficiently to pass. YES NO C 1. Boots. С 2. Pants (includes all fasteners and suspenders). 3. Protective hood. 4. Coat (includes all fasteners and collar up) – (must have at least a 2 inch overlap on bunker pants per NFPA 1971). 5. Helmet (chin strap cinched/under chin). 6. Gloves (wristlets used with gauntlet style (short glove) with no skin exposed. C С 7. Exposed skin (no exposed skin in permitted except for facial area). C 8. Remove PPE С 9. Inspect PPE for Damage 10. Clean and dry equipment as needed per department SOP C 11. Remove damaged equipment from service and report damage to supervisor C 12. Place PPE in a ready state TOTALS PASS _____ CANDIDATE MUST COMPLETE 12 C = Critical Step Failure on this step mandates failure on task! | FAIL ______ STEPS TOTAL TO PASS SKILL. EVALUATOR NAME (Print) Objective(s): 4.1.2 EVALUATOR SIGNATURE: _____

11/2023 rev.



JPR Task: Hoisting an Axe					
Skill No. FF 1-2A	PERI	FORMANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
Utility rope		•	G		
2. Axe					
		CTIONS TO THE CAND			
	"The student sha	all be able to properly	hoist an axe."		
Minimum PPE: Structural F	F gear				
		PERFORMANCE		ı	
				YES	NO
1. Wears PPE a					
Ties a figure eight on a bight to make a small loop.					
	ver axe handle near h				
	ling part of rope around				
	ng part of rope paralle				
	hitches along the axe I	handle.			
7. Prepares to ra	aise axe.				
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 6	
Failure on this step manda	ites failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	L.	
NEDA 4004 0040 E IIII	TEOT DATE				
NFPA 1001, 2019 Edition	IESI DATE	LOCATION:_			
Objective (s), 412	EVALUATOD MANAE	· (D.::t)			
Objective(s): 4.1.2, 4.3.20	EVALUATUR NAME	: (Print)			
4.3.20	EVALUATOR SIGNA	ATIIDE:			
	LVALUATUR SIGNA	11UNL			
10/2019 rev	<u> </u>				



JPR Task: Hoist a charged	hose line.			
Skill No. FF 1-2B	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
1. Rope				
2. Charged hose line				
	INSTRUCTIONS TO THE CANDIDATE			
"Th	ne student should be able to properly hoist a charged hose line."			
11	ic staucht should be able to properly hoist a charged hose line.			
Minimum PPE: Structural F	F gear			
	PERFORMANCE			
		YES	NO	
1. Wears PPE and gloves.				
2. Closes and s				
	nitch in proper direction with safety around hose 1' to 2' from nozzle.			
	t in the rope and passes through nozzle handle (bale).			
	rer nozzle tip creating a half hitch to keep nozzle closed while being raised.			
6. Prepares to h				
O O.:!!:! Ct	TOTALS			
C = Critical Step Failure on this step manda	PASS CANDIDATE MUST COMPLET stes failure on task! FAIL STEPS TOTAL TO PASS SKIL			
ranure on this step manua	STEPS TOTAL TO PASS SKIL	<u>.L.</u>		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
111 1 1 100 1/ 2017 Edition	1201 B/112 200/1110111			
Objective(s): 4.1.2,	EVALUATOR NAME (Print)			
4.3.20	, ,			
	EVALUATOR SIGNATURE:			
10/2019 rev.				



JPR Task: Hoist a ladder.					
Skill No. FF 1-2C	PERF	FORMANCE CRITERIA	AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with the	e following:		
1. Rope					
Straight ladder					
		CTIONS TO THE CAND			
	"The student sha	Il be able to properly h	noist a ladder."		
Minimum PPE: Structural F	Facar				
Willimum FFL. Structural i	i yeai	PERFORMANCE			
		TERTORINATIOE		YES	NO
1. Wears PPE a	nd aloves			123	110
	 If ladder is a roof ladder, make sure that top hooks are in retracted position. 				
	eight on a bight to mak		, , , , , , , , , , , , , , , , , , ,		
	0 0	er (3 to 4 rungs from top	o).		
	der rungs toward top o	` 7 1			
	round top of ladder.				
7. Removes slad	ck from rope and allow	s loop to slide down lad	lder.		
8. Attaches tag	line using clove hitch a	round a rung from belo	w to control ladder as hoisted.		
9. Prepares to ra	aise ladder.				
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 6	
Failure on this step manda	ites failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>L</u>	
NEDA 4004, 0040 E I'I'	TECT DATE	LOCATION			
NFPA 1001, 2019 Edition	IESI DATE	LOCATION:			
Objective(s): 4.1.2,	EVALUATOD NAME	(Drint)			
4.3.20	EVALUATOR NAIVIE	. (11111)			
1.3.20	EVALUATOR SIGNA	ATURE:			
10/2010 rov					



JPR Task: Hoist a pike pol	e.					
Skill No. FF 1-2D	PERI	FORMA	NCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTION	S TO TI	HE MONITOR/E	EVALUATOR		
	Candidate sha	all be pr	ovided with th	e following:		
1. Rope						
2. Pike Pole						
	WOTDLY	TIONO	TO THE OAND	ND ATE		
			TO THE CAND			
	"The student shall	be able	e to properly ho	oist a pike pole."		
Minimum PPE: Structural F	F gear					
William Tr Er Strastard T	, godi	PERF	ORMANCE			
					YES	NO
1. Wears PPE and gloves.						
2. Ties a clove hitch in the open and slips it over handle. Secures clove hitch near head.						
3. Places a half	hitch around a handle	below o	clove hitch.			
4. Places the se	econd clove hitch arour	nd hand	le near bottom o	of pike pole.		
5. Prepares to r	aise pike pole.					
				TOTALS		
C = Critical Step				CANDIDATE MUST COMPLET		
Failure on this step manda	ates failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	_L.	
NEDA 1001 2010 Edition	TECT DATE		LOCATION.			
NFPA 1001, 2019 Edition	TEST DATE		LUCATION:			
Objective(s): 4.1.2,	EVALUATOD NAME	(Drint)				
4.3.20	LVALUATOR NAME	. (1 11111)				
110120	EVALUATOR SIGNA	ATURF:				
010/2019 rev.	1					



JPR Task: Hoist an unchar	ged hose line.		
Skill No. FF 1-2E	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Rope			
Uncharged hose lin	e with nozzle		
	INCTRUCTIONS TO THE CANDIDATE		
	INSTRUCTIONS TO THE CANDIDATE		
	"The student shall be able to hoist an uncharged hose line."		
 Minimum PPE: Structural F	F gear		
	PERFORMANCE		
		YES	NO
Wears PPE and gloves.			
2. Folds 3' of hose onto itself and places nozzle on top of hose.			
3. Places half hitch in middle of hose and a second half hitch around hose 6" from nozzle.			
	nitch in proper direction with safety unit around the nozzle and hose to hold		
the nozzle sh			
5. Prepares to h			
0 0 11 101	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
WITA 1001, 2017 Edition	TEST DATE ECCATION		
Objective(s): 4.1.2,	EVALUATOR NAME (Print)		
4.3.20			
	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: Tie a clove hitch	around an object.		
Skill No. FF 1-3A	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Rope			
2. Object to tie to			
	INSTRUCTIONS TO THE CANDIDATE		
"The s	tudent shall be able to properly tie a clove hitch around an object."		
5			
Minimum PPE: Structural FI	- gear		
	PERFORMANCE		
		YES	NO
1. Wears gloves			
Makes complete loop around object, working end down.			
3. Makes second loop around object a short distance above the first loop.			
4. Passes workii over first loop	ng end of rope under second loop, above point where second loop crosses		
5. Tightens knot and secures by pulling both ends.			
	ynot in working and of rone		
7. Checks for pro			
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 5	
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKIL	L	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.1.2,	EVALUATOR NAME (Print)		
4.3.20	LVALUATOR NAME (FIIII)		
1.0.20	EVALUATOR SIGNATURE:		
10/2019 rev.			



Skill No. FF 1-3B PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. Rope	
Candidate shall be provided with the following:	
i G	
1 Rone	
·	
2. Object to attach to	
INSTRUCTIONS TO THE CANDIDATE	
"The student shall be able to properly tie a clove hitch in the open."	
The student shall be able to properly the a clove flitter in the open.	
Minimum PPE: Gloves	
PERFORMANCE	
YES NO	
1. Wears gloves.	
Makes a loop using left hand. Running part of rope should be over working part.	
3. Makes a second loop on top of left hand loop.	
4. Puts right hand loop on top of left hand loop.	
5. Slides loop over object.	
6. Pulls in opposite directions to tighten.	
7. Ties a safety knot in working end of rope. 8. Checks for proper direction.	
8. Checks for proper direction. TOTALS	
C = Critical Step PASS CANDIDATE MUST COMPLETE 6	
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.	
NFPA 1001, 2019 Edition	_
Objective(s): 4.1.2, EVALUATOR NAME (Print)	_
4.3.20	
EVALUATOR SIGNATURE:	_
10/2019 rev.	



JPR Task: Tie a figure eigh	at knot.		
Skill No. FF 1-3C	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Rope			
·			
	INSTRUCTIONS TO THE CANDIDATE		
	"The student shall be able to properly tie a figure eight knot."		
Minimum PPE: Gloves			
	PERFORMANCE		
		YES	NO
1. Forms a bight in rope.			
2. Loops workin	g end of rope around standing part of rope.		
Threads working end back through bight.			
4. Tightens knot by pulling both ends simultaneously.			
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	.L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
/			
Objective(s): 4.1.2,	EVALUATOR NAME (Print)		
4.3.20	EVALUATOR CIONATURE		
	EVALUATOR SIGNATURE:		
10/0010			
10/2019 rev.			



JPR Task: Tie a figure eigh	nt knot on a bight.		
Skill No. FF 1-3D	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Rope			
	INSTRUCTIONS TO THE CANDIDATE		
"The	student shall be able to properly tie a figure eight knot on a bight."		
Minimum DDE, Clause			
Minimum PPE: Gloves	PERFORMANCE		
	PERFURMANCE	VEC	NO
1 Forma a high	t and identifies and of hight as working and	YES	NO
	t and identifies end of bight as working end.		
	des of bight together, forms a loop.		
3. Feeds working end of bight back though loop.			
4. Pulls knot tight.			
5. Secures 100s	e end of rope with safety knot. TOTALS		
C Critical Stan	1 2 11 1-2	Γ 1	
C = Critical Step	PASS CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NEDA 1001 2010 Edition	TEST DATE LOCATION:		
WITA 1001, 2017 Edition	TEST DATE LOCATION		
Objective(s): 4.1.2,	EVALUATOR NAME (Print)		
4.3.20	EVALOATION WINE (FINITY)		
1.0.20	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: Tie a figure 6	ight with a follow through.		
Skill No. FF 1-3E	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Rope	'		
·			
	INSTRUCTIONS TO THE CANDIDATE		
"The	student shall be able to properly tie a figure eight with a follow through."		
Minimum PPE: Gloves			
	PERFORMANCE		
		YES	NO
Ties a figure eight leaving some rope at working end.			
2. Loops wor	king end around or through object to be secured.		
3. Threads working end back through original figure eight in opposite direction.			
4. Pulls knot tight.			
5. Ties a saf	ety knot in working end.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 4	
Failure on this step ma	ndates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.1.2,	EVALUATOR NAME (Print)		
4.3.20			
	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: Tie a ha	f hitch.		
Skill No. FF 1-3F	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Rope			
Object to tie	to		
	INSTRUCTIONS TO THE CANDIDATE		
	"The student shall be able to properly tie a half hitch"		
Minimum PPE: Glov			
	PERFORMANCE		
		YES	NO
Grabs the rope with palm facing away.			
Rotates hand so that palm is facing you making a loop in the rope.			
3. Passes the loop over the end of the object.			
4. Positi	ons the half hitch knot and pulls tight.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLETE		
Failure on this step	mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.		
NFPA 1001, 2019 E	dition TEST DATE LOCATION:		
Objective(s): 4.1.2	EVALUATOR NAME (Print)		
4.3.20			
	EVALUATOR SIGNATURE:		
10/00/10			
10/2019 rev.			



JPR Task: Tie the	halyard.			
Skill No. FF 1-3G		PERFORMANCE CRITERIA AND INSTRUCTIONS		
		INSTRUCTIONS TO THE MONITOR/EVALUATOR		
		Candidate shall be provided with the following:		
 Extension la 	adder			
		INSTRUCTIONS TO THE CANDIDATE		
		"The student shall be able to properly tie the halyard."		
Minimum PPE: Stru	uctural F			
		PERFORMANCE		
			YES	NO
1. Wear				
Wraps excess halyard around two rungs and pulls tight over upper rung.				
Ties a clove hitch around upper rung.				
4. Pulls knot tight and adds safety knot.				
		TOTALS		
C = Critical Step		PASS CANDIDATE MUST COMPLET		
Failure on this step	p manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKIL	.L.	
NFPA 1001, 2019 E	Edition	TEST DATE LOCATION:		
Objective(s): 4.3.6	Ď,	EVALUATOR NAME (Print)		
4.3.6(B)		FUALUATOR CIONATURE		
		EVALUATOR SIGNATURE:		
10/00/0				
10/2019 rev.				



JPR Task: Tie a safety kno	t.			
Skill No. FF 1-3H	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
1. Rope				
	MOTEUATIONS TO THE SAMPLE AT			
	INSTRUCTIONS TO THE CANDIDATE			
	"The student shall be able to properly tie a safety knot."			
Minimum PPE: Gloves				
Willimidiff F. Gloves	PERFORMANCE			
	1 ERI ORIMATIVOE	YES	NO	
1. Takes loose o	end of rope, beyond the knot, and forms a loop around the standing part of			
rope.				
Passes loose end of rope through loop.				
Tightens safety knot by pulling both ends simultaneously.				
4. Tests to see i	f safety knot is tied correctly.			
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET			
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L</u>		
NEDA 4004, 0040 E I'I'.	TECT DATE			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.1.2,	EVALUATOR NAME (Print)			
4.3.20	EVALUATOR NAIVIE (FTIIII)			
1.0.20	EVALUATOR SIGNATURE:			
10/2019 rev.				



JPR Task: Securing with	rope.		
Skill No. FF 1-4	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Rope	·		
2. Object to secure			
,			
	INSTRUCTIONS TO THE CANDIDATE		
и-	The student shall be able to properly secure an object with rope."		
Minimum PPE: Gloves			
	PERFORMANCE	1	
		YES	NO
1. Ties off secure object.			
Uses correct knot for selected object.			
C 3. Ties knot correctly.			
4. Secures obj	ect correctly.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step mand	lates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.1.2,	EVALUATOR NAME (Print)		
4.3.20	EVALUATOR CIONATURE		
	EVALUATOR SIGNATURE:		
10/0010			
10/2019 rev.			



JPR Task:	Initiating	a response t	o a simulat	ed emergency.

Skill No. FF 1-5

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Telephone
- 2. Station radio or walkie talkie

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to properly initiate the response to a simulated reported emergency via the telephone."

Minimum PPE: NA		
PERFORMANCE		
	YES	NO
Identifies agency.		
2. Asks if there is an emergency.		
3. Organizes questions to control the conversation to get the information needed.		
4. Obtains the following information about the incident:		
a. Exact incident location (including cross streets and/or landmarks)		
b. Type of incident		
c. When the incident occurred		
5. Obtains the following information from the caller:		
a. Name		
b. Location of the caller if different from the incident.		
c. Callback phone number		
6. Records information gathered.		
7. Initiates the alarm following the protocols of your communications center		
TOTA		
C = Critical Step PASS CANDIDATE MUST COMP		
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS S	SKILL.	
NFPA 1001, 2019 Edition TEST DATE LOCATION:		
Objective(s): 4.2.1, EVALUATOR NAME (Print)		
4.2.1(B)		
EVALUATOR SIGNATURE:		
10/2019 rev.		



	•			WVI	DE
JPR Task: Operating and a	answering fire station to	elephone and intercom.			
Skill No. FF 1-6	PER	FORMANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
 Telephone 		•	G		
2. Intercom or Station	radio or walkie talkie				
		CTIONS TO THE CAND			
"The student sha	ill be able to properly	operate and answer f	ire station telephone and interc	om."	
Minimum DDE NA					
Minimum PPE: NA		DEDECOMANCE			
		PERFORMANCE		VEC	NO
1 Fallows done	when and CODs whom aver		A morror on home a magnetity and	YES	NO
			Answers phone promptly and		
2 Determines if	professionally. Identifies self and department.				
SOPs.	Determines if caller has an emergency. If caller has an emergency, follows department				
	is takan focusas on c	btaining pertinent inforn	nation		
		e communications center			
		curate information for all			
7		a long time. Lets the cal			
O. Neverleaves	Someone on noid for	a long time. Lets the cal	TOTALS		
C = Critical Step		PASS		E 5	l
Failure on this step manda	ates failure on task!		STEPS TOTAL TO PASS SKIL		
				<u></u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.2.2,	EVALUATOR NAME	E (Print)			
4.2.2(B)					
	EVALUATOR SIGNA	ATURE:			

10/2019 rev.



JPR Tasl	k: Use a r	adio.			
Skill No.	FF 1-7		PERFORMANCE CRITERIA AND INSTRUCTIONS		
			INSTRUCTIONS TO THE MONITOR/EVALUATOR		
			Candidate shall be provided with the following:		
1. V	Walkie talki	e or stat	on radio		
			INICATE LICENSE TO THE CAMPIDATE		
			INSTRUCTIONS TO THE CANDIDATE		
			"The student shall be able to properly use a radio."		
Minimum	PPE: NA				
WIIIIIIIIIIIIIIII	III L. INA		PERFORMANCE		
			T ERI GRIMANOE	YES	NO
	1. Befor	re transn	nitting, determines that the channel is clear of any traffic.		
2. Depresses the "push-to-talk"					
3. Speaks across the microphone at a 45-degree angle and holds the microphone 1 to 2					
inches from the mouth.					
			e or she is going to say before talking. Speaks clearly and keeps message		
		and to th			
	5. Does	not rele	ase the "push-to-talk" button until finished speaking.		
C C=:4:	aal Clam		TOTALS	г 4]
C = Critic	•	n manda	PASS CANDIDATE MUST COMPLETE STEPS TOTAL TO PASS SKILL		
railule 0	ni uns sie	pillaliua	tes failure on task! FAIL STEPS TOTAL TO PASS SKILL	<u></u>	
NFPA 10	01, 2019 E	dition	TEST DATE LOCATION:		
11117110	01,201,2	- dittioni	1201 BATE		
Objective	e(s): 4.2.3	3,	EVALUATOR NAME (Print)		
4.2.3(B)					
			EVALUATOR SIGNATURE:		
10/2019 r	rev.				



JPR Task: Given a radio and simulated emergency, the candidate wearing PPE and SCBA shall initiate MAYDAY procedures, assume the downed fire fighter position, and await rescue.

Skill No. FF 1-8 PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Scenario
- 2. Walkie talkie

INSTRUCTIONS TO THE CANDIDATE

"The candidate shall be able to don PPE and SCBA, form into team, enter accountability system, safely carry and use hand tools, be able to control breathing, learn about limitations of PPE/SCBA, learn about the physical requirements of wearing PPE/SCBA, recognize low air warnings, identify indications for emergency procedures, initiate and complete emergency procedures.

Candidate directions: "Initiate MAYDAY procedures, assume the downed fire fighter position and await rescue."

Minimum PPE: Structural FF gear

1 V 111 1111	IIGIII I I L	Oli actarar i	gcui					
				PERF	ORMANCE			
							YES	NO
С	1.	Uses radio to	call, "Mayday, Mayda	y, Mayd	ay"			
С	2.	Gives LUNAF	R report: Location, Unit	Numbe	er, Name, Assigr	nment/Air, & Resources		
		needed.	•		· ·			
С	3.	Activates PAS	SS device.					
	4.	Attempts self-	rescue (instructor give	es circur	nstance that pre	events self-rescue, such as		
		injury or entra	ipment).		-			
	5.	Identifies a sa	afe location to await re	scue.				
	6.	Lies on side i	on side in fetal position with PASS device pointing out.					
	7.	Points flashlight toward ceiling.						
8. Slows and controls breathing as much as possible.								
						TOTALS		
	Critical S	•		PASS		CANDIDATE MUST COMPLETE 6		
Failu	re on thi	is step manda	tes failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	<u>L.</u>	
NFP/	A 1001, 2	2019 Edition	TEST DATE		LOCATION:			
OL:	.11 . 7.3	404	EVALUATOD MANA	- (D)				
Obje	ctive(s):	4.2.4	EVALUATOR NAME	: (Print)				
			EVALUATOR CICAL	ATUDE.				
			EVALUATUR SIGNA	ATUKE:				
10/20)19 rev.							
1111/1	, , , , t.v.							



JPR Task: Replacing a SC	BA cylinder.		
Skill No. FF 1-9	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. SCBA			
Extra cylinder			
	INSTRUCTIONS TO THE CANDIDATE		
"T	he student shall be able to properly replace an SCBA cylinder."		
•	The stade it shall be able to properly replace all septimes.		
Minimum PPE: NA			
	PERFORMANCE		
		YES	NO
	CBA on the floor or a bench.		
2. Turns off the	, and the second		
	valve to bleed off pressure.		
	nigh-pressure supply hose.	i	
1	nder from backpack and safely sets it aside.		-
	nder in the backpack.		
7. Aligns outlet t 8. Locks cylinde			
	tion and presence of "O" ring.		
	h prossure hase to air cylinder		
	er valve and checks gauge readings.		
12. Dons SCBA.	or varvo and oncore gauge roadings.		
	ZIATOT		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 9	
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 421	EVALUATOD NAME (Drint)		
Objective(s): 4.3.1, 4.3.1(B)	EVALUATOR NAME (Print)		
1.0.1(D)	EVALUATOR SIGNATURE:		

10/2019 rev.



JPR Task: Replacing an SCBA cylinder on another firefighter without removing the SCBA.

Skill No. FF 1-10

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. FF wearing full PPE and SCBA
- 2. Extra cylinder

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to properly replace an SCBA cylinder on another firefighter without removing the SCBA."

Minimum PPE: Structural FF gear

PERFORMANCE								
							YES	NO
С		Assess area						
	2.	Firefighter rer	moves the regulator from	om face	piece or doffs fa	ace piece.		
	3.	Turns off cylir	nder valve.					
			other firefighter open		valve to bleed o	off pressure.		
	5.	Disconnects h	nigh-pressure supply h	ose.				
	6.	Releases cyli	nder from backpack a	nd safel	y sets it aside.			
	7. Slides full cylinder into the backpack.							
		8. Locks cylinder into place.						
	9. Checks condition and presence of "O" ring.							
	10. Connects high-pressure hose to air cylinder and opens cylinder.							
11. Notifies firefighter that SCBA cylinder change is complete.								
						TOTALS		
	Critical S re on thi	•	ites failure on task!			CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
NFP	A 1001, 2	2019 Edition	TEST DATE		LOCATION:			
Objective(s): 4.3.1, 4.3.1(B)		4.3.1,	EVALUATOR NAME	E (Print)				
1.0.1	(3)		EVALUATOR SIGNA	ATURE:				
11/20)23 rev.							



JPR Task: Don SCBA using the coat method timely and efficiently. PERFORMANCE CRITERIA AND INSTRUCTIONS Skill No. FF 1-11A INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. SCBA INSTRUCTIONS TO THE CANDIDATE "The student shall be able to properly don SCBA using the coat method in one (1) minute." Minimum PPE: Structural FF gear PERFORMANCE Candidate must complete this skill timely and efficiently to pass. YES NO 1. Opens case and lays out SCBA with cylinder valve away from self. 2. Fully opens main cylinder valve. 3. Places dominant hand on the opposite shoulder strap. 4. Lifts SCBA and swings it over dominant shoulder. 5. Slides other hand between the SCBA cylinder and the corresponding shoulder strap. 6. Adjusts shoulder straps. 7. Attaches waist belt and adjusts. 8. Removes helmet and pulls back protective hood. 9. Dons face piece and checks for adequate seal. 10. Pulls protective hood into position, replaces helmet, and secures chinstrap. C 11. If necessary, connects regulator to face piece. 12. Activates airflow and PASS alarm. C 13. Completes steps 1-12 timely and efficiently. **TOTALS** PASS _____ CANDIDATE MUST COMPLETE 9 C = Critical Step STEPS TOTAL TO PASS SKILL. Failure on this step mandates failure on task! FAIL ______ NFPA 1001, 2019 Edition TEST DATE ______ LOCATION:____ Objective(s): 4.3.1, EVALUATOR NAME (Print) 4.3.1(B) EVALUATOR SIGNATURE:

10/2019 rev.



JPR Task: Don SCBA usin	ng the over-the-head method.		
Skill No. FF 1-11B	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. SCBA	·		
	INSTRUCTIONS TO THE CANDIDATE		
"The stude	ent shall be able to properly don SCBA using the over-the-head method."		
Minimum PPE: Structural F			
	PERFORMANCE	\/FC	NO
1 0	and the second CODA. The effective of the end of the effective of the end of	YES	NO
	and lays our SCBA with cylinder valve away from self and places shoulder		
straps out to	main cylinder valve.		
3. Bends down and grasps SCBA back plate with both hands.4. Uses legs to lift SCBA over head.			
5. Balances the back plate on back.6. Slides SCBA down back while arms slide into shoulder straps.			
	ulder strans and secures waist helt		
	Imet and pulls hood back.		
	oco and chocks for an adoquato coal		
	ive hood into position.	-	
I	connects regulator to face piece.		
	low and PASS alarm.		
<u>.</u>	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 9	
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKILI	L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
011 11 () 404	FIVALUATOR NAME (D. L. I)		
Objective(s): 4.3.1,	EVALUATOR NAME (Print)		
4.3.1(B)	EVALUATOR SIGNATURE:		
	LVALUATOR SIGNATURE.		

10/2019 rev.



JPR Task: Inspect self-contained breathing apparatus (SCBA).						
Skill No. FF 1-12						
	INSTRUCTION	S TO THE M	IONITOR/E	VALUATOR		
	Candidate sha	all be provid	ed with the	e following:		
1. SCBA	1. SCBA					
		CTIONS TO T			\	
"The student st	hall be able to proper	ly inspect s	elf-contain	ed breathing apparatus (SCBA	\) ."	
Minimum PPE: NA						
William C. TV/		PERFORM	IANCE			
					YES	NO
1. Face piece (v	isibility, dry rot, crackir	ng).				
2. Exhalation va						
Breathing tub	e (if applicable) (leaks)).				
4. Spider/hair ne	et (dry rot and cracking					
5. Harness (loos						
	ps (fraying and loose h					
	raying and loose hardy					
	ying and loose/damage					
	maged threads and in					
	gh-pressure connectio					
	vlinder (verify hydrosta					
	linder and regulator ga	iuges (not >	100 PSI alti	ference) and test low pressure		
alarm.	lo after re accombly/d	onning (no le	naka)			
	le after re-assembly/d (operates correctly in			manual		
	npletely extended (sho					
	eaning procedures (dis					
completely).	drilling procedures (dis	iiiiicots iacc	piccomiask	, soap/water, and dry		
				TOTALS		
C = Critical Step		PASS		CANDIDATE MUST COMPLET	E 12	<u>I</u>
Failure on this step manda	ites failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LO	CATION:			
Objective(s): 4.3.1,	EVALUATOR NAME	(Print)				
4.3.1(B), 4.5.1, 4.5.1(B)						
	EVALUATOR SIGNA	ATURE:				
10/2019 rev.						



		3				·WA	DE.
JPR Ta	sk: Use of SCBA (R	estricted Passage).					
Skill No	o. FF 1-13	PERI	ORMAI	NCE CRITERIA	AND INSTRUCTIONS		
		INSTRUCTION	S TO TH	HE MONITOR/E	VALUATOR		
		Candidate sha	all be pr	ovided with the	e following:		
1.	SCBA		-		-		
2.	Vertical restricted pa	assage					
		INSTRUC	CTIONS	TO THE CAND	IDATE		
	"The	student shall be able	e to prop	perly use SCB <i>i</i>	A with vertical egress."		
Minimu	m PPE: Structural F	F gear					
			PERF	ORMANCE			ı
						YES	NO
С		ove face piece or PPE					
		ulder and waist straps.					
		oosens shoulder strap			side.		
С		ntact with the regulator		•			
				hat he/she is ma	aintaining contact with.		
		or integrity (if possible					
_		ough restricted opening					
С	8. Exits the restr	ricted area, re-dons the	e SCBA	backpack, tighte			
					TOTALS	<u> </u>	
	tical Step				CANDIDATE MUST COMPLET		
Failure	on this step manda	ites failure on task!	FAIL _		STEPS TOTAL TO PASS SKIL	L.	
NIEDA	004 0040 F I'll'	TECT DATE		LOGATION			
NFPA	001, 2019 Edition	TEST DATE		LOCATION:			
Ohiooti	vo(c): 121		(Drint)				
	ve(s): 4.3.1,	EVALUATUK NAME	(Print)				
4.3.1(B), 4.3.9, 4.3.9(B)		EVALUATOR SIGNA	THEF.				

10/2019 rev.



JPR Task: Use of SCBA	(Restricted Passage).			
Skill No. FF 1-14	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
1. SCBA				
Horizontal restrict	ed passage			
	INICTELLICATIONIC TO THE CANDIDATE			
"The student of	INSTRUCTIONS TO THE CANDIDATE	"		
"The Student Sr	all be able to properly use SCBA in a restricted passage with horizontal egro	3SS."		
Minimum PPE: Structural	FE dear			
William T. E. Gradiana	PERFORMANCE			
		YES	NO	
C 1. Does not re	emove face piece or PPE.			
2. Removes backpack and places airpack before him/her holding the regulator side shoulder				
strap.				
	back in front while crawling through restricted area, still holding the regulator			
	er strap at all times.			
C 4. Exits the re	stricted area, redons SCBA backpack and tightens all straps.			
0.011.101	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLETI			
Failure on this step man	dates failure on task! FAIL STEPS TOTAL TO PASS SKILI	<u></u>		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
INI FA 1001, 2017 LUILIOI	TEST DATE LOCATION			
Objective(s): 4.3.1,	EVALUATOR NAME (Print)			
4.3.1(B), 4.3.9, 4.3.9(B)				
	EVALUATOR SIGNATURE:			
10/2019 rev.				



				., ,	
JPR Task: SCBA Failure P	rocedures				
Skill No. FF 1-15	PERF	ORMANCE CRITERIA	AND INSTRUCTIONS		
	INSTRUCTION:	S TO THE MONITOR/E	CVALUATOR		
	Candidate sha	III be provided with th	e following:		
1. SCBA					
2. Partner					
Walkie talkie					
		TIONS TO THE CAND			
"The	student shall be able	to properly notify sor	neone of SCBA failure."		
	_				
Minimum PPE: Structural F	F gear	DEDECRIANCE			
		PERFORMANCE		\/F0	NO
0 4 N P.	/ 15 1	1 '6		YES	NO
		mayday if necessary.			
2. Conserves ai					
3. Utilizes bypas	ss/purge valve to conse	erve air correctly.			
	es (when equipment a				
	m/activates PASS dev	ICE.			
6. Exits structure	<u>e.</u>		TOTALO		
0 0311 1 01 1		DACC	TOTALS		
C = Critical Step			CANDIDATE MUST COMPLET		
Failure on this step manda	ites failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TECT DATE	LOCATION:			
NFPA 1001, 2019 Edition	LESI DATE	LOCATION:			
Objective(s): 4.3.1,	EVALUATOD NAME	(Drint)			
4.3.1(B)	LVALUATOR NAME	(F1111t)			
-1.0.1(D)	FVALUATOR SIGNA	ATURF.			
	EVALUATOR SIGNA	(TOKE			
10/2019 rev					



JPR Task: Emergency resp	oonse on motorized fire apparatus.						
Skill No. FF 1-16 PERFORMANCE CRITERIA AND INSTRUCTIONS							
	INSTRUCTIONS TO THE MONITOR/EVALUATOR						
	Candidate shall be provided with the following:						
 Fire apparatus 							
	INSTRUCTIONS TO THE CANDIDATE						
"The student shall be	e able to properly perform an emergency response on a motorized fire ap	paratus	."				
	_						
Minimum PPE: Structural F							
	PERFORMANCE	VEC	NO				
1		YES	NO				
Fastens passenger restraint device(s).							
Wears all personal protective equipment.							
3. Wears eye protection for non-enclosed cabs (may be verbalized).							
	ng protection (may be verbalized).						
	ontained Breathing Apparatus.						
0. DISMOUNIS Sa	afely using appropriate hand rail(s) and step(s) while observing surroundings. TOTALS						
C = Critical Step	PASS CANDIDATE MUST COMPLE	TE E					
	ates failure on task! FAIL STEPS TOTAL TO PASS SKI	IE 3 II					
Tallule off this step marius	Tes idilule off (ask: FAIL STEFS TOTAL TO FASS SKI	<u>-L.</u>					
NEPA 1001 2019 Edition	TEST DATE LOCATION:						
THE PARTICULAR PROPERTY CONTRACTOR	TEST BATE ESSATION.						
Objective(s): 4.3.2,	EVALUATOR NAME (Print)						
4.3.2(B)							
	EVALUATOR SIGNATURE:						
10/2019 rev.							



JPR Task: Deployment of traffic and scene control devices to operate at emergency scenes. Skill No. FF 1-17 PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. Reflective vest 2. Traffic cones or other scene control device 3. Area to cordon off INSTRUCTIONS TO THE CANDIDATE "The student shall be able to properly deploy traffic and scene control devices to operate emergency scenes." Minimum PPE: Structural FF gear PERFORMANCE YES NO С 1. Properly dismount apparatus 2. Wears appropriate protective clothing (reflective vest if required). 3. Establishes zone boundaries (how large of an area and degree of hazard), based on instructions. 4. Uses traffic cones and other scene devices (fire line tape) to cordon off the area. С 5. Continues to monitor area to prevent people from crossing the line. TOTALS PASS _____ CANDIDATE MUST COMPLETE 4 C = Critical Step Failure on this step mandates failure on task! FAIL ______ STEPS TOTAL TO PASS SKILL. TEST DATE _____ LOCATION:____ NFPA 1001, 2019 Edition

Objective(s): 4.3.3, 4.3.3(B), 4.3.2, 4.3.2(B)

EVALUATOR NAME (Print)

EVALUATOR SIGNATURE: _____

11/2023 rev.



JPR Task: Identify and carr	y tools.			
Skill No. FF 1-18	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
 Cutting tool 				
Prying tool				
Striking tool				
	INSTRUCTIONS TO THE CANDIDATE			
ш*	The student shall be able to properly identify and carry tools."			
M'.' DDE CL. IIIE	5			
Minimum PPE: Structural F				
	PERFORMANCE	VEC	NO	
C 1 Me are full pre	to attice a projection and proposition	YES	NO	
C 1. Wears full protective equipment properly.				
2. Identifies cutting tool.				
3. Identifies pryi				
4. Identifies strik	s at least one of the above tools.			
5. Safety carries	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET	Ε /	L	
Failure on this step manda				
Tallule of this step manua	THE STANGE OF LOSK: TAIL STEES FOR ACTION ASSOCIATION	<u>L.</u>		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
111 171 100 1/2017 Edition	1201 B/112 200/110111			
Objective(s): 4.3.4,	EVALUATOR NAME (Print)			
4.3.4(B)	7			
	EVALUATOR SIGNATURE:			
10/2019 rev.				



The righter Tr Ett Ottivitive Evillorition				· WV	DE
JPR Task: Force entry into	an inward-opening do	or.			
kill No. FF 1-19A PERFORMANCE CRITERIA AND INSTRUCTIONS					
	INSTRUCTION	IS TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
1. Inward opening door					
Tools to force entry					
		CTIONS TO THE CAND			
"The student shall be	e able to properly force	ce entry on an inward-	facing door using equipment p	rovided	1."
Minimum DDE: Structural E	Egoar				
Minimum PPE: Structural F	r year	PERFORMANCE			
		I LIN ONWANCE		YES	NO
1. Wears PPE.				123	110
Inspects the door for location and number of locks and mechanisms as well as safety					
hazards, and to check that the door is locked.					
3. Places forked end of Halligan tool into door frame between door jamb and door stop.					
Inserts tool near lock, with beveled end of tool against jamb.					
4. Once Halligan tool is in position, the student has the partner drive tool further into door					
jamb on command. The student makes sure tool is in a gap between rabbeted jamb or					
stop and the door and not the door jamb itself.					
5. Once tool is past the stop and between the door and jamb, the student pushes Halligan					
toward jamb to force open. If more leverage is needed, the partner can slide axe head between bevel of Halligan bar and jamb.					
6. Secures door to prevent closure after entry.					
0. Secures doo	i to prevent closure and	er eriny.	TOTALS		<u> </u>
C = Critical Step PASS CANDIDATE MUST COMPLE				F 5	<u> </u>
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL					
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.4,	EVALUATOR NAME (Print)				
4.3.4(B)	EVALUATOR SIGNATURE.				
	EVALUATOR SIGNATURE:				

10/2019 rev.



THE TIGHTED TELL ONWANGE EVALUATION					
JPR Task: Force entry into	an outward-opening door.				
Skill No. FF 1-19B	PERFORMANCE CRITERIA AND INSTRUCTIONS				
	INSTRUCTIONS TO THE MONITOR/EVALUATOR				
	Candidate shall be provided with the following:				
 Outward opening d 					
Tools to force entry					
	INSTRUCTIONS TO THE CANDIDATE				
"The student shall be	able to properly force entry on an outward-facing door using equipment p	r <mark>ovid</mark> e	d."		
Minimum PPE: Structural F					
	PERFORMANCE				
		YES	NO		
1. Wears PPE.					
•	r for safety hazards, and that the door is locked. Places adz end Halligan tool				
	r and frame. Inserts tool in the area of mechanism or between mechanism				
and seconda					
	ligan tool is in position, the student has partner strike the Halligan on				
	d drive the adz further into the gap.				
	wnward direction with fork end of tool and then forces the door outward.				
5. Secures doo	r to prevent closure after entry.				
	TOTALS				
C = Critical Step	PASS CANDIDATE MUST COMPLET				
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u></u>			
NED A 4004 0040 E I''	TEGT DATE				
NFPA 1001, 2019 Edition	TEST DATE LOCATION:				
Objective(s): 4.3.4,	EVALUATOR NAME (Print)				
דיטידי דיטידי					

EVALUATOR SIGNATURE: _____

4.3.4(B)



JPR Task: Force entry into	a double-hung window.		
Skill No. FF 1-20	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Double hung window	N		
2. Tools to force entry			
	INCTDUCTIONS TO THE CANDIDATE		
"The stude	INSTRUCTIONS TO THE CANDIDATE		
The Stude	nt shall be able to properly force entry through a double-hung window."		
Minimum PPE: Structural F	F gear		
William and The Caractaran	PERFORMANCE		
		YES	NO
1. Wears PPE.			
Inspects wind	low for safety hazards, finds locking mechanism(s).		
Places pry en	d of Halligan tool under bottom sash in line with locking mechanism.		
4. Pries bottom	sash upward to displace locking mechanism.		
Secures wind	ow so it does not close.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
NFPA 1001, 2019 Edition	TEST DATE LOCATION		
Objective(s): 4.3.4,	EVALUATOR NAME (Print)		
4.3.4(B)			
	EVALUATOR SIGNATURE:		



JPR Task: Breaching a Wall Frame		
Skill No. FF 1-21 PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Candidate shall be provided with the following:		
1. Wood frame wall or prop		
2. Tools to choose from to breach wall		
INSTRUCTIONS TO THE CANDIDATE		
"The candidate will successfully reach a wall"		
AN A DDE ENDRE LOOPA		
Minimum PPE: Full PPE and SCBA		
PERFORMANCE	VEC	NO
	YES	NO
1. Wears PPE .		
C 2. Uses a striking or cutting tool to sound the wall to locate any studs, and makes a hole		
between the studs.		
3. Cuts as close to the studs as possible		
4. Enlarges the hole by extending it from stud and as high as necessary.		
TOTALS	<u> </u>	
C = Critical Step PASS CANDIDATE MUST COMPLET		
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NEDA 1001 2010 Edition TEST DATE LOCATION:		
NFPA 1001, 2019 Edition TEST DATE LOCATION:		
Objective(s): 4.3.4, EVALUATOR NAME (Print)		
4.3.4(B)		
EVALUATOR SIGNATURE:		
EVILOITION SIGNATIONE.		
10/2019 rev.		



JPR Task: Action when trapped/disoriented with hose. Skill No. FF 1-22 PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. SCBA 2. Charged hose line 3. Walkie talkie INSTRUCTIONS TO THE CANDIDATE "The student shall be able to safely take action when trapped or disoriented without a hose." Minimum PPE: Structural FF gear PERFORMANCE YES NO 1. Wears PPE. C 2. Uses portable radio properly. Calls May Day, identifies location and situation, and speaks clearly. 3. Manually alarm/activates PASS alarm. С 4. Controls breathing. 5. Controls panic. 6. Listens for noises or sounds. C 7. Follows hose line in proper direction. **TOTALS** PASS _____ CANDIDATE MUST COMPLETE 5 C = Critical Step Failure on this step mandates failure on task! FAIL ______ STEPS TOTAL TO PASS SKILL. TEST DATE _____ LOCATION:____ NFPA 1001, 2019 Edition EVALUATOR NAME (Print)

Objective(s): 4.3.5,

4.3.5(B)

EVALUATOR SIGNATURE:

West Virginia Public Service Training



Fire Fighter 1 PERFORMANCE EVALUATION JPR Task: Action when trapped/disoriented without hose. Skill No. FF 1-23 PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. SCBA 2. Walkie talkie INSTRUCTIONS TO THE CANDIDATE "The student shall be able to safely take action when trapped or disoriented without a hose." Minimum PPE: Structural FF gear PERFORMANCE YES NO 1. Wears PPE. C 2. Uses portable radio properly. Calls May Day, identifies location and situation, and speaks clearly. 3. Listens for noises or sounds. 4. Manually alarm/activates PASS alarm. C 5. Controls breathing. 6. Controls panic. 7. Locates and follows wall in the same direction. С 8. Locates windows/door. TOTALS PASS _____ CANDIDATE MUST COMPLETE 6 C = Critical Step Failure on this step mandates failure on task! FAIL _____ STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:

Objective(s): 4.3.5,

4.3.5(B)

EVALUATOR NAME (Print)

EVALUATOR SIGNATURE:



JPR T	ask: (One Fire Fighte	er Extension Ladder Ca	arry and I	Raise.			
	Vo. FF 1					A AND INSTRUCTIONS		
			INSTRUCTION	S TO TH	E MONITOR/E	VALUATOR		
			Candidate sha	all be pro	vided with the	e following:		
1.	24′ ex	xtension ladder						
			INSTRUC	CTIONS T	TO THE CAND	IDATE		
	ш	The student s				extension ladder by him/hersel	f."	
			_					
Minim	um PPE	: Structural F	F gear	DEDEC	DMANCE			
				PERFU	RMANCE		YES	NO
С	1	∆ny unsafe	act or operation whi	le carryi	na raisina o	r operating on the ladder	ILS	NO
	1.					scending/descending		
		•	O .			rotective equipment, etc.		
С	2.					of will support the ladder.		
	3.		er carry (low should					
	4.		ting of ladder (1/4 of					
	5.	Proper raise	e (uses building to be	utt, fly se	ection in, and	flush to building).		
	6.					ut, and 75 degree climbing		
		angle).						
	7.	Properly tie	off the halyard.					
			·			hands and feet movement).		
			ployed correctly (op	•				
	10.	Returns lade	der to the designate	d location	on (properly a	3.		
0 0	.''' 1 6	<u> </u>		DACC		TOTALS	<u> </u>	
	ritical S		ites failure on task!	PASS_ FAIL		CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
Tallul	C OII III	is step manua	ites failure off task:	I AIL _		JILI J TOTAL TOT AJJ JKIL	. <u>L.</u>	
NFPA	1001, 2	2019 Edition	TEST DATE		LOCATION:			
		4.0.7	51/41/14 TO 5 1/4 1/4	- 15				
4.3.6(tive(s):	4.3.6,	EVALUATOR NAME	(Print) _				
4.5.0(D)		EVALUATOR SIGNA	ATURE:				
11/202	23 rev.					·		



JPR Task: Two fire fighter:	shoulder carry.		
Skill No. FF 1-25 A	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Ladder			
Fire Fighter			
	INSTRUCTIONS TO THE CANDIDATE		
"The student st	nall be able to properly carry a ladder with a partner using a shoulder carry	, "	
THE Student Si	iali be able to property carry a ladder with a partitler disting a shoulder carry		
Minimum PPE: Structural F	F qear		
	PERFORMANCE		
		YES	NO
1. Dons PPE,	forms into team, and enters accountability system.		
2. Both fire figl	nters approach ladder from same side, facing the butt. One fire		
fighter stand	Is near the butt and the other near the tip.		
3. Each fire fig	hter places an arm between two rungs and lifts ladder onto shoulder.		
4. Covers the	outt spurs with gloved hand while transporting ladder.		
5. Works smoo	othly as a team and uses good communication.		
6. Uses proper	lifting techniques.		
7. Starts drill a	nd finishes drill with ladder on apparatus.		
•	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLETE		
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKILL		
NED # 4004 0040 E 191	TEST DATE		
NFPA 1001, 2013 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.6,	EVALUATOR NAME (Print)		
4.3.6(B)	EVALUATION WINE (FINITY)		
	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: Two fire fighter s	suitcase carry.				
Skill No. FF 1-25 B	PER	RFORMANCE CRITERI	A AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
1. Ladder					
2. Fire Fighter					
	INSTRUC	CTIONS TO THE CANE	ΝΠΔΤΕ		
"The student sl			a partner using a suitcase carr	V "	
The student si	nun be ubie to proper	ily curry a ladder with	a partiter using a suitouse carr	J.	
Minimum PPE: Structural F	F gear				
		PERFORMANCE			
				YES	NO
		d enters accountabili	y		
2. Both fire figh	nters stand on same	e side facing the butt	of ladder, at opposite ends.		
3. Grasps upper beam.					
4. Picks up lad	lder using proper lift	ing techniques.			
5. Works smoo	othly as a team and	uses good communi	cation.		
6. Starts drill a	nd finishes drill with	ladder on apparatus).		
		• •	TOTALS		
C = Critical Step			CANDIDATE MUST COMPLET		
Failure on this step manda	ites failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NEDA 4004 0040 E I'I'	TECT DATE	LOCATION			
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.6,	Εναι πατορ Ναμε	(Print)			
4.3.6(B)	LVALUATOR NAME	- (1 11119			
(2)	EVALUATOR SIGNA	ATURE:			
10/2019 rev.					



	Fire Fighter 1	PERFORMANCE E	VALUATION	·WA	DE. OF
JPR Task: Two fire fighter	beam raise.				
Skill No. FF 1-26	PER	FORMANCE CRITERIA	A AND INSTRUCTIONS		
		IS TO THE MONITOR/E			
4 1	Candidate sh	all be provided with th	e following:		
 Ladder Fire Fighter 					
2. Fire Fighter					
	INSTRU	CTIONS TO THE CAND	IDATE		
"The student shall			ith an extension ladder and a p	artner.'	,
			·		
Minimum PPE: Structural F	F gear	DEDECEMBER 1			
		PERFORMANCE		VEC	NO
1 Done DDF	forms into toom, on	d antara aggruptabilit	v cyctom	YES	NO
		d enters accountabilit			
	overhead hazards.	ladder and the other i	s at the tip.		
0. 000		r until one beem is to	the ground		
		r until one beam is to			
<u> </u>	•	II DUIL OI DEAIII IIIALIS	contacting the ground and		
grasps upp		outt of laddor raising	lower beam hand-over-hand		
until vertica	•	butt of lauder, raising	lower beam name-over-name		
		pivots ladder into posi	tion as nacassary		
		t of a beam to brace t			
	<u> </u>		ds and locks the fly section.		
		s the ladder while both			
11. Ties halyard		THE IDUCT WHILE DOLL	Tican it into piace.		
3		times as part of a tea	m and uses good		
communica		umos as part of a toal	in and asos good		
	r lifting techniques.				
		n ladder on apparatus			
i ii otarto armi	aria milorico ariii ma	raddor orrapparated	TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 10	
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	L.	
NED 4 4004 - 2040 E-111	TECT DATE	LOCATION			
NFPA 1001, 2019 Edition	IESI DAIE	LOCATION:			
Objective(s): 4.3.6,	EVALUATOR NAME	E (Print)			

EVALUATOR SIGNATURE: _____

West Virginia Public Service Training



	Fire Fighter 1	PERFO	DRMANCE EV	VALŬATION	IA V	DE.
JPR Task: Two fire fighter rung	g raise.					
Skill No. FF 1-27				AND INSTRUCTIONS		
	INSTRUCTIONS					
4	Candidate sha	III be pr	ovided with the	e following:		
1. Ladder						
2. Fire Fighter						
	INSTRUC	TIONS	TO THE CAND	IDATE		
"The student shall be	able to properly p	erform	a rung raise of	an extension ladder with a par	rtner."	
Minimum PPE: Structural FF ge	ear					
William II I I Oracial II I go	ou!	PERF	ORMANCE			
					YES	NO
1. Dons PPE, forn	ms into team, and	l enters	accountabilit	y system.		
	r is at the butt of la	adder a	and the other is	s at the tip.		
C 3. Checks for ove	rhead hazards.					
4. Fire fighter at b	outt lowers butt of	lower b	peam to grour	ıd.		
5. Fire fighter at ti	ip rotates ladder ι	until bo	th beams cont	act ground.		
6. Fire fighter at butt stands on bottom rung, grasps higher rung with both hands,						
	n, and leans back					
			nd walks towa	ard butt, raising rungs hand-		
	l ladder is vertical					
8. Stands on oppo						
•			adder by each	placing the toe of boot		
,	te beams of ladde					
				smoothly until tip is at		
<u> </u>	0	ked. Ot	her fire fighter	stabilizes ladder by holding		
outside of bean						
_	•		foot against o	ne beam of ladder and both		
	ın ladder into plac	e.				
12. Ties halyard.				11		
13. Works smoothly		uses go	ood communic	cation.		
14. Uses proper lift		1 11				
15. Starts drill and	finishes drill with	ladder	on apparatus.			
C = Critical Step		DACC		TOTALS CANDIDATE MUST COMPLET	E 11	
Failure on this step mandates	s failure on task!			STEPS TOTAL TO PASS SKIL		
			LOCATION:			
Objective(s): 426	VALUATOD NAME	(Drint)				

EVALUATOR SIGNATURE: _____

10/2019 rev.

4.3.6(B)



JPR Task: One fire fighter rung raise for ladders under 14'.		
Skill No. FF 1-28 PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Candidate shall be provided with the following: 1. Ladder under 14'		
1. Lauder under 14°		
INSTRUCTIONS TO THE CANDIDATE		
"The student shall be able to safely rung raise a ladder under 14'."		
Minimum PPE: Structural FF gear		
PERFORMANCE		
	YES	NO
1. Dons PPE.		
Carries ladder to desired location, butt first.		
C 3. Checks for overhead hazards.		
4. By the tip, raises the ladder to hip level.		
5. Walks hand-over-hand down the rungs until the ladder is vertical.		
6. Heels the ladder.		
7. Leans the ladder into place.		
8. Smoothly handles ladder at all times.		
9. Uses proper lifting techniques.		
10. Starts drill and finishes drill with ladder on apparatus.		
TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLET		
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NFPA 1001, 2019 Edition		
Objective(s): 4.3.6, EVALUATOR NAME (Print)		
4.3.6(B)		
EVALUATOR SIGNATURE:		
10/2019 rev.		



JPR Task: One fire fighter single ladder carry and roof ladder deployment

Skill No. FF 1-30

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Roof ladder
- 2. Secure ladder to climb to roof to deploy roof ladder

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to safely single carry and deploy a roof ladder"

Minimum PPE: Structural FF gear

PERFORMANCE								
							YES	NO
С	1.	,	•	,	0	operating on the ladder.		
			0			scending/descending,		
				imprope	erly donned p	rotective equipment, etc.		
	2.	Proper ladd						
		Low should	er, butt end forward	for clim	bing.			
		Low should	er, tip end forward fo	or roof d	leployment.			
	3.	Proper raise	?S:					
		Uses beam	of climbing ladder to	butt ro	of ladder.			
	4. Prepares hooks prior to raising/deploying roof ladder.							
	5. Proper climbing method (smoothly and rhythmically, hands and feet movement).							
	6. Proper ladder hoist (shoulder placement just above midpoint).							
С	7.	Leg lock em	ployed correctly (op	posite f	rom working :	side).		
	8.	Places roof	ladder with hooks do	own, un	itil securing ov	ver ridge line.		
						TOTALS		
	Critical S	•						
Failu	re on th	is step manda	ites failure on task!	FAIL _		STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NED	N 1001 1	0010 Edition	TECT DATE		LOCATION			
NFP	4 1001, 2	2019 Edition	TEST DATE		LUCATION:			
Obie	ctive(s):	436	EVALUATOR NAME	(Print)				
4.3.6		1.0.07		. (
			EVALUATOR SIGNA	ATURE:				
10/20)19 rev							



JPR Task:	Escaping from	an entanglement.
-----------	---------------	------------------

Skill No. FF 1-31

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Walkie talkie
- 2. Prop to simulate entanglement

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to safely and properly free themselves from an entaglement."

Minim	num PPE: Full PPE & S	CBA				
		PERFORMANCE				
				YES	NO	
С	 Transmits M 	AYDAY over portable radio.				
С	2. Activates PA	SS.				
	3. Stays calm	nd controls breathing.				
	4. Changes po	sition (backs up, turns on side) to try to fre	ee self.			
	Uses swimn	er stroke to try to free self.				
	to free SCB	BA straps, removes one arm, slides pack manually.	, and the second			
	7. Cuts entanglement if able and necessary, being aware of possible electrocution risk.					
	8. Exits safely.					
	Notifies imm	ediate supervisor or command when out o	of hazard.			
			TOTALS			
	critical Step re on this step manda		CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL			
NFPA 1001, 2019 Edition TEST DATE LOCATION:						
Objective(s): 4.3.5 EVALUA		EVALUATOR NAME (Print)				
		EVALUATOR SIGNATURE:				
10/20	19 rev.			_		



JPR Task: Fire Extinguishment in a passenger vehicle.

Skill No. FF 1-32

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Charged hose line
- 2. One more FF minimum
- 3. Prop or vehicle to simulate a vehicle fire

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to safely and properly fire extinguish a passenger vehicle."

					-	. .		
Minin	num PPE	E: Full PPE & :	SCBA					
				PERFORMA	NCE			
							YES	NO
С	1.	Fails to main	ntain team accounta	ıbility.				
С	2.	Fails to wea	r complete PPE (inc	cluding SCBA	\) .			
	3.	Selection of	proper hose line an	id nozzle.				
	4.	Extinguishe	s fire (recognizable	fire stream ar	nd applic	cation technique, applies		
		from uninvo	lved to involved are	as, and uphill	/upwind).		
	5. Method of attack consistent with known or anticipated hazards (attacks from							
	side, avoids bumpers, recognizes airbag presence, catalytic converters, and							
		contents/car	rgo).					
	6. Identifies and controls leaking flammable liquids (verbalized)(alternative fuels							
	and multiple fuel tanks).							
	7. Demonstrates ability to access vehicle compartments (tools available and							
		trunk(s)/hoo	d(s) propped open)					
	8.	Overhauls in	nvolved vehicle com	partments (re	emove u	inburned class "A"		
		materials).						
						TOTALS	<u> </u>	<u> </u>
	Critical S		taa falluus an taalu	PASS		CANDIDATE MUST COMPLET	E 6	
Fallu	re on in	iis step manda	ates failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	L.	
NFP	Δ 1001 ·	2019 Edition	TEST DATE	LOCA	TION:			
14117	1 1001, 2	2017 Laition	TEST DITTE		(1101 4			
	ctive(s):	4.3.7,	EVALUATOR NAME	(Print)				
4.3.7	(B)							
			EVALUATOR SIGNA	ATURE:				
10/20)19 rev.							
10/20	, , , , , , , , , , , , , , , , , , , ,							



JPR Task: Safely attack and extinguish an exterior fire involving Class A materials.

Skill No. FF 1-33

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Charged hose line
- 2. One more FF minimum
- 3. Class A materials to be burned
- 4. Walkie talkie
- 5. Tools to break up burning materials

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to properly recognize and manage hazards, handle hose lines, and use hand tools to extinguish an exterior Class A fire"

Minimum PPF Full PPF & SCBA

PERFORMANCE		
	ES	NO
C 1. Dons full PPE and SCBA, responds safely, forms into a team, and enters into		
personal accountability system.		
Performs size-up and arrival report, calling for additional resources if needed.		
3. Ensures apparatus is positioned to protect work area (uphill, upwind, and		
protesting work area from traffic).		
4. Develops and implements strategy.		
Assures crew fully protected from hazards.		
6. Deploys hose line.		
7. Assures crew attacks from uphill, upwind, and if necessary maintains safe		
distance to stay out of collapse zone of stacked materials.		
8. Breaks up material with tools or streams to expose and extinguish hidden fires.		
Evaluates and modifies water application as necessary.		
10. Maintains good body posture and mechanics throughout attack.		
11. Notifies command that fire is under control and loss stopped.		
12. Evaluates for complete extinguishment.		
13. Initiates origin/cause investigation while protecting arson evidence.		
14. Returns crew and equipment to service.		
TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLETE 1		
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.		
NFPA 1001, 2019 Edition		
Objective(s): 4.3.8, EVALUATOR NAME (Print)		
4.3.8(B)		
EVALUATOR SIGNATURE:		
11/2023 rev.		



	3			· MA	DE
JPR Task: Deploy master	stream device with two	people.			
Skill No. FF1-34A	PEF	RFORMANCE CRITERI	IA AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
 Master stream devi 	ce		-		
2. Fire Apparatus con	nected to a water supp	ly			
Hose to choose fro	m to connect master str	ream to apparatus			
Fire Fighter					
		CTIONS TO THE CAND			
The student s	hall be able to proper	'ly deploy a master str	eam device with another perso	n.	
M					
Minimum PPE: Structural F	r gear	DEDECORMANCE			
		PERFORMANCE		YES	NO
C 1. Wears full pr	otective equipment pro	norly		TES	NO
	opriate feeder lines.	репу.			
		ures protection (if possib	امام)		
			tream device (if applicable).		<u> </u>
5. Calls for wat	<i>J</i> 1	c securing the master s	il cam device (ii applicable).		
6. Operates ma					
o. Operates me	otor off curri.		TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 5	1
Failure on this step mand	ates failure on task!		STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.3.8,	EVALUATOR NAME	E (Print)			
4.3.8(B),					
	EVALUATOR SIGNA	ATURE:			
40/0040					
10/2019 rev.					



	· ·			WV	DE L
JPR Task: Operate a large	hand line for an exteri	ior attack.			
Skill No. FF1-34B	PEI	RFORMANCE CRITER	RIA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/	EVALUATOR		
	Candidate sha	all be provided with th	ne following:		
1. 150' of 2 ½" hose					
Fire apparatus conr	nected to a water supp	oly			
	MCTDU				
The atual and also like also		CTIONS TO THE CAN			
i ne student snali be abi	e to properly demons	strate now to deploy a attack.	and operate a large hand line fo	r an ext	erior
		allack.			
Minimum PPE: Structural F	F near				
William TT E. Structural T	i godi	PERFORMANCE			
				YES	NO
1. Closes nozzle, makes loop with hose, assures nozzle is under hose line.					
2. Lashes hose	together at crossing p	oint or uses body weig	ht to sit or kneel on hose.		
			sses itself for maneuverability.		
4. Opens water	and directs on designa	ated area.			
			TOTALS		
C = Critical Step		PASS			
Failure on this step manda	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKII	<u>_L.</u>	
NEDA 4004 0040 E IIII	TEOT D 4 TE	LOCATION			
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(c), 429	EVALUATOD NAME	= (Drint)			
Objective(s): 4.3.8, 4.3.8(B)	EVALUATUR NAIVIE	<u> </u>			
4.3.0(D)	EVALUATOR SIGNA	ΔTIIRF·			
	EVALUATOR SIGN	/ (I OILL			
10/2019 rev.					



JPR Task: As part of a two-person team, rescue a downed fire fighter who is wearing PPE and SCBA.

Skill No. FF1-35A

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Two additional FF's in fill PPE and SCBA
- 2. Walkie talkie
- 3. Scenario

INSTRUCTIONS TO THE CANDIDATE

The student shall be able to properly remove a downed fire fighter with PPE and SCBA from the immediate hazard with one candidate pulling on SCBA from the immediate hazard with one candidate pulling on SCBA straps and placing the legs of downed fire fighter over the shoulders of the second candidate while pushing the downed fire fighter to safety.

Minimum PPF: Full PPF and SCBA

PERFORMANCE						
	YES	NO				
Students locate downed fire fighter.						
2. Students reset downed fire fighter's PASS, activate own PASS devices as needed in order						
to aid in communication with inside and outside crews.						
3. Activate MAYDAY procedures if needed.						
First student applies approved escape-breathing system if possible. Does not compromise own air supply.						
Second student converts the downed fire fighter's harness.						
6. First student drags by grabbing the downed fire fighter's shoulder straps or uses webbing to create a handle.						
7. Second student stays at downed fire fighter's legs after converting harness and pushes as						
first candidate pulls.						
8. Remove downed fire fighter from hazard area to safety.						
9. Stay low.						
10. Do not further injure downed fire fighter.						
TOTALS						
C = Critical Step PASS CANDIDATE MUST COMPLET	E 7					
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL						
NFPA 1001, 2019 Edition						
Objective(s): 4.3.5 EVALUATOR NAME (Print)						
EVALUATOR SIGNATURE:						
10/2019 rev.						



JPR Task: Rescue a downed fire fighter who is wearing PPE and SCBA from the immediate hazard by converting the harness and pulling on SCBA straps.

Skill No. FF1-35B

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Two additional FF's in full PPE and SCBA
- 2. Walkie Talkie
- 3. Scenario

INSTRUCTIONS TO THE CANDIDATE

The student shall be able to properly locate a downed fire fighter, operate PASS devices, assess the fire fighter and situation, use portable radio, use escape breathing system if available, convert SCBA into makeshift harness, and drag downed fire fighter to safety.

Minimum PPE: Full PPE and SCBA

PERFORMANCE				
	YES	NO		
Student locates downed fire fighter.				
2. Assesses the victim and the situation.				
3. Resets victim's PASS, activates own PASS as needed in order to aid in communication				
with inside and outside crews.				
4. Opens water and directs on designated area.				
5. Positions self at the legs of the downed fire fighter.				
6. Lifts one leg of the downed fire fighter onto shoulder.				
7. Locates and loosens, the waist straps and shoulder straps of the downed fire fighter's				
SCBA harness.				
8. Unbuckles the downed fire fighter's waist strap and buckles the waist strap under the lifted				
leg.				
9. Tightens the strap and removes downed fire fighter from hazard area.				
TOTALS				
C = Critical Step PASS CANDIDATE MUST COMPLE	ΓE 7			
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKI	<u> LL.</u>			
NFPA 1001, 2019 Edition				
OLIVER (A) A 2.5				
Objective(s): 4.3.5 EVALUATOR NAME (Print)				
EVALUATOR SIGNATURE.				
EVALUATOR SIGNATURE:				
10/2019 rev.				
10/2017 150.				



IDD Tools Describes a serie					
JPR Task: Rescuing a cons	scious victim from a window.				
0	DEDECOMANICE ODITEDIA AND INCTRICATIONS				
Skill No. FF1-36	PERFORMANCE CRITERIA AND INSTRUCTIONS				
	INSTRUCTIONS TO THE MONITOR/EVALUATOR				
	Candidate shall be provided with the following:				
	d story window access				
2. Conscious victim					
3. Fire Fighter					
4. Extension ladder					
	INCTRUCTIONS TO THE CANDIDATE				
The above	INSTRUCTIONS TO THE CANDIDATE				
rne stud	lent shall be able to safely rescue a conscious victim from a window.				
Minimum DDE: Full DDE an	4 SCBV				
WIIIIIIIIIIIIIIII FFL. TUII FFL aii	Minimum PPE: Full PPE and SCBA PERFORMANCE				
	F ERI ORWANCE	YES	NO		
1. Places ladder	into position, with the tip below the windowsill.	ILJ	INO		
	er climbs ladder and goes into room and makes contact with victim.		<u> </u>		
	ghter climbs to top of ladder and stops one rung before tip.				
	circle with arms around victim.				
	vn ladder safely with victim.				
	m by squeezing him/her against rungs.				
01 001111 010 VIOLII	TOTALS				
C = Critical Step	PASS CANDIDATE MUST COMPLETI	 E 5			
Failure on this step manda					
NFPA 1001, 2019 Edition	TEST DATE LOCATION:				
Objective(s): 4.3.9,	EVALUATOR NAME (Print)				
4.3.9(B),4 5.3.6,4.3.6(B)					
	EVALUATOR SIGNATURE:				



	3	. MAI	DE
JPR Task: Rescuing an un	conscious victim from a window.		
Skill No. FF1-37	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Location with secon 	d story window access		
Conscious victim			
Fire Fighter			
Extension ladder			
	INSTRUCTIONS TO THE CANDIDATE		
The stude	nt shall be able to safely rescue an unconscious victim from a window.		
Minimum DDE, Full DDE on	M CCDA		
Minimum PPE: Full PPE an	PERFORMANCE		
	PERFORIVIANCE	YES	NO
1 Places ladder	r into position, with the tip below the windowsill.	ILJ	INO
One fire fighter enters to assist the victim.			
8	ire fighter climbs to the window.		
	on ladder has one leg higher than the other with higher leg bent so thigh is		
parallel with g			
	phter passes victim to fire fighter on ladder. Victim's back is toward ladder.		
	ed on leg of fire fighter. Fire Fighter places arms under victim's arms and		
grasps ladder			
7. Slowly procee	eds down ladder.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLETI	E 5	
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKILI	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s), 4.2.0	EVALUATOD NAME (Drint)		
Objective(s): 4.3.9, 4.3.9(B), 4.3.6, 4.3.6(B)	EVALUATOR NAME (Print)		
4.3.7(D), 4.3.0, 4.3.0(D)	EVALUATOR SIGNATURE:		
EVALUATOR SIGNATURE.			



JPR Task: Conduct a primary search of a building.

Skill No. FF1-38

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Additional FF
- 2. Tools to choose from
- 3. Location to conduct search and a scenario

INSTRUCTIONS TO THE CANDIDATE

The student shall be able to safely conduct a primary search of a structure and rescue any victims with obstructed vision as part of a search team.

Minimum PPE: Full PF		vision as part of	a sca	ron toam.		
		PERFORMANC	Ε			
					YES	NO
1. Dons PF	PE and SCBA, responds sa	afely, and enters the	e pers	sonnel accountability system.		
	and tools, a hand light, a ra			device, and search ropes if		
	3. Notifies command that team is entering the building and what direction the search is going to be made in.					
4. Utilizes I	nand tools for forcible entry	y and ground ladde	rs if n	eeded.		
5. Conduct room.	s a quick and systematic s	search by staying o	n outs	side wall and searching room to		
6. Maintain	s contact with an outside v	vall.				
7. Maintain	s team integrity with visual	l, voice, or direct co	ontact			
8. Uses mo cannot b						
9. Clears a	9. Clears all rooms visually or by touch.					
10. Search a	 Search area includes stairs up to the landing on next floor level. Does not go into basements until directed to by supervising officer. 					
	eriodically to listen for victin					
furniture						
13. Observe	s fire, smoke, and heat cor	nditions and update	es cor	mmand.		
	and removes victims and r					
	earch of assigned area is considerational area is considerated area to supervising office		PAR	of team, and gives "All Clear" of		
				TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLETE STEPS TOTAL TO PASS SKILL						
NFPA 1001, 2019 Edit	NFPA 1001, 2019 Edition					
Objective(s): 4.3.9,	EVALUATOR NAM	E (Print)				
.3.9(B)	EVALUATOR SIGN	IATURE:				
10/2019 rev.						



	Fire Fighter 1 PERFORMANCE EVALUATION	·MA	DE. OF
JPR Task: Conduct a	secondary search of a building.		
Skill No. FF1-39	PERFORMANCE CRITERIA AND INSTRUCTIONS		
SKIII NO. FF 1-39	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
1. Additional FF	Candidate shall be provided with the following:		
2. Tools to choos	a from		
	duct search and a scenario		
J. Location to con	duct Scarcii and a Scenario		
	INSTRUCTIONS TO THE CANDIDATE		
The student shall be a	ible to safely conduct a secondary search of a structure and rescue any victim	s as p	art of a
	search team.	•	
Minimum PPE: Full PF			
	PERFORMANCE		
1		YES	NO
	PPE and SCBA.		
	he personnel accountability system while operating as a member of a team.		
3. Brings h indicated	and tools, a hand light, a radio or thermal imaging device, and search ropes if I.		
4. Notifies	command when entering building and states the direction taken.		
,	tic and thorough, looks for potential, unknown, or missed victims		
6. Checks	or hidden fires, salvage needs, and indicators of cause, origin, or arson.		
	evidence.		
	icates with team members and command.		
9. Conduct complete	s PAR (Personnel Accountability Reports) and notifies command when search is		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 7	
Failure on this step m	andates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L	
NFPA 1001, 2019 Edit	on TEST DATE LOCATION:		
Objective(s): 4.3.9, 4.3.9(B)	EVALUATOR NAME (Print)		

EVALUATOR SIGNATURE:



		, V		
JPR Task: Blanket drag.				
Skill No. FF1-40A	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
1. Blanket				
Victim to rescue				
	INCTRUCTIONS TO THE CANDIDATE			
T	INSTRUCTIONS TO THE CANDIDATE			
The student shall be	able to properly demonstrate the ability to safely drag a victim by using a	blanke	₹.	
Minimum PPE: Full PPE an	d SCBA			
	PERFORMANCE			
		YES	NO	
Stretches material being used.				
	nto side. Bunches one-third of material next to victim's body.			
3. Lays victim do victim.	own (supine). Pulls bunched material from underneath and wraps around			
	al at head and drags victim to safety.			
4. Grabs materi	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET	F 3	<u> </u>	
Failure on this step manda	Ites failure on task! FAIL STEPS TOTAL TO PASS SKIL			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.3.9,	EVALUATOR NAME (Print)			
4.3.9(B)				
	EVALUATOR SIGNATURE:			
10/2019 rev.				
10/201/101.				



JPR Task: Clothes drag.						
Skill No. FF1-40B	PERFORMANCE	E CRITERIA AND INSTRUCTIONS				
	INSTRUCTIONS TO THE MONITOR/EVALUATOR					
	Candidate shall be provide	ed with the following:				
1. Victim to rescue						
	INSTRUCTIONS TO T	HE CANDIDATE				
The student shall be able		lity to safely drag a victim by using victin	n's clo	thing.		
				3		
Minimum PPE: Full PPE an	SCBA					
	PERFORM	ANCE				
			YES	NO		
Crouches bel	ind victim's head, grabs clothing ar	round collar and shoulder area.				
2. Lifts with legs	until fully upright. Walks backward,	, dragging victim to safety.				
		TOTALS				
C = Critical Step	PASS	CANDIDATE MUST COMPLET				
Failure on this step manda	tes failure on task! FAIL	STEPS TOTAL TO PASS SKIL	<u>L</u>			
NFPA 1001, 2019 Edition	TEST DATE LOC	CATION:				
Till 17t 1001, 2017 Edition	200					
Objective(s): 4.3.9,	EVALUATOR NAME (Print)					
4.3.9(B)						
	EVALUATOR SIGNATURE:					
10/00/0						
10/2019 rev.						



JPR Task: Fire fighter drag	J.				
Skill No. FF1-40C	FF1-40C PERFORMANCE CRITERIA AND INSTRUCTIONS				
		IS TO THE MONITOR/I			
	Candidate sh	all be provided with th	ne following:		
 Victim to rescue 		•	G		
		CTIONS TO THE CANE			
The studen	t shall be able to pro	perly demonstrate the	e ability to safely drag a victim.		
Minimum DDE EULDDE eu	-I CODA				
Minimum PPE: Full PPE an	IO SCBA	DEDECOMANCE			
		PERFORMANCE		YES	NO
1 Tipe victim/e	wriete togothor			IES	NO
 Ties victim's wrists together. Gets on hands and knees, straddles victim. 				-	
			s arms, drags victim by crawling		
on hands and		mis/her neck, straighten	s airiis, drags victiiri by crawiirig		
On hands dife	A KIICCS.		TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET		
Failure on this step manda	ates failure on task!		STEPS TOTAL TO PASS SKIL		
			1		
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.9,	ctive(s): 4.3.9, EVALUATOR NAME (Print)				
4.3.9(B)					
EVALUATOR SIGNATURE:					
10/2010					
l 10/2019 rev.					



JPR Task: One-person wal	king assist.					
Skill No. FF1-40D	PEF	PERFORMANCE CRITERIA AND INSTRUCTIONS				
	INSTRUCTION					
	Candidate sha	all be pr	ovided with th	e following:		
 Victim to rescue 		•		· ·		
			TO THE CAND			
The student shall b	e able to properly de	emonstr	rate the ability	to safely assist a victim with w	alking.	
Minimum PPE: Full PPE an	d SCBA	DEDE	ODMANOE			
		PERF	ORMANCE		\/E0	NO
4	201				YES	NO
1. Assists victim		Lucia	P.d. (halda anta Patanta Rati India		
			ndidate's neck, i	holds onto victim's wrist, which		
	r candidate's shoulder		t with walking			
3. Puls free arm	around victim's waist	to assis	t with walking.	TOTALS		
C Critical Cton		DACC		-	[[[]	
C = Critical Step	stac failura an tackl			CANDIDATE MUST COMPLET		
Failure on this step manda	ites failure off task!	FAIL		STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NFPA 1001, 2019 Edition	TEST DATE		LOCATION			
NFFA 1001, 2019 Edition	TEST DATE		LOCATION			
Objective(s): 4.3.9,	Εναι Πάτορ Νάμε	(Print)				
4.3.9(B)	LVALOATOR NAME	. (1 11111)				
1.0.7(5)	EVALUATOR SIGNA	ATURF.				
	217.120711 011 01010					
10/2010 rev						



JPR Task: Standing drag.				
CI:II No. FE1 40F	DEDECOMANCE CDITEDIA AND INCEDICTIONS			
Skill No. FF1-40E				
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
Victim to rescue	Candidate shall be provided with the following:			
i. Vicilii to rescue				
	INSTRUCTIONS TO THE CANDIDATE			
The student shall	be able to properly demonstrate the ability to safely perform a standing of	drag.		
The state of the	to also to properly demonstrate the alsonly to early perform a standing t	a.u.g.		
Minimum PPE: Full PPE an	d SCBA			
	PERFORMANCE			
		YES	NO	
Stands at the head of the supine victim. Then kneels at the victim's head.				
2. Raises the victim's head and torso 90°. The victim is leaning against the candidate.				
	er the victim's arms, wraps his/her arms around the victim's chest, and locks			
his/her arms.				
	ht up using his/her legs.			
5. Drags the vict				
0 0211 101	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET			
Failure on this step manda	ntes failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
NITA 1001, 2017 Edition	TEST DATE EOCATION			
Objective(s): 4.3.9,	EVALUATOR NAME (Print)			
4.3.9(B)				
	EVALUATOR SIGNATURE:			
10/2019 rev.				



JPR Task: Two-person cha	ir carry.				
Skill No. FF1-40F	PFF	REORMANCE CRITER	IA AND INSTRUCTIONS		
OKIII NO. 11 1 101		S TO THE MONITOR/E			
		all be provided with th			
1. Chair					
2. Additional Fire Fight	er				
3. Victim to rescue					
		CTIONS TO THE CAND			
The student sh	all be able to proper	ly demonstrate the ab	ility to safely chair carry a victi	m.	
 Minimum PPE: Fill PPE and	I SCRA				
IVIIIIIIIIIIIIIIIIIIIII E. TIIITTE and	ISODA	PERFORMANCE			
		T EIG OTTO		YES	NO
One fire fighter stands behind seated victim, places arms over victim's shoulders, reaches					
down, grasps back of chair.					
2. Fire fighter tilt	s chair back on rear le	egs. Second fire fighter	grasps tips of chair's front legs.		
Victim's legs s	should be between leg	s of chair.			
			command to lift and walk.		
4. Watches victir	m for airway complicat	ions.			
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET		
Failure on this step manda	tes failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>L.</u>	
NEDA 1001, 2010 E-111-	TECT DATE	LOCATION			
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.9,	EVALUATOD NAME	(Drint)			
4.3.9(B)	LVALUATOR NAME	. (٢ ١١١١)			
1.6.7(2)	EVALUATOR SIGNA	ATURF:			
10/2019 rev.					



JPR Task: Two-person extr	remity carry.				
'	, ,				
Skill No. FF1-40G					
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
		all be provided with the	e following:		
 Additional Fire Fight 	ter				
2. Victim to rescue					
	INSTDIA	CTIONS TO THE CAND	IDATE		
The student			ability to safely carry a victim.		
THE Student	. Shall be able to prop	ocity demonstrate the	ability to salely early a victim.		
Minimum PPE: Full PPE an	d SCBA				
		PERFORMANCE			
				YES	NO
Helps the victim to sit up.					
2. One fire fighter kneels behind victim, reaches under victim's arms, and grasps victim's					
wrists.					
		victim's legs, reaches ar	round, and grasps the victim		
behind knees		to atomat and a comparing	o condinate		-
	vith his/her partner.	to stand and carry victir	n away. Coordinates		
l illovellients w	nui ilis/ilei partilei.		TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	F 3	
Failure on this step manda	ites failure on task!		STEPS TOTAL TO PASS SKIL		
					
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.3.9,	EVALUATOR NAME	E (Print)			
4.3.9(B)	EVALUATOR CICAL	ATUDE			
	EVALUATUR SIGNA	41UKE:			
10/2019 rev.					
10/2017 1011					



JPR Task: Two-person seat carry.				
Skill No. FF1-40H PERFORMANCE CRITERIA AND INSTRUCTIONS				
INSTRUCTIONS TO THE MONITOR/EVALUATOR				
Candidate shall be provided with the following:				
1. Additional Fire Fighter				
2. Victim to rescue				
INCTDICTIONS TO THE CANDIDATE				
INSTRUCTIONS TO THE CANDIDATE The student shall be able to preparly demonstrate the ability to cofely cost correspond winting				
The student shall be able to properly demonstrate the ability to safely seat carry a victim.				
Minimum PPE: Full PPE and SCBA				
PERFORMANCE				
YES NO	0			
1. Kneels beside victim, near hips.				
Raises victim to sitting position, links arms with partner behind victim's back.				
3. Places his/her free arms under victim's knees and links arms with partner.				
4. If possible, has victim put his/her arms around the candidate's neck for additional support.				
TOTALS				
C = Critical Step PASS CANDIDATE MUST COMPLETE 3				
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.				
NFPA 1001, 2019 Edition				
Objective(s): 4.3.9, EVALUATOR NAME (Print)				
4.3.9(B)				
EVALUATOR SIGNATURE:				
10/2019 rev				



JPR Task: Webbing sling d	rag.			
Skill No. FF1-40l	II No. FF1-40I PERFORMANCE CRITERIA AND INSTRUCTIONS			
INSTRUCTIONS TO THE MONITOR/EVALUATOR				
	Candidate shall be provided with the following:			
 Webbing to make sl 	ing			
Victim to rescue				
	INSTRUCTIONS TO THE CANDIDATE			
The student shall be able	e to properly demonstrate the ability to safely drag a victim by using a we	bbing s	sling.	
MII DDE E 11 DDE	LOOPA			
Minimum PPE: Full PPE an				
	PERFORMANCE	\/F0	NO	
4 5 11		YES	NO	
Places victim in center of loop so webbing is behind victim's back.				
	pop over victim, places above victim's head. Reaches through, grabs webbing			
	's back, and pulls excess webbing through.			
3. Adjusts nand	placement to protect victim's head while dragging.			
C Cuitinal Ctan	TOTALS CAMBIDATE MUST COMBLET	F 2		
C = Critical Step	PASS CANDIDATE MUST COMPLET			
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L.</u>		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
NI FA 1001, 2017 Luition	TEST DATE LOCATION			
Objective(s): 4.3.9,	EVALUATOR NAME (Print)			
4.3.9(B)	EVALUATION TO THE (FINITY)			
	EVALUATOR SIGNATURE:			
10/2019 rev.				



JPR Task: Fire suppression-interior structure, grade level. Skill No. FF1-41 PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. Minimum of one additional Fire Fighter 2. Charged hose line 3. Walkie talkie 4. Tools INSTRUCTIONS TO THE CANDIDATE The student shall be able to properly demonstrate how to suppress an interior grade level structure. Minimum PPE: Full PPE and SCBA PERFORMANCE YES NO 1. Wears full protective equipment and SCBA properly. C 2. Properly advances hose line from one of the following loads: Minuteman Load Pre-connected Flat Load Triple Layer Load 3. Clears remaining hose from hose bed and flakes out hose line before entering. С 4. Maintains communication. 5. Enters structure properly (per building's condition). 6. Locates fire and radios for water. 7. Extinguish fire using the directed attack methods suppressing interior wall and subfloor C fires. TOTALS PASS _____ CANDIDATE MUST COMPLETE 5 C = Critical Step Failure on this step mandates failure on task! FAIL _____ STEPS TOTAL TO PASS SKILL. TEST DATE _____ LOCATION:____ NFPA 1001, 2019 Edition Objective(s): 4.3.10, EVALUATOR NAME (Print) ______

EVALUATOR SIGNATURE: _____

11/2023 rev.

4.3.10(B),4.3.8, 4.3.8(B)



JPR Task: Fire suppres	sion-interior structure, at	oove grade level.			
Skill No. FF1-42	PE	RFORMANCE CRITER	IA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/E	EVALUATOR		
		all be provided with th	e following:		
 Minimum one ad 					
2. Charged hose li	ne				
3. Tools					
	INSTRU	CTIONS TO THE CAND	DIDATE		
The student shall be			ss an interior above grade leve	struct	ure.
			·		
Minimum PPE: Full PPE	and SCBA	25552			
		PERFORMANCE		VE0	NO
C 1. Wears ful	mund and the committee and com	d CCDA property		YES	NO
2 Properly 3	protective equipment an	orior stairs to the fire by	one of the following loads:		
	ected Flat Load	endi sialis to the file by	one of the following loads.		
Minutema					
Triple Lay	er Load				
	remaining hose from hos	e bed and flakes out ho	se line before advancing to the		
fire area.					
	communication.				
	re and radios for water.	Lattack mathods			
C O. EXIINGUISI	es fire using the directed	i attack methods.	TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	F 5]
Failure on this step ma	ndates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	n TEST DATE	LOCATION:_			
011 11 (1) 4040	EVALUATOR NAM	E (D.1.1)			
Objective(s): 4.3.10, 4.3.10(B),4.3.8, 4.3.8(B)	EVALUATOR NAM	E (Print)			
4.3.10(D),4.3.0, 4.3.0(D)	FVALUATOR SIGN	ATURF.			
	EVALUATION SIGN	, (1 O () L.			
10/2019 rev.					



	3	. WVI	DE.	
JPR Task: Fire suppression	on-interior structure, below grade level.			
Skill No. FF1-43	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
 Minimum one addit 	ional Fire Fighter			
2. Charged hose line				
3. Tools				
	INSTRUCTIONS TO THE CANDIDATE			
The student shall be a	ble to properly demonstrate how to suppress an interior below grade level	etructi	IΓΩ	
Minimum PPE: Full PPE ar		Sirucii	JI C.	
	PERFORMANCE			
		YES	NO	
	otective equipment and SCBA properly.			
Enters structure properly (per Building's condition).				
3. Maintains communications.				
	hose from hose bed, flakes hose prior to descending stairs.			
5. Calls for water				
	airs safely (feet first in the sitting position) with charged line.			
C /. Locates and	extinguishes fire using the directed method. TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLETI	5 5		
Failure on this step mand				
Tallare on this step mana	dies fandre en task. 17tile STET STETNE TOTALES SKIEL	-		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.3.10,	EVALUATOR NAME (Print)			
4.3.10(B),4.3.8, 4.3.8(B)	FIVAL MATOR CICAMATURE			
	EVALUATOR SIGNATURE:			



JPR Task: Perform a horseshoe hose load.				
Skill No. FF 1-44A PERFORMANCE CRITERIA AND INSTRUCTIONS				
INSTRUCTIONS TO THE MONITOR/EVALUATOR				
Candidate shall be provided with the following:				
1. Fire Apparatus				
2. 2 ½" fire hose				
INSTRUCTIONS TO THE CANDIDATE	_			
"The student shall be able to properly demonstrate the ability to do a horseshoe hose loa	ıd."			
Minimum DDE, Claves				
Minimum PPE: Gloves PERFORMANCE				
PERI ORIVIANCE	YES	NO		
To set up for a forward lay, the student places the male coupling in hose bed first at rear corner. To set up for reverse lay,	ILS	INO		
To set up for a forward lay, the student places the male coupling in hose bed first at rear corner. To set up for reverse lay, the students places the female hose coupling in hose bed first at rear corner.				
2. Lay first length of hose on edge against either wall of hose bed.				
3. Makes a fold even with rear of hose bed.				
4. Lays hose back to the front and around inside of hose bed so it approaches rear along opposite wall of hose bed. Makes fold at rear of hose bed. Lays hose back around edge of hose bed inside first length of hose.				
5. Continues to lay hose around edges of hose bed. Each fold of hose will take up decreasing amount of space in inside of horseshoe.				
6. Once the center of horseshoe is filled in, the student begins second layer by bringing hose from rear of hose bed and laying it around perimeter of hose bed.				
7. Completes additional layers using same pattern as was done for first layer.				
TOTALS				
C = Critical Step PASS CANDIDATE MUST COMPLET	E 5			
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL	.L			
NFPA 1001, 2019 Edition TEST DATE LOCATION:				
Objective(s), A 2 10				
Objective(s): 4.3.10, 4.3.10(P) 4.3.9.4.2.9(P)				
4.3.10(B), 4.3.8, 4.3.8(B) EVALUATOR SIGNATURE:				
EVILOVII ON OIGHT ONE.				
10/2019 rev.				



JPR Task: Perform a min	nuteman hose load.				
Skill No. FF 1-44B	PEF	RFORMANCE CRITERI	A AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
 Fire Apparatus 					
2. 1 ¾ " fire hose					
		CTIONS TO THE CAND			
"The student s	hall be able to proper	ly demonstrate the abi	ility to do a minuteman hose loa	ad."	
MILL DDE OL					
Minimum PPE: Gloves		DEDECRIANCE			
		PERFORMANCE		VEC	NO
4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	fa	lamenth ta dhadanaa		YES	NO
		length to discharge			
Lays hose flat to front of hose bed; leaves remaining hose with male coupling out of front of bed to be connected later. Does not connect to					
		o de connected latei	r. Does not connect to		
rest of loa		eations and nazzla			
	· · ·	ections and nozzle.			
		already in hose bed			
sides of be		to nose bed, alterna	ting folds from left to right		
6. Connects	last section loaded	to the first section	placed in bed.		
	ining loose hose o		•		
·		•	TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 5	
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	.L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.10,	EVALUATOR NAME	E (Print)			
4.3.10(B), 4.3.8, 4.3.8(B)		, ,			
	EVALUATOR SIGNA	ATUKE:			

10/2019 rev.



JPR Task: Perform a sh	oulder carry.					
Skill No. FF 1-44C		RFORMANCE (CRITERI <i>A</i>	A AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MO	NITOR/E	VALUATOR		
	Candidate sh	all be provided	d with the	e following:		
 Fire Apparatus 						
Fire hose						
		CTIONS TO TH				
"The student s	shall be able to prope	rly demonstra	te the abi	lity to perform a shoulder carr	y."	
Minimum PPE: Gloves						
		PERFORMA	NCE		ı	·
_					YES	NO
	tailboard of engine					
	2. Directs second fire fighter to place additional hose on student's shoulder					
	so end of folds reach to knee level.					
3. Holds hose to prevent it from falling. Walks in direction advancing hose.						
	e fighter receives s					
	ugh fire fighters ha	ive received	hose lo	ads, the hose is		
uncoupled	from hose bed.					
6. All fire figh	iters walk toward w	ater supply.	Last fire	e fighter starts off-loading		
			tire tigh	ter proceeds to do the		
same until	all of hose is laid	out.				
				TOTALC		
0 0 212 - 1 01		DACC	T	TOTALS		
C = Critical Step	ataa failura on taaki			CANDIDATE MUST COMPLET		
Failure on this step mand	ates failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	L.	
NEDA 1001 2010 Edition	TECT DATE	1.004	ATIONI.			
NFPA 1001, 2019 Edition	IESI DAIE	LUC	ATION:			
Objective(s): 4.3.10,	EVALUATOD NAMI	E (Drint)				
4.3.10(B), 5.3.8, 4.3.8(B)	LVALUATOR NAIVII	L (F1111t)				
4.3.10(D), 3.3.0, 4.3.0(D)	EVALUATOR SIGN	ATIIRF.				
	LVALOATION SIGN	, (1 OILL				
10/2019 rev						



JPR Task: Pre-connected flat hose load.			
Skill No. FF 1-44D PERFORMANCE CRITERIA AND INSTRUCTIONS			
INSTRUCTIONS TO THE MONITOR/EVALUATOR			
Candidate shall be provided with the following:			
1. Fire Apparatus			
2. Fire hose			
INSTRUCTIONS TO THE CANDIDATE			
"The student shall be able to properly demonstrate how to load a pre-connected flat hose	load."		
Mish to DDE Character			
Minimum PPE: Gloves			
PERFORMANCE	VEC	NO	
Attaches female coupling to appropriate male discharge.	YES	NO	
 Attaches female coupling to appropriate male discharge. Lays first length flat against divider/partition. 			
3. Folds hose upon itself, fold even with edge of bed.			
4. Continues toward front of bed (or opposite side) angling slightly to place this length			
adjacent to the first.			
5. Continues toward rear of bed (or opposite side) placing next length against preceding			
length or opposite divider/partition thus creating the first tier of hose.			
6. Continues in above manner until next coupling or one-third total length of load.			
Creates approximately 8" loop (for pull handle) at one-third total length of load.			
7. NOTE: Loops on both sides for cross lay hose beds.			
8. Continues with folds (as above) until next coupling or two-thirds total length of load.			
Creates approximately 14" loop (for pull handle) at two-thirds total length of load.			
9. NOTE: Loops on both sides for cross lay hose beds.			
10. Completes load with male coupling on top.			
11. Attaches nozzle to male coupling.			
12. Creates short folds as needed throughout, so couplings do not hang out.			
TOTAL			
TOTALS			
C = Critical Step Failure on this step mandates failure on task! PASS CANDIDATE MUST COMPLI STEPS TOTAL TO PASS SK	:1E 9		
Failure of this step manuales failure of task: FAIL 31EF3 TOTAL TO FA33 3K	ILL.		
NFPA 1001, 2019 Edition			
TEST BATE EGGATION:			
Objective(s): 4.3.10, EVALUATOR NAME (Print)			
4.3.10(B), 4.3.8, 4.3.8(B)			
EVALUATOR SIGNATURE:			
10/2019 rev.			



JPR Ta	sk: Triple layer h	nose load.					
Skill No	o. FF 1-44E	PER	RFORMA	NCE CRITERI	A AND INSTRUCTIONS		
		INSTRUCTION					
		Candidate sha	all be pro	ovided with th	e following:		
	Fire Apparatus						
2.	Fire hose						
		INSTRUC	ZIONS T	TO THE CAND	IDATE		
	"The stu				e a triple-layer hose load."		
			, р. оро	y domonou de	o a mpio lagor nodo roda.		
Minimu	m PPE: Gloves						
			PERFO	DRMANCE			
						YES	NO
		pling all three (3) secti			o one (1) 150' length.		
		ale coupling to approp					ļ
3. Lays out hose in a straight line from hose bed.							
4. Grabs hose at a point approximately two-thirds the total length from hose bed.5. Pulls hose back upon itself creating a three-layer stack of hose.							
	6. Rolls toward f		a unree-i	ayer stack or n	use.		
		e stack and begins fol	dina stac	rk into hosa har	4		
					bed (or opposite side).		
					osite side) angling slightly to		
		gth adjacent first and t					
		above manner until en					
		ad by attaching nozzle					
			I		TOTALS		
	tical Step						
Failure	on this step manda	ites failure on task!	FAIL _		STEPS TOTAL TO PASS SKIL	<u>.L. </u>	
MEDA 1	1001, 2019 Edition	TEST DATE					
NIFA	1001, 2017 Luition	ILSI DAIL		LOCATION			
Obiecti	ve(s): 4.3.10,	EVALUATOR NAME	E (Print)				
	B),4.3.8, 4.3.8(B)		- (*) -				
		EVALUATOR SIGNA	ATURE:				
10/2019	9 rev.						



JPR Task: Advancing an uncharged hose line up a	ladder.	
Skill No. FF 1-45A PERFORM	MANCE CRITERIA AND INSTRUCTIONS	
INSTRUCTIONS TO	THE MONITOR/EVALUATOR	
Candidate shall be p	provided with the following:	
1. Ladder		
Uncharged hose line		
	S TO THE CANDIDATE	
"The student shall be able to properly demonstra	ate how to advance an uncharged hose line up a ladder."	
Minimum PPE: Structural FF PPE and SCBA		
PER	FORMANCE	
4 . A	YES NO	<u>) </u>
Advances an uncharged hose line to ladde		
2. Picks up nozzle; places hose across ches		
3. Climbs up ladder with uncharged hose line		
to assist advancing hose line up ladder.	on of ladder, second fire fighter shoulders hose	
5. Nozzle is placed over top rung of ladder a	nd into fire building	
	sufficient hose is inside building. Secures hose	
to ladder with hose strap.	Sufficient flose is inside building. Secures flose	
to lauder with hose strap.		
I	TOTALS	
C = Critical Step PASS	S CANDIDATE MUST COMPLETE 5	
Failure on this step mandates failure on task! FAIL		
NFPA 1001, 2019 Edition TEST DATE	LOCATION:	
Objective(s): 4.3.10, EVALUATOR NAME (Prin	t)	
4.3.10(B), 4.3.8, 4.3.8(B)		
EVALUATOR SIGNATURE	<u> </u>	
10/2019 rev.		



JPR Task: Operating	a hose stream from a la				
Skill No. FF 1-45B	PER	FORMANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTIONS	S TO THE MONITOR/E	EVALUATOR		
	Candidate sha	III be provided with th	e following:		
1. Ladder					
Charged hose line					
		TIONS TO THE CAND			
"The student sha	II be able to properly o	demonstrate how to o	perate a hose stream from a la	dder."	
Minimovina DDE, Chrystyral I					
Minimum PPE: Structural I	F PPE and SCBA	DEDECOMANCE			
		PERFORMANCE		YES	NO
1. Climbo ladder with head line at height to be energted					NO
 Climbs ladder with hose line at height to be operated. Applies leg lock or ladder belt. 					
The second secon					
3. Places hose between two rungs and secures using hose strap.4. Carefully operates hose stream from ladder. Be aware of back-pressure from nozzle.					
4. Carefully opi	erates nose stream non	i lauuei. De awaie oi b	ack-pressure from flozzie.		
			TOTALS		
C = Critical Step		ΡΔςς	CANDIDATE MUST COMPLET		
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL		
Tanaro on trio stop maria	atos fandro on task.		0121010171210171000111		
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.3.10,	EVALUATOR NAME	(Print)			
4.3.10(B), 4.3.8,4.3.8(B)					
	EVALUATOR SIGNA	NTURE:			
10/2019 rev.					



JPR Task: Operating	a fog stream nozzle.		
Skill No. FF 1-46A	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
 Charged hose line v 	vith fog nozzle		
	INCTRUCTIONS TO THE CANDIDATE		
	"The student shall be able to properly operate a fog nozzle."		
	The Student Shall be able to property operate a rog nozzie.		
Minimum PPE: Structural F	F PPE and SCBA		
	PERFORMANCE		
		YES	NO
1. Attains a stab			
Slowly opens valve allowing water flow.			
3. Opens the valve completely.			
4. Selects the desired water pattern by rotating the bezel of the nozzle.			
5. Applies water where needed.			
6. Slowly closes	valve to shut off flow while preventing a water hammer		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L</u>	
NEDA 1001 2010 Edition	TECT DATE LOCATION.		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.10,	EVALUATOR NAME (Print)		
4.3.10(B), 4.3.8, 4.3.8(B)	EVALUATOR NAME (FIN)		
4.3.13, 4.3.13(B),	EVALUATOR SIGNATURE:		
4.3.8.5.3			
11/2023 rev.			



		.,,		
JPR Task: Operating	a smooth bore nozzle.			
Skill No. FF 1-46B	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
 Charged hose line 				
Assortment of smooth	oth bore tips to choose from			
	INSTRUCTIONS TO THE CANDIDATE			
"The	e student shall be able to properly operate a smooth bore nozzle."			
Minimum PPE: Structural F	F PPF and SCBA			
William T E Or dottard T	PERFORMANCE			
		YES	NO	
Selects desire	ed tip size.			
	stance if standing.			
3. Slowly opens	g			
1	4. Opens valve completely to achieve maximum effectiveness.			
	n to desired location.			
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 4		
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.		
NEDA 1001 0010 Edition	TECT DATE			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.3.10,	EVALUATOR NAME (Print)			
4.3.10(B), 4.3.8,	LVALUATOR NAME (FINIT)			
4.3.8(B)4.3.13, 4.3.13(B),	EVALUATOR SIGNATURE:			
4.3.8.5.3	EVILEDITION SIGNATURE:			
10/2019 rev.				



JPR Task: Replacing a section of hose.		
Skill No. FF 1-47,48 PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Charged hose line		
2. Hose clamp		
INSTRUCTIONS TO THE CANDIDATE		
"The student shall be able to properly demonstrate the ability to replace a section of hose."	"	
Minimum PPE: Structural FF PPE		
PERFORMANCE	VEC	NO
	YES	NO
 Shuts down or clamps off damaged line. Removes damaged hose. 	-+	
3. Replaces with two sections to ensure length will be adequate.		
4. Restores water flow.		
5. Shuts down or clamps off damaged line.		
The second secon		
TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLETE		
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.	1	
NFPA 1001, 2019 Edition		
NITA 1001, 2017 Edition		
Objective(s): 4.3.10, EVALUATOR NAME (Print)		
4.3.10(B)		
EVALUATOR SIGNATURE:		
10/2019 rev		



JPR Task: One fire	fighter foot-tilt method of coupling fire hose.				
Skill No. FF 1-49A	III No. FF 1-49A PERFORMANCE CRITERIA AND INSTRUCTIONS				
	INSTRUCTIONS TO THE MONITOR/EVALUATOR				
Two uncharged sec	ctions of hose				
	INSTRUCTIONS TO THE CANDIDATE				
"The student shall be ab	le to properly demonstrate the ability to properly connect hose using foot-	tilt met	hod."		
Minimum PPE: Structural F	F PPE				
	PERFORMANCE				
		YES	NO		
1. Wears glove:					
	pot on hose behind male coupling.				
	n with foot to tilt male coupling upward.		<u> </u>		
	and behind female coupling and grasps hose.		<u> </u>		
	hand on coupling swivel.		<u> </u>		
6. Brings two couplings together and aligns Higbee indicators. Rotates swivel in clockwise direction to connect.					
	TOTALS		1		
C = Critical Step	PASS CANDIDATE MUST COMPLET				
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:				
Objective(s): 4.3.10,	EVALUATOR NAME (Print)				
4.3.10(B)	EVALUATOR SIGNATURE:				
10/2010 rov					



JPR Task: One fire	e fighter knee-press method of uncoupling fire hose.			
Skill No. FF 1-49B	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
 Two uncharged sec 	tion of hose			
	INSTRUCTIONS TO THE CANDIDATE			
"The student shall be a	ble to properly demonstrate the ability to uncouple hose using knee pres	s meth	od."	
Minimum PPE: Structural F				
	PERFORMANCE	\/F0	NO	
1 ///		YES	NO	
1. Wears gloves				
Picks up the connection by female coupling.				
Turns connection upright. Rests male coupling on firm surface.				
4. Places a knee on female coupling and uses body weight to press down.5. Turns female swivel counterclockwise and loosens coupling.				
j. Tullis lelliale	swiver counterclockwise and loosens coupling.			
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET	F 4]	
Failure on this step manda				
Tanaro on this stop mana	atos fallaro off taski. Trile OTEL OTO TRIE TO TRIO ORIE			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.3.10,	EVALUATOR NAME (Print)			
4.3.10(B)				
	EVALUATOR SIGNATURE:			
10/2019 rev.				



JPR Task: Uncoup	oling hose with spanner	r wrenches.			
Skill No. FF 1-49C			A AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	VALUATOR		
 Two uncharged sec Two spanner wrenc 	hes				
#The all deal about		CTIONS TO THE CAND			
"The student shal	i be able to properly o	demonstrate the ability	to uncouple hose using spani	ners."	
Minimum PPE: Structural F	F PPE				
		PERFORMANCE			
				YES	NO
1. Wears gloves					
Straddles connection on ground above female coupling.					
3. Places one spanner wrench on female coupling with handle to left.					
4. Places a second spanner wrench on male coupling with handle to right.					
5. Pushes both	spanner handles down	n toward ground to loose	en connection.		
			TOTALS		
C = Critical Step		DACC	CANDIDATE MUST COMPLET	[
Failure on this step manda	atas failura on taskl		STEPS TOTAL TO PASS SKIL		
Tallule off this step manua	ates failule off task:	I AIL	STEFS TOTAL TO FASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.3.10, 4.3.10(B)					
10/2019 rev.	•				



JPR Task: Two fir	e fighter method for co	oupling a fire h	nose.			
Skill No. FF 1-50A	PEI	RFORMANCE	E CRITERI.	A AND INSTRUCTIONS		
	INSTRUCTION	S TO THE M	ONITOR/E	VALUATOR		
 Two uncharged sec Additional fire fighte 	r					
		CTIONS TO T				
"The student sha	all be able to properly	y demonstrat	te the abili	ty to connect hose with a parti	ner."	
Minimum PPE: Structural F	F PPE					
		PERFORM	ANCE			
					YES	NO
1. Wears gloves						
				ling, holds tight against body.		
	ghter holds female cou					
*	ghter brings female co					
				ator for easy alignment.		
	ghter turns female cou			until it clicks.		
/. Turns female	coupling clockwise to	couple hose.		TOTALC		
C Cuitinal Ctan		DACC		TOTALS	<u> </u>	
C = Critical Step Failure on this step manda	atac failura an tackl	FAIL		CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
ranure on this step manua	ites ialiule oli taski	FAIL		STEPS TOTAL TO PASS SKIL	.L.	
NFPA 1001, 2019 Edition	TEST DATE	LOC	CATION:			
Objective(s): 4.3.10, 4.3.10(B)		, ,				
10/2019 rev.	LVALOATOR SIGNA	THORL.				



JPR Task: Two-fi	refighter stiff arm meth	od for uncoupling a fire	hose.		
Skill No. FF 1-50B			RIA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/I	EVALUATOR		
Two uncharged see Additional fire fighter					
	INSTRUC	CTIONS TO THE CANE	DIDATE		
"The student shall be	able to properly dem	nonstrate the ability to	uncouple hose using stiff-arm	metho	d."
 Minimum PPE: Structural F	ר חחר				
Willimum PPE: Structural r	T PPE	PERFORMANCE			
		I LINI ONIMANOL		YES	NO
1. Wears glove	S.			120	110
<u> </u>		mly grasp respective co	oupling.		
		nters push toward each	_ t _ v		
	0 0		counterclockwise to loosen.		
	J	J J			
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 3	
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.10, 4.3.10(B)	EVALUATOR NAME	E (Print)			
	EVALUATOR SIGNA	ATURE:			
10/2019 rev.	-				



JPR Task: Pickir	g up and draining hose.				
Skill No. FF 1-51			IA AND INSTRUCTIONS		
	INSTRUCTIONS TO	THE MONITOR/	EVALUATOR		
Uncharged section	of hose				
	INSTRUCTIONS	S TO THE CAND	DIDATE		
"The student shall b	e able to properly demonst	rate the ability	to pick up and drain a section o	f hose.	"
Minimum PPE: Structural F					
	PER	FORMANCE			
				YES	NO
1. Wears glove:					
	of hose straight on flat surfac				
	end and lifts hose to should				
4. Moves down length of hose, folds back and forth over shoulder.					
5. Continues ur	til entire length is on shoulde	<u>r.</u>			
			TOTALO		
0 0 11 101	D40		TOTALS CANDIDATE MUST COMPLET	<u> </u>	
C = Critical Step					
Failure on this step mand	ites failure on task! FAIL		STEPS TOTAL TO PASS SKIL	.L.	
NFPA 1001, 2019 Edition	TEST DATE	_ LOCATION:_			
Objective(s): 4.5.2	EVALUATOR NAME (Prin	t)			
	EVALUATOR SIGNATURE	: :			
10/2019 rev.					



JPR Task: Work	ing from a ladder.		
Skill No. FF 1-52	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Uncharged section	of hose		
	INSTRUCTIONS TO THE CANDIDATE		
"The student sl	hall be able to properly demonstrate the ability to safely work from a ladde	er."	
Minimum PPE: Structural F	F PPE		
	PERFORMANCE		
4 W 555		YES	NO
1. Wears PPE.	w to decired beingt then were one winn binbor		
	r to desired height, then goes one rung higher.		
	here work is to be performed. posite leg between rungs.		
	around rung and brings foot back under rung.		
	around lower rung or beam.		
7. Moves other			
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 5	
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.11,	EVALUATOR NAME (Print)		
4.3.11(B), 4.3.6, 4.3.6(B)	EVALUATOR SIGNATURE:		
10/2019 rev			



			· ·				WV	DE
JPR	Task:	Hydr	aulic ventilation.					
Skill	No. FF 1	FF 1-53 PERFORMANCE CRITERIA AND INSTRUCTIONS						
			INSTRUCTION	S TO TI	HE MONITOR/E	VALUATOR		
2	. Assor	ged hose line tment of nozz ow or door ope						
					TO THE CAND			
"Tł	ne stude	nt shall be at	ole to properly demor	ıstrate t	he ability to sa	fely ventilate using the hydraul	ic meth	nod."
Minin	num PPE	E: Structural F	F PPE and SCBA					
				PERF	ORMANCE			
							YES	NO
C		Wears PPE.						
С	2.	Identifies pro	per nozzle.					
	3.	Selects and opening.	demonstrates proper fo	og patter	n to cover 85 to	90% of window or door		
	4.	Selects prope	er distance from openii	ng for m	aximum effective	eness.		
		•	•			TOTALS		
C = 0	Critical S	tep		PASS		CANDIDATE MUST COMPLET		
Failu	re on thi	is step mand	ates failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	.L	
Obje		2019 Edition 4.3.11, .19	EVALUATOR NAME	E (Print)				

10/2019 rev.



JPR Task: Neg	ative pressure ventilat	tion.			
Skill No. FF 1-54	PEI	RFORMANCE CRITER	IA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/E	EVALUATOR		
 Fan (Smoke Ejector Window or door ope Salvage covers 	r) ening				
		CTIONS TO THE CAND			
"The student s	shall demonstrate the	e ability to properly ve	entilate using negative pressure	."	
Minimum PPE: Structural F	F PPE and SCBA				
		PERFORMANCE			
				YES	NO
 Determines the contract of the co	ne area to be ventilate	d and the outside wind	direction.		
			ward side of the building.		
3. The fan should be hung as high in the selected opening as possible.					
4. Removes any screens, and		e area used to ventilate	smoke, including curtains,		
		area around the fan with	n salvage covers or plastic		
6 Provides and	nening on the windwa	ard side of the structure	to provide cross ventilation.		
U. TTOVIGES dire	ppering on the windwe	ard side of the structure	TOTALS		
C = Critical Step Failure on this step manda	ates failure on task!	PASS			
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.11, 4.3.11(B)	EVALUATOR NAME	E (Print)			
4.3.11(b)	EVALUATOR SIGNA	ATURE:			
10/2019 rev.					



		.,,	
JPR Task: Po	sitive pressure ventilation.		
Skill No. FF 1-55	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
 Fan (Smoke Ejecto Window or door op 	ening		
"The and and	INSTRUCTIONS TO THE CANDIDATE	,	
"The Student	shall demonstrate the ability to properly ventilate using positive pressure."	,	
Minimum PPE: Structural F			
	PERFORMANCE		
		YES	NO
	the location of the fire within the building and the direction of attack.		
	nn 4' to 10' in front of the opening to be used for attack.		
	exhaust opening at or near the fire. This opening can be made before starting nen the fan is started.		
4. Checks for in unwanted an	nterior openings that could allow the products of combustion to be pushed into eas.		
5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents.			
	e to clear – usually 30 seconds to one (1) minute depending on the size of the entilated and smoke conditions.		
	TOTALS		
C = Critical Step Failure on this step mand	ates failure on task! PASS CANDIDATE MUST COMPLETE STEPS TOTAL TO PASS SKILL		
NFPA 1001, 2019 Edition			
Objective(s): 4.3.11, 4.3.11(B)	EVALUATOR NAME (Print) EVALUATOR SIGNATURE:		

10/2019 rev.



JPR Task:	Maintaining a power saw	٧.			
Skill No. FF 1-56			RIA AND INSTRUCTIONS		
	INSTRUCTION	NS TO THE MONITOR	/EVALUATOR		
1					
1. Power saw					
	INSTRU	CTIONS TO THE CAN	IDIDATE		
	"The student shall be				
Minimum PPE: Gloves	s, eye and hearing protection	on			
		PERFORMANCE			
				YES	NO
1. Wears F	PPE (including eye and hea	ring protection).			
	manufacturer recommenda				
		ain. Inspects clutch co	ver, bar, and chain for damage		
and wea	r. Replaces if necessary.				
4. Clean/in	spects clutch cover, drive,	bar, chain, and power	head using a cloth, cleaning		
	and compressed air.				
	air filter and cleans/replace				
6. Coats co	omponents with a substanc	ce recommended by th	e manufacturer to prevent		
	par and chain back on, flipp	ning har over each time	to help wear har evenly		
	s the clutch cover.	and par over each time	to help wear bar evenily.		
	the chain tension (makes s	cure har and chain coo	hefore adjusting)		
	n fuel. Fills bar and chain o		before adjusting).		
10. 1 113 Witi	Traci. Tilis bai ana chair o	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET		
	nandates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<i>;</i> _L.	
NFPA 1001, 2019 Edit	ion TEST DATE	LOCATION:			
Objective(s): 4.3.4 (B	EVALUATOR NAMI	F (Print)			
Objective(3): 4.3.4 (D	LVALUATOR NAIM	L (11111)			
	EVALUATOR SIGN	IATURE:			
	211211211	- 			
10/2010 rov					



JPR Task:	Climbing a ladder while carrying a tool.		
Skill No. FF 1-59	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Ladder Axe, pike pole o	r halligan bar		
	INSTRUCTIONS TO THE CANDIDATE		
"The stude	ent shall demonstrate the ability to safely climb a ladder while carrying a tool.	"	
Minimum PPE: Structura	al FF PPE and SCBA		
	PERFORMANCE		
		YES	NO
1. Wears PF	E.		
2. Holds too	in one hand and places it against beam.		
3. Slides too	I up beam, while sliding opposite hand up other beam.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 2	
Failure on this step ma	ndates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Editio	TEST DATE LOCATION:		
Objective(s): 4.3.12, 3-	· · · · · · · · · · · · · · · · · · ·		
3.12(B), 4.3.11, 4.3.11(E	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: S	ounding a roof.				
Skill No. FF 1-60	PEI	RFORMANCE CRITER	RIA AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/I	EVALUATOR		
 Ladder Axe, pike pole or ha Structure with roof 	lligan bar				
	INSTRUC	CTIONS TO THE CANE	DIDATE		
"Th	e student shall demo	nstrate the ability to p	properly sound a roof."		
Minimum PPE: Structural F	F PPE and SCBA				
		PERFORMANCE			
				YES	NO
1. Uses a hand	tool to check roof befo	re stepping onto it.			
		s when walking. Locate conditions around work	s support members by sound area.		
3. Sounds roof a					
	7 1		TOTALS		
C = Critical Step Failure on this step manda	ites failure on task!		CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition		LOCATION:_			
Objective(s): 4.3.12, 3-3.12(B)					
10/2019 rev					



JPR Task: Vertical ventilat	ion					
Skill No. FF 1-61			ICE CDITEDI	A AND INSTRUCTIONS		
SKIII INO. FF 1-01						
	INSTRUCTION	3 IU IHE	WONTOR/E	VALUATUR		
1. Ladder						
2. Roof ladder						
3. Power saw						
4. Structure with roof						
4. Structure with roof						
	INSTRUC	CTIONS TO	O THE CANDI	DATE		
"The s	student shall demons	strate the	ability to pro	perly vertical ventilate."		
Minimum PPE: Structural F	F PPF and SCRA					
Willimani i E. Structurari	TTT L and SCDA	PERFO	RMANCE			
		I LINI OI	NIVIANOL		YES	NO
1. Maintains tea	m accountability.				ILJ	140
	ete PPE (including SC	RΛ\				
3. Properly place	es roof ladder (hooks d	DA).	od ovor ridgo	and windward side)		
			ending ladder (checks fuel/oil, start and		
	tool before ascending		a vantilation to	al		
	lescend a ladder while		a ventiliation to	UI.		
	t a power saw to the ro		/· !	N		
	se deployment for safe					
				tting (exposes base materials		
and shows na	ail patterns indicating tr	uss locati	on).			
		structural i	ntegrity (sound	d roof and avoids cutting		
structural mei	,					
	pening, student shall v					
	nterior barriers (ceiling	materials	and avoids el	ectrical wiring).		
12. Maintains tea	m accountability.					
			1	TOTALS		
C = Critical Step				CANDIDATE MUST COMPLET		
Failure on this step manda	ites failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	L	.OCATION:			
Objective/o), 4.2.12.2		(Drint)				
Objective(s): 4.3.12, 3-	EVALUATUK NAME	. (PIIIII) _				
3.12(B)	EVALUATOD SICAV	ATHDE:				
	EVALUATUK SIGNA	ATUKE: _				
10/2010 rov						
10/2019 rev.						



JPR Task: Opening an inter	ior wall.		
Skill No. FF 1-62	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
1. Axe			
2. Wall to breach			
	INSTRUCTIONS TO THE CANDIDATE		
	'The student shall demonstrate how to open an interior wall."		
	The student shall demonstrate now to open an interior wall.		
Minimum PPE: Structural F	F PPE and SCBA		
	PERFORMANCE		
		YES	NO
1 3	perate an attack line	<u> </u>	
	hich area of the wall will be opened.		
	de to begin cutting near the top of the wall.		
	rd between wall studs.	<u> </u>	
	vall for electrical switches or receptacles. two vertical cuts, uses pick end of axe to pull wall material away from studs		
9	wall. Works from top to bottom.		
	extinguish hidden fires in walls, ceilings, and subfloor spaces.		
	removes items such as baseboards or window and door trim.		
	or maximum effectiveness		
112	ening additional sections of wall until desired area is open.		
11. Pulls out any	insulation found behind the wall.		
	nd preserve obvious signs of area of origin and/or arson.		
13. Evaluate for o	complete extinguishment.	<u> </u>	
0.011.101	TOTALS	<u> </u>	
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 6	
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
THI TY 1001, 2017 Edition	1231 BATE 200/MON		
Objective(s): 4.3.13,	EVALUATOR NAME (Print)		
4.3.13(B), 4.3.10,			
4.3.10(B)	EVALUATOR SIGNATURE:		

11/2023 rev.



JPR Task: Folding and rolling salvage cover			
Skill No. FF 1-63 A PERFORMANCE CRITERIA A	AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVA	ALUATOR		
Candidate shall be provided with the fo	ollowing:		
Salvage cover	-		
2. Partner			
INSTRUCTIONS TO THE CANDIDA			
"The student shall demonstrate the ability to properly fol	ld and roll a salvage cover"		
AND DEE WALLS			
Minimum PPE: Work Gloves			
PERFORMANCE		VEC	NO
1. Consideration of the consideration		YES	NO
Spreads salvage cover flat on ground, faces partner.	Here be and a second of the		
Both fire fighters place one hand on outer edge of cover and o	other hand a quarter of the		
way in from edge.	fold at the guerter point		
3. Flips the outside edge into the middle of the cover, creating a fold at the quarter point.4. Flips outside fold into same point of cover, creating second fold. Repeats steps 2,3, and 4			
from opposite side of cover. Folded edges meet at middle of cover.	sover with folds touching but		
not overlapping	-		
5. Tightly rolls cover end to end.			
3. Tightiy folis cover cha to cha.			
	TOTALS		
C = Critical Step PASS C	ANDIDATE MUST COMPLET	F 4	
Failure on this step mandates failure on task! FAIL S	TEPS TOTAL TO PASS SKIL	 L.	
NFPA 1001, 2019 Edition TEST DATE LOCATION:			
Objective(s): 4.3.14, EVALUATOR NAME (Print)			
4.3.14(B)			
EVALUATOR SIGNATURE:			
10/2019 rev.			



JPR Task: Performing a balloon toss		
Skill No. FF 1-63 B PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Candidate shall be provided with the following:		
1. Salvage cover		
2. Partner		
INSTRUCTIONS TO THE CANDIDATE		
"The student shall demonstrate the ability to properly balloon toss a salvage cover with a pa	irtner."	
Minimum PPE: Work Gloves		
PERFORMANCE		
	YES	NO
Cluster furniture in center of room.		
Places cover on ground beside object.		
3. Unfolds salvage cover along base of object. Each fire fighter grabs one edge and brings it		
to waist height.		
4. Lifts cover quickly so it fills with air.		
5. Moves quickly to other side of object, using air to support salvage cover.		
6. Spreads entire salvage cover over object.		
7. Separate, remove, and relocate charred materials to a safe location while protecting the		
area of origin for cause determination.	<u> </u>	-
TOTALS C. Critical Stars DASS CANDIDATE MUST COMPLETE		
C = Critical Step PASS CANDIDATE MUST COMPLET Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL		
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>-L-</u>	
NFPA 1001, 2019 Edition TEST DATE LOCATION:		
1177 1001, 2017 Edition 1231 BATE 2007(1101).		
Objective(s): 4.3.14, EVALUATOR NAME (Print)		
4.3.14(B)		
EVALUATOR SIGNATURE:		
11/2023 rev.		



JPR Task: One-firefighter salvage cover fold Skill No. FF 1-63 C PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. Salvage cover 2. Broom INSTRUCTIONS TO THE CANDIDATE "The student shall demonstrate the ability to properly fold a salvage cover" Minimum PPE: Work Gloves PERFORMANCE YES NO 1. Spreads salvage cover flat on ground, faces partner. 2. Both firefighters place one hand on outer edge of cover and other hand a guarter of the way in from edge. 3. Together, flip outside edge in 3" from middle. 4. Flips outside fold in to same point of cover, creating second fold. Repeat steps 2, 3, and 4 from opposite side of cover. Folded edges meet at middle of cover with fold 6" apart. 5. Folds two halves together. 6. Starts from middle of cover using a broom to brush air out. 7. Moves to narrow edge of salvage cover. 8. Folds narrow edge to 3" from middle of cover, creating a fold at quarter point. 9. Flips outside fold of narrow edge in to same point, creating second fold. Folded edges meet at middle of cover with folds 6" apart. 10. Folds two halves together. TOTALS PASS _____ CANDIDATE MUST COMPLETE 7 C = Critical Step Failure on this step mandates failure on task! | FAIL ______ STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION: EVALUATOR NAME (Print) Objective(s): 4.3.14, 4.3.14(B) EVALUATOR SIGNATURE:

10/2019 rev.



JPR Task: One firefighter salvage cover roll.		
Skill No. FF 1-63 D PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Candidate shall be provided with the following:		
1. Salvage Cover		
INSTRUCTIONS TO THE CANDIDATE		
"The student shall demonstrate the ability to properly unroll a salvage cover"		
Minimum PPE: Work Gloves		
PERFORMANCE		
	YES	NO
C 1. Stands in front of object being covered.		<u> </u>
Unrolls cover over end of object.		
3. Continues unrolling cover until top of object is reached. Allows remainder of cover to unroll		
and settle at end of object.		
4. Spreads cover, unfolding each side outward over object to the first fold.		
5. Unfolds second fold on each side and drapes cover completely over object.		
6. Tucks in all loose edges around object.		
TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLETE		
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL	-•	
NFPA 1001, 2019 Edition		
Objective(s): 4.3.14, EVALUATOR NAME (Print)		
4.3.14(B)		
EVALUATOR SIGNATURE:		
10/2019 roy		



JPR	Ta	ısk:	One	firefighter	salvage cover fold.				
Skill	No	o. FF	1-63	E	PERFORM	ANCE CRITERI	A AND INSTRUCTIONS		
					INSTRUCTIONS TO T	HE MONITOR/E	EVALUATOR		
					Candidate shall be p	rovided with th	e following:		
1		Salv	/age	Cover					
					INCTRUCTIONS	TO THE OAND	UD ATE		
				#T! •	INSTRUCTIONS				
				"Ines	udent shall demonstrate the	e ability to prop	perly fold a salvage cover."		
Minin	nui	m PF	PE: V	Vork Glove	S				
						ORMANCE			
								YES	NO
С					age cover flat on ground, face				
		2.			ers place one hand on outer e	edge of cover an	d other hand a quarter of the		
				y in from 6	0				
					outside edge in 3" from middl				
		4.					fold. Repeat steps 2, 3, and 4		
					side of cover. Folded edges ves together.	meet at middle	or cover with fold 6" apart.	+	
					iddle of cover using a broom t	o nuch air out		+	
					row edge of salvage cover.	o pusii ali out.		-	
					edge to 3" from middle of cov	er creating a fo	ld at quarter point	+	
		9.			fold of narrow edge into same				
					e of cover with folds 6" apart.	p 9	g		
		1(ves together.				
							TOTALS		
C = 0					PASS		CANDIDATE MUST COMPLET	ΓE 7	
Failu	re	on t	his s	tep mand	tes failure on task! FAIL		STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NED		1004	004	. F. III	TEAT DATE	LOGATION			
NFP	4 1	1001,	201	Edition	TEST DATE	LOCATION:			
Obje	cti	volc). A	2 1 /	EVALUATOD NAME (Drint)				
4.3.1). 4.	5. 14 ₁	EVALUATOR NAME (FILL)				
1.0.1	',	-			EVALUATOR SIGNATURE				
10/20)19	9 rev							



	TIKE FIGHTER I FERTORIMANCE EVALUATION	·WV	DE.
JPR Task: Two-firefighter	salvage cover fold.		
Skill No. FF 1-63 F	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Salvage Cover 	·		
Additional Fire Figh	ter		
	INSTRUCTIONS TO THE CANDIDATE		
"The student s	shall demonstrate the ability to properly fold a salvage cover with a partne	."	
MIL DDE W. LOI			
Minimum PPE: Work Glove			
	PERFORMANCE	VEC	NO
C 1 Chroada aglu	age cover flat an ground faces norther	YES	NO
C 1. Spreads salv	age cover flat on ground, faces partner. ers place one hand on outer edge of cover and other hand a quarter of the		
way in from e			
	ers fold the cover in half.		
	lves together again.		
	niddle of cover using a broom to brush air out.		
	row edge of salvage cover.		
	e cover in half lengthwise.		
	vage cover in half lengthwise again.		
	ver in half a third (and final) time.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 7	
Failure on this step mand			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.14,	EVALUATOR NAME (Print)		

EVALUATOR SIGNATURE: _____

10/2019 rev.



JPR Task: Salvage Cover	Shoulder Toss			
Skill No. FF 1-63 G	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
Salvage Cover	остановно оттанов и то пополиту.			
	INSTRUCTIONS TO THE CANDIDATE			
"The student shall de	emonstrate the ability to properly unroll a salvage cover utilizing a shoulde	er toss	."	
Minimum PPE: Work Glove	S			
	PERFORMANCE			
		YES	NO	
Places folded salvage cover over one arm.				
Tosses cover over salvaged object with straight-arm movement.				
	until object is draped.			
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 2		
Failure on this step manda				
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.3.14,	EVALUATOR NAME (Print)			
4.3.14(B)				
	EVALUATOR SIGNATURE:			
10/2019 rev.				



JPR Task: Constructing a	water catch all		
Skill No. FF 1-64	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Salvage Cover 			
	INSTRUCTIONS TO THE CANDIDATE		
"The stude	ent shall demonstrate the ability to properly construct a water catch-all."		
Minimum PPE: Work Glove			
	PERFORMANCE		ī
		YES	NO
	arge salvage cover on ground.		
2. Rolls two edges inward from opposite sides. Rolls approximately 3' on each side.			
3. Folds each of four corners at a 90° angle. Starts each fold approximately 3′ from edge.			
4. Rolls remaining edges inward approximately 2'.			
5. Lifts rolled ed	lge over cover flaps, tucks under flaps to lock corners.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
	EVALUATOR MANE (D.L.)		
Objective(s): 4.3.14,	EVALUATOR NAME (Print)		
4.3.14(B)	EVALUATOR CICALATURE		
	EVALUATOR SIGNATURE:		
10/2010 rov			
10/2019 rev.			



JPR Task: Constructing a	water chute		
Skill No. FF 1-65	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Salvage Cover 	·		
Step Ladder			
3. 2 Pike Poles			
	INSTRUCTIONS TO THE CANDIDATE		
"The stu	dent shall demonstrate the ability to properly construct a water chute."		
Minimum PPE: Work Glove	25		
	PERFORMANCE		
		YES	NO
Fully opens large salvage cover on ground.			
Rolls tightly t	from one edge to middle of salvage cover. If using pike poles, lays one pole		
on edge of s	alvage cover and rolls around handle.		
Rolls opposi	e edge until edges are 1' to 3' apart.		
4. Turns cover			
5. Positions ch	ute so it collects dripping water and channels toward drain.		
6. Uses a stepl	adder or tall object to support chute made with pike poles.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 5	
Failure on this step mand			
NFPA 1001, 2013Edition	TEST DATE LOCATION:		
Objective(s): 4.3.14,	EVALUATOR NAME (Print)		
4.3.14(B)			
	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: Stop water flo	PR Task: Stop water flow from sprinkler.			
Skill No. FF 1-66	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
 Sprinkler Stop / Wo 	ooden Wedges			
2. Step Ladder				
Sprinkler System P	rop			
·				
	INSTRUCTIONS TO THE CANDIDATE			
"The student s	hall demonstrate the ability to properly stop the water flow from a sprinkle	r."		
Minimum PPE: Turn out ge	ear, helmet, gloves, eye protection			
	PERFORMANCE			
		YES	NO	
Wears full protective equipment properly.				
2. Stops water	flow from activated sprinkler head using wooden wedges or sprinkler wedge			
stopper.				
	d closes main control valve.			
4. Identifies and	d opens main drain valve.			
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET			
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>.L.</u>		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.3.14,	EVALUATOR NAME (Print)			
4.3.14(B)				
	EVALUATOR SIGNATURE:			
10/2010 rov				
10/2019 rev.				



	FIRE FIGHTER 1 PERFORMANCE EVALUATION	-MAG	E. OF
JPR Task: Drafting station	c source - 4 person team.		
Skill No. FF 1-67	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
Pumper with drafting	g ability		
2. Strainer			
 Hard Suction Potable Water Tank 			
5. Three additional Fir			
o. Thiod additional in			
	INSTRUCTIONS TO THE CANDIDATE		
"The student	shall demonstrate the ability to set up a drafting location as part of a team.	"	
Minimum DDE, Full DDE			
Minimum PPE: Full PPE	PERFORMANCE		
	FERI ORWANCE	YES	NO
1. Wears full pr	otective equipment properly.	123	110
Deploys port	able water tanks as well as equipment necessary to transfer water between		
and draft fror	m them.		
Removes pu			
	iner to hard suction hose male coupling.		
5. Attaches rop			
	ale coupling of hard section hose to pumper intake.		i
	and strainer into static source (portable tank).		<u></u>
	iner rope to pumper or other stationary object. Iner and strainer-to-hose coupling are under water.		
	ne assembly as directed by the examiner.		
To: Completes ti	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	 E 7	
Failure on this step mand			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.2.15	EVALUATOR NAME (Print)		
Objective(s): 4.3.15, 4.3.15(B)	LVALUATOR NAIVIE (FIIII)		

EVALUATOR SIGNATURE:

10/2019 rev.



	drant connection.		
Skill No. FF 1-68	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Pumper 			
Hydrant Prop			
Hydrant and Spann	er Wrenches		
Supply Hose			
	INSTRUCTIONS TO THE CANDIDATE		
"The stude	ent shall demonstrate the ability to properly make a hydrant connection."		
Minimum PPE: Full PPE			
	PERFORMANCE		
		YES	NO
	gh hose to reach hydrant (one or two folds) and hand lays to hydrant.		
	orrect tools (hydrant wrench and spanners).		
,	t to check for debris and adequate flow.		
4. Makes hydra			
1	nce of hose section.		
	er intake connection.		
7. Opens fire hy	ydrant (completely and slowly).		
8. No leaks at h	ydrant (must check gasket).		
9. Removes kin	ks in hose.		
10. Walks hose I	<u> </u>		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 7	
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L</u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
011 11 () 1015			
Objective(s): 4.3.15,	EVALUATOR NAME (Print)		
4.3.15(B)	EVALUATOR CIONATURE		
	EVALUATOR SIGNATURE:		
11/0000			
11/2023 rev.			



JPR Task: Perform a	forward hose lay.		
Skill No. FF 1-69 A	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Pumper			
2. Hydrant Prop	147		
3. Hydrant and Span	ner wrenches		
4. Supply Hose			
	INSTRUCTIONS TO THE CANDIDATE		
"T	ne student shall demonstrate the ability to do a forward hose lay."		
Minimum PPE: Full PPE			
	PERFORMANCE		
С		YES	NO
	us should stop within 10' of hydrant.		
	ugh hose to loop around hydrant. Steps off apparatus with all necessary tools		
	ose to hydrant.		
	around hydrant or secures as department standard operating procedure (SOP)		
	Ensures they are not between hose and hydrant. Never stands on hose. er to proceed to fire.		
J .	ose to hydrant after a section of hose is on the ground. Removes appropriate		
	cap nearest fire. Follows department SOP for checking operating conditions		
of hydrant.	sup modrest in c. To now a department of the shootking operating demanders		
6. Attaches ho	se to outlet.		
7. Attaches hy	drant wrench to hydrant.		
	tor uncouples hose and attaches end of hose to pump inlet or clamps hose to		
	iding on department SOP.		
	tor signals to charge hose.		
	s hydrant completely.		
11. Follows hos	e to engine, removing kinks on the way.		
C Critical Ctan	TOTALS CANDIDATE MUST COMPLETE	T 0	
C = Critical Step Failure on this step mand	PASS CANDIDATE MUST COMPLETI STEPS TOTAL TO PASS SKILI		
Tallule on this step mand	lates failule off task: TAIL STEPS TOTAL TO PASS SKILL	- •	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.15,	EVALUATOR NAME (Print)		
4.3.15(B)			
	EVALUATOR SIGNATURE:		
10/2010			
10/2019 rev.			



JPR Task: Shutting dov	wn a fire hydrant.		
Skill No. FF 1-69 B	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Pumper 			
Hydrant Prop			
Hydrant and Spanne	er Wrenches		
Supply Hose			
	INSTRUCTIONS TO THE CANDIDATE		
"The stud	ent shall demonstrate the ability to properly shut down a fire hydrant."		
Minimum PPE: Full PPE			
	PERFORMANCE		
		YES	NO
	to close hydrant valve.		
2. Drains hose li			
	nects hose from hydrant outlet.		
	ydrant outlet open until hydrant is fully drained. Places a hand over opening		
to see if water	r is still draining.	<u> </u>	
5. Replaces hyd		<u> </u>	
	TOTALS PASS CANDIDATE MUST COMPLET	<u></u>	
C = Critical Step			
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L</u>	
NED 8 4004 0040 E !!!	TEST DATE		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective/s) 4.0.15	EVALUATOR MANAE (D.:1)		
Objective(s): 4.3.15,	EVALUATOR NAME (Print)		
4.3.15(B)	EVALUATOR CICNATURE.		
	EVALUATOR SIGNATURE:		
10/2019 rev.			
10/2017 ICV.			



JPR Task: Perform a reverse hose lay.			
Skill No. FF 1-70 PERFORMANCE CRITERIA AN	ID INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVAL			
Candidate shall be provided with the fol 1. Pumper 2. Hydrant Prop 3. Hydrant and Spanner Wrenches 4. Supply Hose	lowing:		
INSTRUCTIONS TO THE CANDIDAT			
"The student shall demonstrate the ability to perform	a reverse hose lay."		
Minimum PPE: Full PPE			
PERFORMANCE			
		YES	NO
Pulls sufficient amount of hose from supply engine to inlet of att. Analysis has a data and the supply engine to inlet of att.			
2. Anchors hose to stationary object if possible. Does not stand be	etween nose and stationary		
object. 3. Signals driver to proceed to hydrant.			
4. Connects supply line to inlet of attack engine.			
5. Pump operator on supply engine uncouples hose and attaches	and of hose to numn		
discharge outlet.	and of nose to pump		
Pump operator connects engine to hydrant. Four-way valve mapressure.	y be used to boost		
7. Pump operator on attack engine signals for water. Operator on	supply engine provides		
water.			
•	TOTALS		
C = Critical Step PASS CA	NDIDATE MUST COMPLETI	E 5	
Failure on this step mandates failure on task! FAIL ST	EPS TOTAL TO PASS SKILL	L	
NFPA 1001, 2019 Edition TEST DATE LOCATION:			
Objective(s): 4.3.15, 4.3.15(B) EVALUATOR NAME (Print)			
EVALUATOR SIGNATURE:			
10/2019 rev.			



JPR Task: Connectin	g hose line to supply a	a Fire Department Conr	nection		
Skill No. FF 1-71	PER	RFORMANCE CRITERI	A AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
 Pumper 			-		
FDC Prop					
3. Spanner Wrenches					
Supply Hose					
	W.C.T.D.L.				
# T		CTIONS TO THE CAND			
"The student shall dem	onstrate the ability to	o properly connect a r	nose line to a fire department co	nnecti	on."
Minimum PPE: Full PPE					
WIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		PERFORMANCE			
		PERI ORIVIANCE		YES	NO
1. Locates FDC				ILJ	INO
	line from engine disc	harge to FDC			
	os on standpipe inlet.				
	ects interior of connect				
	e line(s) to connection	<i>,</i> ,			
		\ \ /	TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 4	
Failure on this step manda	ites failure on task!		STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.15,	EVALUATOR NAME	E (Print)			
4.3.15(B)	EVALUATOR CION	ATUDE			
	EVALUATUR SIGNA	ATURE:			
10/2019 rev.					
10/2017168.					



INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. Standpipe Prop 2. Spanner Wrenches 3. Attack Hose Bundle / High Rise Pack 4. Adaptors INSTRUCTIONS TO THE CANDIDATE "The student shall demonstrate the ability to properly connect and advance a hose line from a standpipe connection." Minimum PPE: Full PPE PERFORMANCE YES NO 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! NFPA 1001, 2019 Edition TEST DATE LOCATION:	JPR Task: Connecting and advancing hose line from standpipe connection.			
Candidate shall be provided with the following: 1. Standpipe Prop 2. Spanner Wrenches 3. Attack Hose Bundle / High Rise Pack 4. Adaptors INSTRUCTIONS TO THE CANDIDATE "The student shall demonstrate the ability to properly connect and advance a hose line from a standpipe connection." Minimum PPE: Full PPE PERFORMANCE PERFORMANCE 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:	Skill No. FF 1-72 PERFORMANCE CRITERIA AND INSTRUCTIONS			
1. Standpipe Prop 2. Spanner Wrenches 3. Attack Hose Bundle / High Rise Pack 4. Adaptors INSTRUCTIONS TO THE CANDIDATE "The student shall demonstrate the ability to properly connect and advance a hose line from a standpipe connection." Minimum PPE: Full PPE PERFORMANCE 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! FAIL CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
2. Spanner Wrenches 3. Attack Hose Bundle / High Rise Pack 4. Adaptors INSTRUCTIONS TO THE CANDIDATE "The student shall demonstrate the ability to properly connect and advance a hose line from a standpipe connection." Minimum PPE: Full PPE PERFORMANCE 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! FAIL CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:	Candidate shall be provided with the following:			
3. Attack Hose Bundle / High Rise Pack 4. Adaptors INSTRUCTIONS TO THE CANDIDATE "The student shall demonstrate the ability to properly connect and advance a hose line from a standpipe connection." Minimum PPE: Full PPE PERFORMANCE YES NO 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! FAIL CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:	1. Standpipe Prop			
### Instructions to the candidate of the student shall demonstrate the ability to properly connect and advance a hose line from a standpipe connection." #### Minimum PPE: Full PPE Performance	2. Spanner Wrenches			
### Instructions to the candidate in the student shall demonstrate the ability to properly connect and advance a hose line from a standpipe connection." #### Minimum PPE: Full PPE Performance	3. Attack Hose Bundle / High Rise Pack			
"The student shall demonstrate the ability to properly connect and advance a hose line from a standpipe connection." Minimum PPE: Full PPE PERFORMANCE 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! TEST DATE LOCATION: LOCATION:	4. Adaptors			
"The student shall demonstrate the ability to properly connect and advance a hose line from a standpipe connection." Minimum PPE: Full PPE PERFORMANCE 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! TEST DATE LOCATION: LOCATION:				
Minimum PPE: Full PPE PERFORMANCE 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! PASS CANDIDATE MUST COMPLETE 3 FAIL STEPS TOTAL TO PASS SKILL.				
Minimum PPE: Full PPE PERFORMANCE 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! PASS CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:		ipe		
PERFORMANCE 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! PASS CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:	connection."			
PERFORMANCE 1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! PASS CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:	MIL DDE E II DDE			
1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! PASS CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:				
1. Carries standpipe hose bundle to standpipe connection below fire. 2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! NFPA 1001, 2019 Edition TEST DATE LOCATION:		NO.		
2. Attaches proper appliance or adapter if needed. 3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! TOTALS CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:		NO		
3. Flakes hose upstairs to floor above fire. 4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! TOTALS CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:				
4. Extends hose to fire floor and prepares for fire attack. TOTALS C = Critical Step Failure on this step mandates failure on task! TOTALS CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:				
C = Critical Step Failure on this step mandates failure on task! FAIL CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:				
C = Critical Step Failure on this step mandates failure on task! NFPA 1001, 2019 Edition PASS CANDIDATE MUST COMPLETE 3 STEPS TOTAL TO PASS SKILL. LOCATION:				
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:				
NFPA 1001, 2019 Edition				
	Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.			
	NEDA 1001 2010 Edition TEST DATE LOCATION.			
OLICATION AD AFTER THE EVALUATION MANAGE (D.C.)	NFPA 1001, 2019 Edition TEST DATE LOCATION:			
	Objective(c), 4.2.15 EVALUATOR NAME (Print)			
	Objective(s): 4.3.15, 4.3.15(B)			
EVALUATOR SIGNATURE:				
LVALUATOR SIGNATURE.	LVALUATOR SIGNATURE.			
10/2019 rev.				



JPR Task: Operating	ng portable fire extingui					
Skill No. FF 1-73				A AND INSTRUCTIONS		
	INSTRUCTION					
	Candidate sha		ed with the	e following:		
1. Water, CO2, and Di		ers				
2. Fire Extinguisher Bu	ırn Prop					
	INSTRUC	TIONS TO T	HE CAND	IDΔTF		
"The stude				operate a fire extinguisher."		
THO Stude	and domonstrate	ano abinty to	о ргорону	oporato a mo oxungaisnon		
Minimum PPE: Full PPE wi	thout SCBA					
		PERFORM	ANCE			
					YES	NO
	ete PPE (without SCB)					
	ss of fire ("A", "B", "C").					
	t fire extinguisher/agen					
	srupting electrical curre			, , , , , , , , , , , , , , , , , , , ,		
	ation prior to using (ful					
6. Extinguishes	fire (proper technique	and faces fire	when retr	G,		
C Critical Stan		DACC		TOTALS CANDIDATE MUST COMPLET		
C = Critical Step Failure on this step manda	atas failura on taskl	PASS FAIL		STEPS TOTAL TO PASS SKIL		
Tandre on this step mand	ites failure off task:	1 AIL		STELS TOTAL TOTASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOC	ATION:			
Objective(s): 4.3.16,	EVALUATOR NAME	(Print)				
4.3.16(B)						
	EVALUATOR SIGNA	ATURE:				
10/2010 rov						



JPR Task: Eme	rgency scene illumination	n.			
Skill No. FF 1-74			TERIA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITO	OR/EVALUATOR		
	Candidate sh	all be provided wit	th the following:		
1. Apparatus with G	enerator or Portable Ger	nerator .	3		
	ghting or Free Standing				
• • • • • • • • • • • • • • • • • • • •		· ·			
	INSTRUC	CTIONS TO THE C	ANDIDATE		
"The stude	nt shall demonstrate tl	he ability to prope	rly illuminate an emergency scene.	."	
Minimum PPE: Full PPE	without SCBA				
		PERFORMANCE			
				YES	NO
	plete PPE (without SCB				
	grounding of generator (
	enerator readiness and p				
			cannot exceed amperage of circuit		
	tal load cannot exceed o				
5. Operates e	quipment within manufa	cturers' guidelines.			
6. Illuminates	area(s) as directed.				
			TOTALS		
C = Critical Step			_ CANDIDATE MUST COMPLE		
Failure on this step mar	dates failure on task!	FAIL	STEPS TOTAL TO PASS SKII	<u>LL.</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATIO	N:		
Objective(s): 4.3.17,	EVALUATOR NAME	E (Print)			
4.3.17(B)					
	EVALUATOR SIGN	ATURE:			
10/2019 rev.					



	FIRE FIGHTER 1 PERFORMANCE EVALUA	ATION	
JPR Task:	Securing building utilities.		
Skill No. FF 1-75	PERFORMANCE CRITERIA AND IN	STRUCTIONS	
	INSTRUCTIONS TO THE MONITOR/EVALUAT	OR	
	Candidate shall be provided with the following	ıg:	
1. Lock Out/Tag	• •		
2. Electrical Pane	•		
4. Gas Valve or I	liers, Spanner Wrench Pron		
5. Water Valve of			
or trater various			
	INSTRUCTIONS TO THE CANDIDATE		
"The	e student shall demonstrate the ability to properly secure	building utilities."	
Misimum DDE EULDI			
Minimum PPE: Full PI	PERFORMANCE		
	FERFORMANCE	YES NO	0
1. Wears o	complete PPE (including eye protection).	123 110	<u> </u>
	s appropriate tools required for securing utilities (utility keys,	pliers, spanner	
	and lock out tags with locks).		
	strates shutting off main building electric (opens breaker box,	identifies involved	
), shuts off main breaker, and lock out/tag out).		
	strates shutting off natural gas valve(s) – (meter may be inside turn valve).	e or outside, and	
	strates shutting off domestic water using water key (locates bo	ox, removes cover,	
1	key, and rotates valve until closed).		
	es hazards of working with utilities (verbalized):	darant addad)	
	xplosive range, ignition sources, asphyxiant, and odorless (oc : Generators (backup supply), shock, ignition source, re-ener		
	ent, and electric back-feed hazard.	gizing power	
	sin/ and discurs back rood nazardi	TOTALS	
C = Critical Step	PASS CANDID	OATE MUST COMPLETE 5	
Failure on this step n	nandates failure on task! FAIL STEPS	TOTAL TO PASS SKILL.	
NEDA 1001 2010 E-1	to TEST DATE LOCATION.		
NFPA 1001, 2019 Edi	tion TEST DATE LOCATION:		
Objective(s): 4.3.18,	EVALUATOR NAME (Print)		
4.3.18(B)			

EVALUATOR SIGNATURE: _____

10/2019 rev.



JPR Task: Fire 6	xtinguishment-ground cover fire.			
Skill No. FF 1-76	PERFORMANCE CRITER	IA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/	EVALUATOR		
	Candidate shall be provided with the	ne following:		
 Assortment of Grou 	nd Cover Fire Tools	-		
	INSTRUCTIONS TO THE CANI			
"The studen	shall demonstrate the ability to properly	extinguish a ground cover fire."	•	
Minimum PPE: Full PPE wi				
	PERFORMANCE		1	
			YES	NO
1. Maintains tea				
	ete PPE (including respiratory equipment as	needed/directed).		
3. Provides/identifies a means of retreat and/or safe haven.				
moving fires,	moving fires, and hose lines for large/fast moving fires).			
5. Method of att	ack consistent with known or anticipated haza	ards (uninvolved toward involved		
areas and up	nill/upwind).			
	trols/avoids hazards as encountered/anticipa	ted (weather, topography,		
	posure, and structures).			
7. Extinguishes	fire.			
		TOTALS		
C = Critical Step	PASS	CANDIDATE MUST COMPLET	E 5	
Failure on this step manda	tes failure on task! FAIL	STEPS TOTAL TO PASS SKIL	.L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:_			
	EVALUATOR MANAE (D.1.1)			
Objective(s): 4.3.19,	EVALUATOR NAME (Print)			
4.3.19(B)	EVALUATOR CICNATURE.			
	EVALUATOR SIGNATURE:			
10/2019 rev.				
10/2019 160.				



JPR Task:	Inspecting, cleaning and maintaining a ladd	er.
Skill No. FF 1-77	PERFORMANCE CF	RITERIA AND INSTRUCTIONS
	INSTRUCTIONS TO THE MON	ITOR/EVALUATOR
	Candidate shall be provided v	with the following:
 Roof Ladder 		-
Extension Lac		
Cleaning Equ	pment	
	INSTRUCTIONS TO THE	
"The student shal		g, cleaning, and maintaining ladders as part of a
	team."	
Minimum DDE: Work	Gloves, Eye Protection	
WIIIIIIIIIIIIIII PPE. WOIK	PERFORMANI	^F
	FERIORWAN	YES NO
1. Follows	manufacturer, departmental, and NFPA 193	
	all components.	2 galdelines.
	etes ladder inspection by visually inspecting for	or wear and damage.
	tes ladders using wax or other recommended	
	ns a functional check of all components.	
	nd removes ladders from service if deficiencie	es found.
7. Comple	etes maintenance records.	
		TOTALS
C = Critical Step	PASS	CANDIDATE MUST COMPLETE 5
Failure on this step r	mandates failure on task! FAIL	STEPS TOTAL TO PASS SKILL.
NFPA 1001, 2019 Edi	tion TEST DATE LOCAT	ION:
01: 11: / \ 454	EVALUATOR MANE (D)	
Objective(s): 4.5.1,	EVALUATOR NAME (Print)	
4.5.1(B)	EVALUATOD SICNATUDE:	
	EVALUATOR SIGNATURE:	
10/2019 rev.		



JPR Task:	Salvage cover inspection and i	naintenance.		
Skill No. FF 1-79	PERFO	RMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS T	O THE MONITOR/EVALUATOR		
	Candidate shall b	e provided with the following:		
 Salvage Cov 				
2. Cleaning Equ	ipment			
		NS TO THE CANDIDATE		
"The stude	nt shall be able to properly den	nonstrate salvage cover inspection and mainten	ance."	
Minimum PPE: Work	Gloves, Eye Protection			
		RFORMANCE		
			YES	NO
1. Washe	s and cleans cover properly.			
2. Dries p	roperly to reduce mildew.			
3. Examii	nes for damage (passing salvage	cover over his/her head looking for holes).		
	any holes found with chalk.			
		be repaired by duct or mastic tape, iron-on patches.		
6. Folds (or rolls cover properly to local juri			
		TOTALS		
C = Critical Step		SS CANDIDATE MUST COMPLE		
Failure on this step	mandates failure on task! FA	IL STEPS TOTAL TO PASS SKI	<u>LL.</u>	
NEDA 1001 2010 E-	ition TEST DATE	LOCATION		
NFPA 1001, 2019 Ed	IIION TEST DATE	LOCATION:		
Objective(s): 4.5.1,	EVALUATOD NAME (D	int)		
4.5.1(B)	EVALUATOR NAME (FI	mry		
	EVALUATOR SIGNATU	RE:		
	211.201.1.011.070111110			
10/2019 rev.				



JPR Task: Demonstrate the techniques of inspecting, cleaning, maintaining, and storing rope and locate information in departmental documents and standard or code materials

Skill No. FF 1-80 A PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

1. Life Safety Rope
2. Cleaning Equipment

INSTRUCTIONS TO THE CANDIDATE

"The student shall demonstrate the techniques of inspecting, cleaning, and maintaining and storing rope."

Minimum PPE: Work Gloves, Eye Protection

PERFORMANCE

YES NO

1. Washes the rope with mild soap and water.

	4. Locate and review department policy on life safety rope inspection. If a policy does not				
exist, refer	to NFPA or manufacture	ers recommendations			
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 4	
Failure on this step mai	dates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Editio	TEST DATE	LOCATION:_			
Objective(s): 4.5.1,	EVALUATOR NAMI	E (Print)			
4.5.1(B)	EVALUATOR SIGN	ATURE:			

2. Uses a rope washer or machine if recommended by the rope's manufacturer.

3. Air dries the rope out of direct sunlight and properly stores rope.

10/2019 rev.



				VV	DE
materials	artment ropes and locate	e information in depart	mental documents and standard	or code	;
Skill No. FF 1-80 B	PERF	ORMANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTIONS	TO THE MONITOR/E	VALUATOR		
	Candidate shall	I be provided with the	e following:		
 Life Safety Rope 			-		
	INSTRUCT	TIONS TO THE CAND	IDATE		
"Th	ne student shall able to	o properly inspect fire	e department ropes."		
Minimum PPE: Work Glove	s, Eye Protection				
		PERFORMANCE			
				YES	NO
Inspects rope after each use and at regular intervals.					
Examines the core by looking for depressions, flat spots, or lumps.					
3. Checks the sheath by looking for discolorations, abrasions, flat spots, or imbedded objects.					
Removes the rope from service if it is damaged.					
5. Locate and review department policy on life safety rope inspection. If a policy does not					
exist, refer to NFPA or manufacturers recommendations.					
			TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLET			CANDIDATE MUST COMPLET	E 5	
Failure on this step manda			STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.2.1, 4.5.1,	EVALUATOR NAME ((Print)			
4.5.1(B)					
	EVALUATOR SIGNAT	Ture:			
10/2019 rev.					



IDD Tack. Dolling a base	WV	DE			
JPR Task: Rolling a hose. Skill No. FF 1-81 PERFORMANCE CRITERIA AND INSTRUCTIONS					
INSTRUCTIONS TO THE MONITOR/EVALUATOR					
Candidate shall be provided with the following:					
1. 1 Section of Fire Hose (1.5 or 1.75 inch)					
INSTRUCTIONS TO THE CANDIDATE					
"The student shall be able to properly demonstrate rolling a hose."					
Minimum PPE: Work Gloves, Eye Protection					
PERFORMANCE	VEC	NO			
4 (411 D0110) D 1 1 1 1 1 1	YES	NO			
1. (ALL ROLLS) Running during the evaluation.					
Straight Roll					
Rolls male coupling in to protect.					
Lays roll down and tamps exposed coils.					
Donut Roll – Method One:					
4. Starts roll approximately 5' – 6' from center toward male coupling.					
5. Rolls toward female coupling.					
6. Ends with sufficient hose (approximately 3') to fold over and protect male coupling.					
Donut Roll – Method Two:					
7. Hose laid flat.					
8. Starts at a point off center about 6' toward the male coupling.					
9. Starts roll towards the female coupling.					
10. Ends with sufficient hose (approximately 3') to fold and protect male coupling.					
Twin Donut Roll:					
11. Places couplings together.					
12. Hose laid flat without twisting, forming two parallel lines from the looped end.					
13. Starts roll from looped end by folding loop over and upon parallel lines.					
14. Rolls toward couplings forming twin rolls.	+				
	-				
Self-Locking Twin Donut Roll:					
15. Places couplings together.	1				
16. Hose laid flat without twisting, forming two parallel lines from the looped end.					
17. From 2' – 3' from the end, moves one side (up and over) to opposite side, creating a loop.					
18. Faces couplings and brings distal end of loop and places it where the hose crosses.					
19. Starts roll at crossed hoses, rolls toward the couplings and forms twin rolls.					
20. Adjust loops (creating one short and one long) by pulling one side through.					
21. Places long loop through short loop behind couplings and snugs tightly.					
TOTALS					
C = Critical Step PASS CANDIDATE MUST COMPLET	ΓE 15				
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL	_L.				
NFPA 1001, 2019 Edition					
4.5.2(B)	EVALUATOR NAME (Print)				
EVALUATOR SIGNATURE:					
10/2019 rev.					



JPR Task:	JPR Task: Cleaning and inspecting a fire nose.				
Skill No. FF 1-82	PERFORMANCE CRITERIA AND INSTRUCTIONS				
	INSTRUCTIONS	S TO THE MONITOR/E	VALUATOR		
	Candidate sha	II be provided with the	e following:		
1. Fire Hose (1.5	or 1.75 inch)		-		
Cleaning Equi	pment				
		TIONS TO THE CAND			
"The stu	dent shall be able to prope	erly demonstrate clear	ning and inspecting a fire hose.	"	
Minimum PPE: Work	Gloves, Eye Protection	DEDECEMBER 1			
		PERFORMANCE		\/F0	NO
4 11 1				YES	NO
	ear water and scrub brush (d				
	2. Inspects hose jacket for defects/damage (holes, tears, and presence of absorbed				
	als/fuels).				
Inspects hose couplings for defects/damage (oblong, separated from hose, missing gaskets, and thread damage).					
4. Demonstrates replacing a hose gasket (squeezes between thumb and forefinger, slides in					
place, and smooths out).					
5. Demonstrates rolling an out of service length of hose (male coupling out, damaged area(s)					
marked	and tagged indicating proble	em).			
	T		TOTALS	<u> </u>	
C = Critical Step		PASS	CANDIDATE MUST COMPLET		
Failure on this step n	nandates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>L.</u>	
NED A 1001 - 2010 E-19	See TECT DATE	LOCATION			
NFPA 1001, 2019 Edi	IION TEST DATE	LOCATION:			
Objective(c), 4 F 2	EVALUATOD NAME	(Drint)			
Objective(s): 4.5.2, 4.5.2(B)	EVALUATOR NAIVIE	(11111)			
4.3.2(D)	EVALUATOR SIGNA	THRF.			
	LVALUATUR SIGNA	(10KL			
10/2019 rev					

West Virginia Public Service Training HAZARDOUS MATERIALS OPERATIONS PERFORMANCE EVALUATION



JPR Task: Using a Multi-Gas					
Skill No. FF1-83 PERFORMANCE CRITERIA AND INSTRUCTIONS					
	INSTRUCTIONS TO TH	E MONITOR/E	VALUATOR		
	Candidate shall be pro	ovided with the	e following:		
 Multi gas meter. 					
As candidate monitors	s the atmosphere. The evalua	ntor will call out	simulated readings.		
	INSTRUCTIONS T				
"Correct	ctly utilize a multi-gas meter	r to provide at	mospheric monitoring."		
MI	"				
Minimum PPE: Structural fire f					
	PERFO	DRMANCE			
				\/ F C	NO
4 - D21	l 10°		and the contract of the contra	YES	NO
	he multi gas meter, make sur				
	ons and local standard operati				
	2. Turn on the device and zero it in a clean atmospheric environment. Let the device warm				
	up for at least 15 minutes. 3. Perform a bump test.				
		nd conditions to	a avoid and which notential		
	4. Make sure you understand which hazards and conditions to avoid, and which potential interferences might be encountered.				
5. Approach the target atmosphere and carry out the mission.					
	gs and interpret the meaning				
	the LEL/LFL readings	or the following	g conditions.		
	* Carbon monoxide levels				
* Oxygen leve					
* hydrogen sulfide levels					
, ,	e atmosphere after completing	g the mission.	Return the meter to zero.		
	opriate procedures to turn the				
			TOTALS		
C = Critical Step	PASS_		CANDIDATE MUST COMPLET	E 6	
Failure on this step mandate	es failure on task! FAIL _		STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition T	EST DATE	LOCATION:			
Objective(s): 4.3.21	EVALUATOR NAME (Print) _				
_	TVALUATOR CIONATURE				
E	:VALUATUK SIGNATURE: _				
010/2010 rov					
010/2019 rev.					



IDD To I					
JPR Task: Securing an Opening in a Structure					
Skill No. FF 1-84 PERFORMANCE CRITERIA AND INSTRUCTIONS					
INSTRUCTIONS TO THE MONITOR/EVALUATOR					
Candidate shall be provided with the following:					
1. Tarp or plywood					
INSTRUCTIONS TO THE CANDIDATE					
"The student shall able to properly inspect fire department ropes."					
Minimum PPE: Work Gloves, Eye Protection					
PERFORMANCE					
	YES	NO			
Identifies openings to be covered					
2. Gathers tools, equipment, and materials					
3. Cover or secure openings.					
a. Doors					
b. Windows					
c. Floor openings					
d. Roof openings					
e. Other openings as necessary					
4. Verify that the building is secured.					
TOTALS					
C = Critical Step PASS CANDIDATE MUST COMPLET	F 3	1			
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL					
Tailare of this step mandates failare of task: TAIL STELS TOTAL TO TASS SKIL	<u>L.</u>				
NFPA 1001, 2019 Edition TEST DATE LOCATION:					
TEST DATE LOCATION					
Objective(s): 4.3.14 EVALUATOR NAME (Print)					
COJECTIVE(3): 4.3.14					
EVALUATOR SIGNATURE:					
LVALUATOR SIGNATURE.					
10/2019 rev.					
IU/ZU171GV.					