

IDD T I D '	1 1 1 1	1		WV	العال
JPR Task: Donning persor					
Skill No. FF 1-1			A AND INSTRUCTIONS		
		S TO THE MONITOR/E			
		all be provided with th	e following:		
 Bunker Coat and pa 	ants				
2. Boots					
Helmet					
4. Gloves					
Nomex hood					
	INSTRUC	CTIONS TO THE CAND	IDATE		
	"Don pers	sonal protective equip	oment."		
Minimum PPE: Structural F	F gear (See above)				
		PERFORMANCE			
Candidate must complete th	is skill timely and effici	ently to pass.			
				YES	NO
C 1. Boots.					
C 2. Pants (includ C 3. Protective ho C 4. Coat (include	es all fasteners and su	spenders).			
C 3. Protective ho					
C 4. Coat (include	s all fasteners and coll	ar up) - (must have at I	least a 2 inch overlap on bunker		
pants per NF	PA 1971).	•	,		
C 5. Helmet (chin	strap cinched/under ch	nin).			
C 5. Helmet (chin C 6. Gloves (wrist C 7. Exposed skir	lets used with gauntlet	style (short glove) with	no skin exposed.		
C 7. Exposed skir	(no exposed skin in p	ermitted except for facia	al area).		
		•	TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 7	
Failure on this step manda	ates failure on task!		STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.1.2	EVALUATOR NAME	(Print)			
	EVALUATOR SIGNA	ATURE:			
10/2019 rev.					



JPR Task: Hoisting an Axe				
Skill No. FF 1-2A	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
 Utility rope 				
2. Axe				
	INCTRUCTIONS TO THE CANDIDATE			
	INSTRUCTIONS TO THE CANDIDATE			
	"The student shall be able to properly hoist an axe."			
Minimum PPE: Structural F	F near			
William and T. E. Oli dollar 1	PERFORMANCE			
		YES	NO	
1. Wears PPE and gloves.				
Ties a figure eight on a bight to make a small loop.				
3. Places loop over axe handle near head of axe.				
Passes standing part of rope around head of axe.				
	ing part of rope parallel to axe handle.			
	hitches along the axe handle.			
7. Prepares to r				
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 6		
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.		
NEDA 1001 2010 Edition	TEST DATE LOCATION:			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.1.2,	EVALUATOR NAME (Print)			
4.3.20	LV/LO/(TOKIWIL) (FIIII)			
	EVALUATOR SIGNATURE:			
10/2019 rev				



JPR Task: Hoist a charged	hose line.				
Skill No. FF 1-2B			AND INSTRUCTIONS		
		TO THE MONITOR/E			
	Candidate shall	be provided with the	e following:		
1. Rope					
2. Charged hose line					
	INSTRUCT	IONS TO THE CAND	IDΔTF		
"Th	e student should be at				
		p			
Minimum PPE: Structural F					
		PERFORMANCE		Ť	
				YES	NO
Wears PPE and gloves.					
Closes and secures nozzle.					
3. Ties a clove hitch in proper direction with safety around hose 1' to 2' from nozzle.					
	t in the rope and passes				
		half hitch to keep nozz	le closed while being raised.		
6. Prepares to h	oist nose line.		TOTALC		
C Critical Cton	T _F	2466	TOTALS	Γ 1	
C = Critical Step Failure on this step manda	toe failuro on tackl	FAIL	CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL	E 4 I	
Tallule of this step manua	ites failure off task: 1	AIL	STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.1.2,	EVALUATOR NAME (I	Print)			
4.3.20					
	EVALUATOR SIGNAT	URE:			
10/0010					
10/2019 rev.					



JPR Task: Hoist a ladder.					
Skill No. FF 1-2C	II No. FF 1-2C PERFORMANCE CRITERIA AND INSTRUCTIONS				
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
1. Rope					
Straight ladder					
		CTIONS TO THE CAND			
	"The student sha	II be able to properly I	hoist a ladder."		
Minimum PPE: Structural F	F goar				
Willimum FFL. Structural i	i yeai	PERFORMANCE			
		I LINI ONWANGE		YES	NO
1. Wears PPE a	nd aloves			ILS	110
2. If ladder is a roof ladder, make sure that top hooks are in retracted position.					
3. Ties a figure eight on a bight to make loop 3' to 4'.					
4. Passes rope between rungs of ladder (3 to 4 rungs from top).					
5. Pulls loop under rungs toward top of ladder.					
	round top of ladder.				
		s loop to slide down lac	lder.		
8. Attaches tag	line using clove hitch a	around a rung from belo	w to control ladder as hoisted.		
9. Prepares to ra	aise ladder.				
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 6	
Failure on this step manda	ites failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>L.</u>	
NEDA 4004, 0040 E I'I'.	TECT DATE	LOGATION			
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.1.2,	EVALUATOD NAME	(Drint)			
4.3.20	LVALUATOR NAIVIL	- (FIIII)			
4.3.20	EVALUATOR SIGNA	ATURF:			
	21.120,11011 01010				
10/2010 rov					



JPR Task: Hoist a pike pol	e.					
Skill No. FF 1-2D	PERI	ORMA	NCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTION	S TO TI	HE MONITOR/E	EVALUATOR		
	Candidate sha	all be pr	ovided with th	e following:		
1. Rope						
2. Pike Pole						
	MCTDU	TIONS	TO THE OAND	ND ATE		
			TO THE CAND			
	"The student shall	be able	e to properly no	DIST a pike pole."		
Minimum PPE: Structural F	F gear					
	J	PERF	ORMANCE			
					YES	NO
Wears PPE and gloves.						
2. Ties a clove hitch in the open and slips it over handle. Secures clove hitch near head.						
	hitch around a handle					
	econd clove hitch arour	nd hand	le near bottom o	of pike pole.		
5. Prepares to r	aise pike pole.					
				TOTALS		
C = Critical Step				CANDIDATE MUST COMPLET		
Failure on this step manda	ates failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	_L.	
NFPA 1001, 2019 Edition	TEST DATE		LOCATION			
NFFA 1001, 2019 EUILIOIT	TEST DATE		LOCATION			
Objective(s): 4.1.2,	FVALUATOR NAME	(Print)				
4.3.20	E VALOATION IN INI	. (
	EVALUATOR SIGNA	ATURE:				
010/2019 rev.						



JPR Task: Hoist an unchar	ged hose line.				
Skill No. FF 1-2E	PERI	FORMANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	ne following:		
1. Rope					
2. Uncharged hose lin	e with nozzle				
	INCTRUC	STIONS TO THE CANE	NDATE		
		CTIONS TO THE CAND			
	The Student Shall b	e able to hoist an unc	marged nose line.		
 Minimum PPE: Structural F	F gear				
	g con	PERFORMANCE			
				YES	NO
1. Wears PPE and gloves.					
2. Folds 3' of hose onto itself and places nozzle on top of hose.					
3. Places half hitch in middle of hose and a second half hitch around hose 6" from nozzle.					
		n with safety unit around	d the nozzle and hose to hold		
the nozzle sh					
5. Prepares to h	ioist hose line.		TOTALO		
C Cuitinal Chan		DACC	TOTALS	·	
C = Critical Step	stac failura on tackl	FAIL	CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
Failure on this step manda	les failure off task!	rail	STEPS TOTAL TO PASS SKIL	.L.	
NFPA 1001, 2019 Edition	TEST DATE	I OCATION:			
111 1 / 1001, 2017 Edition	1231 DATE				
Objective(s): 4.1.2,	EVALUATOR NAME	(Print)			
4.3.20		, ,			
	EVALUATOR SIGNA	ATURE:			
10/2019 rev.					



JPR Task: Tie a clove hitch	around an object.				
Skill No. FF 1-3A	PERFO	ORMANCE CRITERIA	AND INSTRUCTIONS		
	INSTRUCTIONS	TO THE MONITOR/E	VALUATOR		
	Candidate shal	I be provided with the	e following:		
1. Rope			-		
Object to tie to					
=1		TIONS TO THE CAND			
"The s	tudent shall be able to	properly tie a clove	hitch around an object."		
Minimum PPE: Structural F	- gear				
		PERFORMANCE			
				YES	NO
1. Wears gloves.					
Makes complete loop around object, working end down.					
3. Makes second loop around object a short distance above the first loop.					
4. Passes working end of rope under second loop, above point where second loop crosses					
over first loop					
	and secures by pulling				
	knot in working end of re	ope.			
7. Checks for pr	oper direction.		TOTALC		-
C = Critical Step		DACC	TOTALS	ГЕ	
Failure on this step manda		FAIL	CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
Tallure of this step manua	ites failure off task:	AIL	STELS TOTAL TOTASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.1.2,	EVALUATOR NAME	(Print)			
4.3.20	EVALUATOR SIGNA	TURE:			



JPR Task: Tie a clove hitch	n in the open.				
Skill No. FF 1-3B		FORMANCE CRITERIA	AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/E	VALUATOR		
	Candidate sha	all be provided with the	e following:		
1. Rope					
2. Object to attach to					
	MCTDIA	OTIONS TO THE OAND	IDATE		
# T b		CTIONS TO THE CAND			
"IN	ie Student Shaii be at	ole to properly tie a clo	ve nitch in the open."		
Minimum PPE: Gloves					
		PERFORMANCE			
				YES	NO
1. Wears gloves.					
2. Makes a loop using left hand. Running part of rope should be over working part.					
3. Makes a second loop on top of left hand loop.					
4. Puts right hand loop on top of left hand loop.					
5. Slides loop ov					
	site directions to tighte				
	knot in working end of	rope.			
8. Checks for pr	oper direction.		TOTALS		
C = Critical Step		DACC	CANDIDATE MUST COMPLET	F 4	<u> </u>
Failure on this step manda	ates failure on taskl		STEPS TOTAL TO PASS SKIL		
Tandre on this step mande	lics failure off task:	1 AIL	31EI 3 TOTAL TOTASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.1.2,	EVALUATOR NAME	E (Print)			
4.3.20	FLAN HATOD CLOSE	ATUDE			
	EVALUATOR SIGN/	ATURE:			



JPR Task: Tie a figure eigh	at knot.			
Skill No. FF 1-3C	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
1. Rope				
·				
	INSTRUCTIONS TO THE CANDIDATE			
	"The student shall be able to properly tie a figure eight knot."			
Minimum PPE: Gloves				
	PERFORMANCE			
		YES	NO	
1. Forms a bight in rope.				
Loops working end of rope around standing part of rope.				
Threads working end back through bight.				
4. Tightens knot	by pulling both ends simultaneously.			
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET			
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	.L.		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.1.2,	EVALUATOR NAME (Print)			
4.3.20	EVALUATOR CIONATURE			
	EVALUATOR SIGNATURE:			
40/0040				
10/2019 rev.				



JPR Task: Tie a fig	jure eigh	t knot on a bight.		
Skill No. FF 1-3D	<u> </u>	PERFORMANCE CRITERIA AND INSTRUCTIONS		
		INSTRUCTIONS TO THE MONITOR/EVALUATOR		
		Candidate shall be provided with the following:		
1. Rope				
		INSTRUCTIONS TO THE CANDIDATE		
	"The	student shall be able to properly tie a figure eight knot on a bight."		
 Minimum PPE: Glov	VAS			
William C. Glov	VCS	PERFORMANCE		
			YES	NO
Forms a bight and identifies end of bight as working end.				
Holds both sides of bight together, forms a loop.				
Feeds working end of bight back though loop.				
4. Pulls knot tight.				
5. Secur	res loose	e end of rope with safety knot.	<u> </u>	
		TOTALS	<u> </u>	
C = Critical Step		PASS CANDIDATE MUST COMPLET		
Failure on this step	o manda	ites failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L</u>	
NEDA 1001 2010 E	dition	TEST DATE LOCATION.		
NFPA 1001, 2019 E	antion	TEST DATE LOCATION:		
Objective(s): 4.1.2		EVALUATOR NAME (Print)		
4.3.20	'	EVALUATOR NAME (FIIII)		
1.0.25		EVALUATOR SIGNATURE:		
		-		
10/2019 rev.				



JPR Task: Tie a figure eigh	nt with a follow through	١.			
Skill No. FF 1-3E	PER	FORMANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
1. Rope			-		
		CTIONS TO THE CAND			
"The stu	dent shall be able to	properly tie a figure e	ight with a follow through."		
Minimum PPE: Gloves					
		PERFORMANCE		T	ī
				YES	NO
Ties a figure eight leaving some rope at working end.					
		gh object to be secured			
3. Threads working end back through original figure eight in opposite direction.					
4. Pulls knot tigl					
5. Ties a safety	knot in working end.				
		T	TOTALS		
C = Critical Step			CANDIDATE MUST COMPLET		
Failure on this step manda	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>.L. </u>	
NED 4 4004 0040 E 1'1'	TECT DATE	LOCATION			
NFPA 1001, 2019 Edition	LEST DATE	LOCATION:_			
Objective (a), 412		- (Drint)			
Objective(s): 4.1.2,	EVALUATUR NAIVIE	<u> </u>			
4.3.20	EVALUATOD SICAL	ATI IDE:			
	LVALUATOR SIGN	ATUKL			
10/2019 rev.					
10/2017101.					



JPR Task: Tie a ha	f hitch.			
Skill No. FF 1-3F	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
1. Rope				
2. Object to tie	to			
	INCTRUCTIONS TO THE CANDIDATE			
	INSTRUCTIONS TO THE CANDIDATE			
	"The student shall be able to properly tie a half hitch"			
 Minimum PPE: Glov	24			
William Co. Clo	PERFORMANCE			
		YES	NO	
Grabs the rope with palm facing away.				
Rotates hand so that palm is facing you making a loop in the rope.				
	s the loop over the end of the object.			
4. Positi	ons the half hitch knot and pulls tight.			
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET			
Failure on this step	mandates failure on task! FAIL STEPS TOTAL TO PASS SKILI	<u>L.</u>		
NEDA 4004 0040 E	TECT DATE			
NFPA 1001, 2019 E	dition TEST DATE LOCATION:			
Objective(s): 4.1.2	EVALUATOR NAME (Print)			
4.3.20	EVALUATOR NAIVIE (FTIIII)			
1.0.20	EVALUATOR SIGNATURE:			
10/2019 rev.				



JPR Task: Tie the halyard.				
Skill No. FF 1-3G	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
 Extension ladder 				
	INSTRUCTIONS TO THE CANDIDATE			
	"The student shall be able to properly tie the halyard."			
Minimum PPE: Structural F	F gear			
	PERFORMANCE			
		YES	NO	
1. Wears PPE.				
Wraps excess halyard around two rungs and pulls tight over upper rung.				
3. Ties a clove h	nitch around upper rung.			
4. Pulls knot tigl	nt and adds safety knot.			
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLE			
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKI	LL.		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.3.6,	EVALUATOR NAME (Print)			
4.3.6(B)				
	EVALUATOR SIGNATURE:			
40/0040				
10/2019 rev.				



JPR Task: Tie a safety kno	ot.		
Skill No. FF 1-3H	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Rope	·		
·			
	INSTRUCTIONS TO THE CANDIDATE		
	"The student shall be able to properly tie a safety knot."		
Minimum PPE: Gloves			
	PERFORMANCE		
		YES	NO
1. Takes loose	end of rope, beyond the knot, and forms a loop around the standing part of		
rope.			
2. Passes loose	e end of rope through loop.		
3. Tightens safe	ety knot by pulling both ends simultaneously.		
4. Tests to see	if safety knot is tied correctly.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 3	
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.1.2,	EVALUATOR NAME (Print)		
4.3.20			
	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: Securing with	rope.		
Skill No. FF 1-4	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Rope	·		
2. Object to secure			
,			
	INSTRUCTIONS TO THE CANDIDATE		
u-	The student shall be able to properly secure an object with rope."		
Minimum PPE: Gloves			
	PERFORMANCE	·	
		YES	NO
1. Ties off seco			
	t knot for selected object.		
C 3. Ties knot co			
4. Secures obj	ect correctly.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step mand	lates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.1.2,	EVALUATOR NAME (Print)		
4.3.20	EVALUATOR CIONATURE		
	EVALUATOR SIGNATURE:		
10/0010			
10/2019 rev.			



JPR Task: II	nitiating a	response to a	simulated	emergency.
--------------	-------------	---------------	-----------	------------

Skill No. FF 1-5

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Telephone
- 2. Station radio or walkie talkie

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to properly initiate the response to a simulated reported emergency via the telephone."

Minimum PPE: NA				
	PERFORMANCE			
		YES	NO	
 Identifies age 	ncy.			
2. Asks if there i				
	estions to control the conversation to get the information needed.			
4. Obtains the following information about the incident:				
	ident location (including cross streets and/or landmarks			
b. Type of ir				
	e incident occurred			
	ollowing information from the caller:			
a. Name				
b. Location of the caller if different from the incident.				
c. Callback phone number				
6. Records infor				
7. Initiates the a	larm following the protocols of your communications center	TALC		
0 0 212 - 1 01 -		TALS		
C = Critical Step	PASS CANDIDATE MUST CO			
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PAS	S SKILL.		
MEDA 1001 2010 Edition	TEST DATE LOCATION:			
NFFA 1001, 2019 Edition	TEST DATE LOCATION			
Objective(s): 4.2.1,	EVALUATOR NAME (Print)			
4.2.1(B)	EVALOATION WINE (FINITY)			
,	EVALUATOR SIGNATURE:			
10/2019 rev.				



JPR Task: Operating and a	answering fire station t	telephone and intercom.			
Skill No. FF 1-6			A AND INSTRUCTIONS		
		IS TO THE MONITOR/E			
4 1 - 1	Candidate sh	all be provided with th	e following:		
 Telephone Intercom or Station 	radio or walkie talkie				
2. Intercom of Station	radio of warkle talkle				
	INSTRU	CTIONS TO THE CAND	DIDATE		
"The student sha	II be able to properly	operate and answer f	ire station telephone and interc	om."	
Minimum PPE: NA		DEDECRIMANOE			
		PERFORMANCE		VEC	NO
1 Fallance dans			A	YES	NO
			Answers phone promptly and		
professionally. Identifies self and department. 2. Determines if caller has an emergency. If caller has an emergency, follows department					
SOPs.	Caller has all efficige	incy. II caller has all chil	ergency, follows department		
	is taken, focuses on o	obtaining pertinent inforr	mation.		
		e communications cente			
5. Always is pre	pared to ascertain acc	curate information for all	calls.		
6. Never leaves	someone on hold for	a long time. Lets the cal	9 1		
		1	TOTALS	<u></u>	
C = Critical Step		PASS			
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
14177 1001, 2017 Edition	1201 0/(12	200/111011			
Objective(s): 4.2.2,	EVALUATOR NAMI	E (Print)			
4.2.2(B)					
	EVALUATOR SIGN	ATURE:			



JPR Task:	Use a radio.			
Skill No. F	F 1-7	PERFORMANCE CRITERIA AND INSTRUCTIONS		
		INSTRUCTIONS TO THE MONITOR/EVALUATOR		
		Candidate shall be provided with the following:		
1. Wa	ılkie talkie or sta	tion radio		
		INCTRUCTIONS TO THE CANDIDATE		
		INSTRUCTIONS TO THE CANDIDATE		
		"The student shall be able to properly use a radio."		
Minimum P	DE: NA			
WIIIIIIIIIIIIIII	I L. IVA	PERFORMANCE		
		I ERI ORIVINIOE	YES	NO
,	I. Before trans	mitting, determines that the channel is clear of any traffic.		1.10
2. Depresses the "push-to-talk"				
3	3. Speaks acro	ss the microphone at a 45-degree angle and holds the microphone 1 to 2		
	inches from	the mouth.		
4		e or she is going to say before talking. Speaks clearly and keeps message		
	brief and to t			
	5. Does not rel	ease the "push-to-talk" button until finished speaking.		
0 0 111	1.01	TOTALS		
C = Critica	•	PASS CANDIDATE MUST COMPLET		
Fallure on	tnis step mano	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L.</u>	
NEDA 1001	2010 Edition	TEST DATE LOCATION:		
INITA 100	i, 2017 Luition	TEST DATE LOCATION		
Objective(s): 4.2.3.	EVALUATOR NAME (Print)		
4.2.3(B)		7		
		EVALUATOR SIGNATURE:		
10/2019 re	٧.			



JPR Task: Given a radio and simulated emergency, the candidate wearing PPE and SCBA shall initiate MAYDAY procedures, assume the downed fire fighter position, and await rescue.

Skill No. FF 1-8

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Scenario
- 2. Walkie talkie

INSTRUCTIONS TO THE CANDIDATE

"The candidate shall be able to don PPE and SCBA, form into team, enter accountability system, safely carry and use hand tools, be able to control breathing, learn about limitations of PPE/SCBA, learn about the physical requirements of wearing PPE/SCBA, recognize low air warnings, identify indications for emergency procedures, initiate and complete emergency procedures.

Candidate directions: "Initiate MAYDAY procedures, assume the downed fire fighter position and await rescue."

Minimum PPE: Structural FF gear

PERFORMANCE								
							YES	NO
С	1.	Uses radio to	call, "Mayday, Mayda	y, Mayd	lay"			
C	2.	Gives LUNAR	R report: Location, Uni	t Numbe	er, Name, Assigr	nment/Air, & Resources		
	needed.							
С	3. Activates PASS device.							
4. Attempts self-rescue (instructor gives circumstance that prevents self-rescue, such as								
injury or entrapment).								
5. Identifies a safe location to await rescue.								
6. Lies on side in fetal position with PASS device pointing out.								
7. Points flashlight toward ceiling.								
8. Slows and controls breathing as much as possible.								
	TOTALS							
	Critical S					CANDIDATE MUST COMPLET		
Failu	re on th	is step manda	ites failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	L.	
NED	N 1001 C	0010 Edition	TECT DATE		LOCATION			
NFP	4 1001, 2	2019 Edition	TEST DATE		LOCATION:			
Ohio	ctive(s):	121	EVALUATOR NAME	(Drint	1			
Obje	cuve(s).	4.2.4	LVALUATOR NAIVIL	- (11111)				
			EVALUATOR SIGNA	ΔTURF				
			LV/ILO/(TOIC SION)	TOKE				
10/20)19 rev.							



JPR Task: Replacing a SC	BA cylinder.		
Skill No. FF 1-9	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. SCBA			
Extra cylinder			
	INSTRUCTIONS TO THE CANDIDATE		
"T	he student shall be able to properly replace an SCBA cylinder."		
•	no station shall be able to properly replace an electronic		
Minimum PPE: NA			
	PERFORMANCE		
		YES	NO
	CBA on the floor or a bench.		
2. Turns off the			
	valve to bleed off pressure.		
	high-pressure supply hose.		
1	nder from backpack and safely sets it aside.		-
	inder in the backpack.		
7. Aligns outlet t 8. Locks cylinde			
	ition and presence of "O" ring.		
	h prossure hase to air cylinder		
	er valve and checks gauge readings.		
12. Dons SCBA.	or varve and encodes gauge readings.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 9	
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 421	EVALUATOD NAME (Drint)		
Objective(s): 4.3.1, 4.3.1(B)	EVALUATOR NAME (Print)		
1.0.1(D)	EVALUATOR SIGNATURE:		



JPR Task: Replacing an SCBA cylinder on another firefighter without removing the SCBA.

Skill No. FF 1-10

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. FF wearing full PPE and SCBA
- 2. Extra cylinder

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to properly replace an SCBA cylinder on another firefighter without removing the SCBA."

Minimum PPE: Structural FF gear

	. 900.	DEDE	ORMANCE			
		PERF	URIVIANCE			
					YES	NO
 Firefighter rer 	moves the regulator fr	om face	piece or doffs fa	ace piece.		
Turns off cylir	nder valve.					
3. Opens or has other firefighter open bypass valve to bleed off pressure.						
Disconnects high-pressure supply hose.						
5. Releases cylinder from backpack and safely sets it aside.						
6. Slides full cyli	inder into the backpac	k.				
7. Locks cylinde	r into place.					
8. Checks cond	ition and presence of '	O" ring.				
9. Connects high-pressure hose to air cylinder and opens cylinder.						
10. Notifies firefighter that SCBA cylinder change is complete.						
	-	•		TOTALS		
C = Critical Step		PASS		CANDIDATE MUST COMPLET	E 7	•
Failure on this step manda	ates failure on task!			STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition	TEST DATE		LOCATION:			
Objective(s): 4.3.1,	EVALUATOR NAMI	E (Print)				
4.3.1(B)		,				
	EVALUATOR SIGN	ATURE:				
10/2019 rev.						



JPR Task: Don SCBA using the coat method timely and efficiently. PERFORMANCE CRITERIA AND INSTRUCTIONS Skill No. FF 1-11A INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. SCBA INSTRUCTIONS TO THE CANDIDATE "The student shall be able to properly don SCBA using the coat method in one (1) minute." Minimum PPE: Structural FF gear PERFORMANCE Candidate must complete this skill timely and efficiently to pass. YES NO 1. Opens case and lays out SCBA with cylinder valve away from self. 2. Fully opens main cylinder valve. 3. Places dominant hand on the opposite shoulder strap. 4. Lifts SCBA and swings it over dominant shoulder. 5. Slides other hand between the SCBA cylinder and the corresponding shoulder strap. 6. Adjusts shoulder straps. 7. Attaches waist belt and adjusts. 8. Removes helmet and pulls back protective hood. 9. Dons face piece and checks for adequate seal. 10. Pulls protective hood into position, replaces helmet, and secures chinstrap. C 11. If necessary, connects regulator to face piece. 12. Activates airflow and PASS alarm. C 13. Completes steps 1-12 timely and efficiently. **TOTALS** PASS _____ CANDIDATE MUST COMPLETE 9 C = Critical Step STEPS TOTAL TO PASS SKILL. Failure on this step mandates failure on task! FAIL ______ NFPA 1001, 2019 Edition TEST DATE ______ LOCATION:____ Objective(s): 4.3.1, EVALUATOR NAME (Print) 4.3.1(B) EVALUATOR SIGNATURE:



JPR Task: Don SCBA usin	ng the over-the-head method.			
Skill No. FF 1-11B	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
1. SCBA	·			
	INSTRUCTIONS TO THE CANDIDATE			
"The stude	ent shall be able to properly don SCBA using the over-the-head method."			
Minimum PPE: Structural F				
	PERFORMANCE	VEC	NO	
1 0	and the second CODA. The all the second control of the second cont	YES	NO	
	and lays our SCBA with cylinder valve away from self and places shoulder	1		
straps out to	main cylinder valve.			
	and grasps SCBA back plate with both hands.			
	lift SCPA over head			
5. Balances the back plate on back.6. Slides SCBA down back while arms slide into shoulder straps.				
	ulder strans and secures waist helt			
	Imet and pulls hood back.			
	oco and chocks for an adoquato coal			
	ive hood into position.			
I	connects regulator to face piece.			
	low and PASS alarm.			
<u>.</u>	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 9		
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
011 11 () 404	FIVALUATOR NAME (D. L. I)			
Objective(s): 4.3.1,	EVALUATOR NAME (Print)			
4.3.1(B)	EVALUATOR SIGNATURE:			
	LVALUATOR SIGNATURE.			



JPR Task: Inspect self-con	tained breathing appar	ratus (SCBA).				
Skill No. FF 1-12			RITERIA	AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MO	NITOR/E	VALUATOR		
	Candidate sha	all be provided	d with the	e following:		
1. SCBA						
.		CTIONS TO TH			\	
"The student st	hall be able to proper	ly inspect sell	f-contain	ned breathing apparatus (SCBA	\) ."	
Minimum PPE: NA						
William Carry E. 1474		PERFORMA	NCF			
		. Ern orani			YES	NO
1. Face piece (v	isibility, dry rot, crackir	ng).				
2. Exhalation va		- 37				
Breathing tub	e (if applicable) (leaks)).				
	et (dry rot and cracking					
5. Harness (loos	se hardware).					
	ps (fraying and loose h					
	raying and loose hard					
	ying and loose/damag					
-	maged threads and in					
	gh-pressure connectio					
	<u>ylinder (verify hydrosta</u>					
	linder and regulator ga	nuges (not > 10	0 PSI dif	ference) and test low pressure		
alarm.	lo ofter ve eccemble/d		(0)			
	le after re-assembly/d			manual		
	(operates correctly in npletely extended (sho					
	eaning procedures (dis					
completely).	cariing procedures (dis	innects race pie	CCIIIask	., Soap/water, and dry		
- Completely).				TOTALS		
C = Critical Step		PASS		CANDIDATE MUST COMPLET	E 12	1
Failure on this step manda	ites failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCA	TION:			
Objective(s): 4.3.1,	FVALUATOR NAME	(Print)				
4.3.1(B), 4.5.1, 4.5.1(B)	217.20711 011111					
	EVALUATOR SIGNA	ATURE:				
10/2010 rov						
10/2019 rev.						



THE TIGHTED TELL ORWANCE EVALUATION				·WV	DE.		
JPR	JPR Task: Use of SCBA (Restricted Passage).						
Skill	No. FF 1-13	PERI	FORMANCE CRITERIA	AND INSTRUCTIONS			
		INSTRUCTION	IS TO THE MONITOR/E	VALUATOR			
		Candidate sha	all be provided with the	e following:			
1	. SCBA			-			
2	. Vertical restricted page	assage					
			CTIONS TO THE CAND				
	"The	student shall be able	le to properly use SCB	A with vertical egress."			
N 41 - 1	DDE CL LE	F					
IVIINIM	num PPE: Structural F	r gear	DEDECOMANCE				
			PERFORMANCE		VEC	NO	
С	1 Doog not rom	ava face piece or DDE	<u></u>		YES	NO	
C	Does not remove face piece or PPE. Leasens shoulder and weight strong.						
Loosens shoulder and waist straps. 2. Demoves or loosens shoulder strap from the non regulator side.							
С	Removes or loosens shoulder strap from the non-regulator side. A Maintaine contact with the groundstandband at repulator at repul						
C							
	5. Slides backpack to the outside of shoulder that he/she is maintaining contact with.6. Checks for floor integrity (if possible).						
		9 1 1	ing maintaining contact v	with SCRA			
С			ne SCBA backpack, tight				
C	O. LAILS HIETESH	nicteu area, re-uons tri	ie ocha backpack, light	TOTALS			
C - C	ritical Step		2240	CANDIDATE MUST COMPLET	F 6	<u> </u>	
	re on this step manda	ates failure on taskl		STEPS TOTAL TO PASS SKIL			
Tulla	re on this step manac	tics failare on task.	17tiL	TOTAL TOTAL STATE	<u></u>		
NFP/	1001, 2019 Edition	TEST DATE	LOCATION:				
4.3.1(B), 4.3.9, 4.3.9(B)		EVALUATOR NAME	E (Print)				
		EVALUATOR SIGNA	ATURE:				



	•	WV	0150
JPR Task: Use of SCBA (I	Restricted Passage).		
Skill No. FF 1-14 PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. SCBA			
Horizontal restricted	d passage		
	INSTRUCTIONS TO THE CANDIDATE		
"The student sha	II be able to properly use SCBA in a restricted passage with horizontal egr	ess."	
M			
Minimum PPE: Structural F			
	PERFORMANCE	VEC	NO
0 1 Dans wat war	f DDF	YES	NO
	nove face piece or PPE.		
	ckpack and places airpack before him/her holding the regulator side shoulder		
strap. C 3. Pushes airpa	ack in front while crawling through restricted area, still holding the regulator		
	r strap at all times.		
	tricted area, redons SCBA backpack and tightens all straps.		
C 4. LAILS LITE TES	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	F 3	
Failure on this step mand			
Tallare on this step mana	utes fundre off task. TAIL STELS FORME FOR MOST SINE	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.1,	EVALUATOR NAME (Print)		
4.3.1(B), 4.3.9, 4.3.9(B)	, ,		
	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: SCBA Failure F	Procedures		
Skill No. FF 1-15	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. SCBA			
2. Partner			
Walkie talkie			
	INICIPLICATIONS TO THE CAMPIDATE		
#Tho	INSTRUCTIONS TO THE CANDIDATE		
" I ne	student shall be able to properly notify someone of SCBA failure."		
Minimum PPE: Structural F	F near		
Willimidili i E. Stractarari	PERFORMANCE		
	I EN STANKINGE	YES	NO
C 1. Notifies partr	ner/command. Declares mayday if necessary.		
2. Conserves air.			
Utilizes bypass/purge valve to conserve air correctly.			
	nes (when equipment and jurisdiction allow).		
C 5. Manually ala	rm/activates PASS device.		
6. Exits structur			
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NEDA 1001 2010 Edition	TECT DATE LOCATION.		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.1,	EVALUATOR NAME (Print)		
4.3.1(B)	EVALOATION WINE (FINIT)		
(=/	EVALUATOR SIGNATURE:		
10/2019 rev			



JPR Task: Emergency resp	oonse on motorized fire apparatus.					
Skill No. FF 1-16 PERFORMANCE CRITERIA AND INSTRUCTIONS						
	INSTRUCTIONS TO THE MONITOR/EVALUATOR					
	Candidate shall be provided with the following:					
 Fire apparatus 						
	INSTRUCTIONS TO THE CANDIDATE					
"The student shall be	e able to properly perform an emergency response on a motorized fire ap	paratus	. "			
	_					
Minimum PPE: Structural F						
	PERFORMANCE	VEC	NO			
1 5		YES	NO			
	senger restraint device(s).	+	-			
	sonal protective equipment.	+	-			
3. Wears eye protection for non-enclosed cabs (may be verbalized).						
	g protection (may be verbalized).					
	ontained Breathing Apparatus.					
0. DISMOUNIS Sa	afely using appropriate hand rail(s) and step(s) while observing surroundings. TOTALS	 				
C = Critical Step	PASS CANDIDATE MUST COMPLET		<u> </u>			
	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	ıE O I				
Tallule off this step manua	Ties failule of task: TAIL STEPS TOTAL TO PASS SKIL	<u>-L.</u>				
NEPA 1001 2019 Edition	TEST DATE LOCATION:					
Terry root, 2017 Edition	1201 B/112 200/11011					
Objective(s): 4.3.2,	EVALUATOR NAME (Print)					
4.3.2(B)						
	EVALUATOR SIGNATURE:					
10/2019 rev.						



JPR Task: Deployment of traffic and scene control devices to operate at emergency scenes. Skill No. FF 1-17 PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. Reflective vest 2. Traffic cones or other scene control device 3. Area to cordon off INSTRUCTIONS TO THE CANDIDATE "The student shall be able to properly deploy traffic and scene control devices to operate emergency scenes." Minimum PPE: Structural FF gear PERFORMANCE YES NO 1. Wears appropriate protective clothing (reflective vest if required). С 2. Establishes zone boundaries (how large of an area and degree of hazard), based on instructions. 3. Uses traffic cones and other scene devices (fire line tape) to cordon off the area. 4. Continues to monitor area to prevent people from crossing the line. TOTALS C = Critical Step PASS _____ CANDIDATE MUST COMPLETE 3 Failure on this step mandates failure on task! | FAIL _ STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE _____ LOCATION:____ EVALUATOR NAME (Print) Objective(s): 4.3.3, 4.3.3(B), 4.3.2, 4.3.2(B) EVALUATOR SIGNATURE:



JPR Task: Identify and carry tools.			
Skill No. FF 1-18 PERFORMANCE CRITERIA AND INSTRUCTIONS			
INSTRUCTIONS TO THE MONITOR/EVALUATOR			
Candidate shall be provided with the following:			
Cutting tool			
Prying tool			
3. Striking tool			
INSTRUCTIONS TO THE CANDIDATE			
"The student shall be able to properly identify and carry tools."			
Minimum DDE. Christian IEE man			
Minimum PPE: Structural FF gear			
PERFORMANCE	/FC	NO	
	YES	NO	
C 1. Wears full protective equipment properly.			
2. Identifies cutting tool.			
3. Identifies prying tool.			
4. Identifies striking tool.			
5. Safely carries at least one of the above tools.			
TOTALS			
C = Critical Step PASS CANDIDATE MUST COMPLETE 4			
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.			
NFPA 1001, 2019 Edition			
NFPA 1001, 2019 Edition TEST DATE LOCATION			
Objective(s): 4.3.4, EVALUATOR NAME (Print)			
4.3.4(B)			
EVALUATOR SIGNATURE:			
EVALUATOR SIGNATURE.			
10/2019 rev.			



	The righter i	I EIG ORWANDE E	VALOATION	· WV	DE
JPR Task: Force entry into	an inward-opening do	or.			
Skill No. FF 1-19A PERFORMANCE CRITERIA AND INSTRUCTIONS					
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
 Inward opening dod 	or	·	· ·		
Tools to force entry					
		CTIONS TO THE CAND			
"The student shall be	e able to properly force	ce entry on an inward-	facing door using equipment p	rovided	1."
Minimum DDE, Ctrustural [T goor				
Minimum PPE: Structural F	r year	PERFORMANCE			
		PERI ORIVIANCE		YES	NO
1. Wears PPE.				ILS	NO
	door for location and n	umber of locks and med	chanisms as well as safety		
	to check that the door		onamenne de mem de ednerg		
	3. Places forked end of Halligan tool into door frame between door jamb and door stop.				
		end of tool against jamb			
			er drive tool further into door		
	jamb on command. The student makes sure tool is in a gap between rabbeted jamb or				
	door and not the door				
			the student pushes Halligan		
			partner can slide axe head		
	el of Halligan bar and jar to prevent closure afte				1
0. Secures duo	i to prevent ciosure and	er entry.	TOTALS		
C = Critical Step		PASS		<u> </u> F 5]
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL		
					
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.4,	EVALUATOR NAME	E (Print)			
4.3.4(B)	EVALUATOR CICK	ATUDE			
	EVALUATOR SIGNA	ATURE:			



	FILE FIGURE I PERFORMANCE EVALUATION	-WV	DE.
JPR Task: Force entry into	an outward-opening door.		
Skill No. FF 1-19B	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Outward opening d 	oor		
Tools to force entry			
	INSTRUCTIONS TO THE CANDIDATE		
"The student shall be	able to properly force entry on an outward-facing door using equipment p	rovide	d."
Minimum PPE: Structural F			
	PERFORMANCE		
1		YES	NO
1. Wears PPE.		<u> </u>	
	r for safety hazards, and that the door is locked. Places adz end Halligan tool		
between door and frame. Inserts tool in the area of mechanism or between mechanism			
and secondary lock.			
	3. Once the Halligan tool is in position, the student has partner strike the Halligan on		
	nd drive the adz further into the gap.	<u> </u>	
	wnward direction with fork end of tool and then forces the door outward.	<u> </u>	
5. Secures doo	r to prevent closure after entry.	<u> </u>	
	TOTALS	<u> </u>	
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
	EVALUATOR MANE (D.L. I)		
Objective(s): 4.3.4, EVALUATOR NAME (Print)			
4.3.4(B)			

EVALUATOR SIGNATURE: _____



JPR Task: Force entry into	a double-hung window.		
Skill No. FF 1-20 PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Double hung window 	N		
2. Tools to force entry			
	INCTRUCTIONS TO THE CANDIDATE		
"The stude	INSTRUCTIONS TO THE CANDIDATE nt shall be able to properly force entry through a double-hung window."		
THE Stude	in Shall be able to properly force entry through a double-hung window.		
Minimum PPE: Structural F	F gear		
	PERFORMANCE		
		YES	NO
1. Wears PPE.			
Inspects window for safety hazards, finds locking mechanism(s).			
Places pry end of Halligan tool under bottom sash in line with locking mechanism.			
4. Pries bottom sash upward to displace locking mechanism.5. Secures window so it does not close.			
5. Secures wind	ow so it does not close. TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	F /	
Failure on this step manda			
Tanara on the otop mana			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.4,	EVALUATOR NAME (Print)		
4.3.4(B)	EVALUATOR CICNATURE.		
	EVALUATOR SIGNATURE:		



JPR Task: Breaching a W	all Frame			
Skill No. FF 1-21 PERFORMANCE CRITERIA AND INSTRUCTIONS				
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
Wood frame wall of the state of the sta				
2. Tools to choose fr				
	INSTRUCTIONS TO THE CANDIDATE			
	"The candidate will successfully reach a wall"			
	·			
Minimum PPE: Full PPE a	and SCBA			
	PERFORMANCE			
		YES	NO	
1. Wears PPE				
C 2. Uses a strik	ing or cutting tool to sound the wall to locate any studs, and makes a hole			
between the				
3. Cuts as close to the studs as possible				
	e hole by extending it from stud and as high as necessary.			
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 3		
Failure on this step man				
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.3.4,	EVALUATOR NAME (Print)			
4.3.4(B)				
	EVALUATOR SIGNATURE:			
10/2019 rev.				



JPR Task: Action when trapped/disoriented with hose. Skill No. FF 1-22 PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. SCBA 2. Charged hose line 3. Walkie talkie INSTRUCTIONS TO THE CANDIDATE "The student shall be able to safely take action when trapped or disoriented without a hose." Minimum PPE: Structural FF gear PERFORMANCE YES NO 1. Wears PPE. С 2. Uses portable radio properly. Calls May Day, identifies location and situation, and speaks clearly. 3. Manually alarm/activates PASS alarm. С 4. Controls breathing. 5. Controls panic. 6. Listens for noises or sounds. C 7. Follows hose line in proper direction. **TOTALS** PASS _____ CANDIDATE MUST COMPLETE 5 C = Critical Step Failure on this step mandates failure on task! FAIL ______ STEPS TOTAL TO PASS SKILL. TEST DATE _____ LOCATION:____ NFPA 1001, 2019 Edition EVALUATOR NAME (Print) Objective(s): 4.3.5,

4.3.5(B)

EVALUATOR SIGNATURE:



JPR Task: Action when trapped/disoriented without hose. Skill No. FF 1-23 PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. SCBA 2. Walkie talkie INSTRUCTIONS TO THE CANDIDATE "The student shall be able to safely take action when trapped or disoriented without a hose." Minimum PPE: Structural FF gear PERFORMANCE YES NO 1. Wears PPE. C 2. Uses portable radio properly. Calls May Day, identifies location and situation, and speaks clearly. 3. Listens for noises or sounds. 4. Manually alarm/activates PASS alarm. C 5. Controls breathing. 6. Controls panic. 7. Locates and follows wall in the same direction. С 8. Locates windows/door. TOTALS PASS _____ CANDIDATE MUST COMPLETE 6 C = Critical Step Failure on this step mandates failure on task! FAIL _____ STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:

Objective(s): 4.3.5,

4.3.5(B)

EVALUATOR NAME (Print)

EVALUATOR SIGNATURE:



JPR Task: One Fire Fighte	er Extension Ladder C	Carry and Raise.			
Skill No. FF 1-24			IA AND INSTRUCTIONS		
		IS TO THE MONITOR/I			
		all be provided with th	ne following:		
1. 24' extension ladder	ſ				
	INCTDIA	CTIONS TO THE CANE	NDATE		
"The student s			extension ladder by him/herse	lf "	
The student s	man be able to prope	only carry and raise an	extension ladder by fillinnerse	11.	
Minimum PPE: Structural F	F gear				
	V	PERFORMANCE			
				YES	NO
			or operating on the ladder		
· · · · · · · · · · · · · · · · · · ·	J.		ascending/descending		
			protective equipment, etc.		
		der and butt-end forw	·		
		of used length from bu			
	·	outt, fly section in, and	0:		
5. Proper place	ement (just below s	ill, rolls ladder to fly c	out, and 75 degree climbing		
angle).					
6. Properly tie					
	<u> </u>	<u> </u>	hands and feet movement).		
		pposite from working			
9. Returns lado	der to the designate	ed location (properly a			
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET		
Failure on this step manda	ites failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>-L.</u>	
NEDA 1001 2010 Edition	TEST DATE	I OCATION:			
WITA 1001, 2017 Edition	TEST DATE	LOCATION			
Objective(s): 4.3.6,	EVALUATOR NAME	E (Print)			
4.3.6(B)		, ,			
	EVALUATOR SIGN	ATURE:			
40/0040					
10/2019 rev.					



JPR Task: Two fire fighter shoulder carry.	
Skill No. FF 1-25 A PERFORMANCE CRITERIA AND INS	STRUCTIONS
INSTRUCTIONS TO THE MONITOR/EVALUATO	DR
Candidate shall be provided with the following	g:
1. Ladder	
2. Fire Fighter	
INCTOLICTIONS TO THE CANDIDATE	
INSTRUCTIONS TO THE CANDIDATE "The student shall be able to properly carry a ladder with a partner u	ucing a choulder carry "
The student shall be able to properly carry a lauder with a partner t	asing a shoulder carry.
Minimum PPE: Structural FF gear	
PERFORMANCE	
	YES NO
 Dons PPE, forms into team, and enters accountability system. 	
Both fire fighters approach ladder from same side, facing the b	* *
fighter stands near the butt and the other near the tip.	
3. Each fire fighter places an arm between two rungs and lifts lad	lder onto shoulder.
4. Covers the butt spurs with gloved hand while transporting ladd	
5. Works smoothly as a team and uses good communication.	
6. Uses proper lifting techniques.	
7. Starts drill and finishes drill with ladder on apparatus.	
	TOTALS
	ATE MUST COMPLETE 5
Failure on this step mandates failure on task! FAIL STEPS T	OTAL TO PASS SKILL.
NFPA 1001, 2013 Edition TEST DATE LOCATION:	
Objective(s): 4.3.6, EVALUATOR NAME (Print)	
4.3.6(B)	
EVALUATOR SIGNATURE:	
10/2019 rev.	



JPR Task: Two fire fighter	suitcase carry.				
Skill No. FF 1-25 B		RFORMANCE CRITER	IA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/	EVALUATOR		
	Candidate sha	all be provided with th	ne following:		
1. Ladder					
2. Fire Fighter					
	INSTRU(CTIONS TO THE CANI	DIDATE		
"The student s			a partner using a suitcase carr	у."	
		,			
Minimum PPE: Structural F	F gear				
		PERFORMANCE		T	
				YES	NO
Dons PPE, forms into team, and enters accountability system.					
2. Both fire fighters stand on same side facing the butt of ladder, at opposite ends.					
3. Grasps upp					
4. Picks up la	dder using proper lift	ting techniques.			
5. Works smo	othly as a team and	uses good commun	ication.		
6. Starts drill a	and finishes drill with	ladder on apparatus	S.		
			TOTALS		
C = Critical Step			CANDIDATE MUST COMPLET		
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(c), 424	EVALUATOD NAME	= (Drint)			
Objective(s): 4.3.6, 4.3.6(B)	EVALUATOR NAIVIE	L (FIIII)			
4.3.0(D)	EVALUATOR SIGNA	ATIIRF.			
	LIMEON TON STOW				
10/2019 rev.					



	Fire Fighter 1	PERFORMANCE E	VALUATION	·WV	DE. OF
JPR Task: Two fire fighter					
Skill No. FF 1-26		FORMANCE CRITERIA			
		IS TO THE MONITOR/E			
1. Ladder	Candidate sh	all be provided with the	e following:		
2. Fire Fighter					
2. The righter					
	INSTRU(CTIONS TO THE CAND	IDATE		
"The student shall b	be able to properly po	erform a beam raise wi	th an extension ladder and a pa	artner."	,
Misis a DDE Charlaste	F				
Minimum PPE: Structural F	r gear	PERFORMANCE			
		PERFURIVIANCE		YES	NO
1. Dons PPE,	forms into team, an	d enters accountabilit	v system	ILJ	NO
		ladder and the other i			
· ·	overhead hazards.	ladder and the other i	o at the up.		
		r until one beam is to	the ground.		
			contacting the ground and		
grasps uppe	•		contacting the ground and		
		butt of ladder, raising	lower beam hand-over-hand		
until vertica	•	, 3			
7. Stands on o	pposite sides and p	pivots ladder into posi	tion as necessary.		
8. Places one	foot against the but	t of a beam to brace t	he ladder.		
9. Fire fighter	with his or her back	to the building extend	Is and locks the fly section.		
10. Fire fighter	on the outside heels	s the ladder while both	n lean it into place.		
11. Ties halyard	<u>l</u> .				
12. Smoothly ha	andles ladder at all t	times as part of a tear	m and uses good		
communica	tion.				
	r lifting techniques.				
14. Starts drill a	nd finishes drill with	n ladder on apparatus			
0 0 111 1 01		T. 1.00	TOTALS		
C = Critical Step Failure on this step manda	ntoc failura an tackl	PASS FAIL	CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
ranure on this step manua	ites failure off task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
		- (- ,)			
Objective(s): 4.3.6, 4.3.6(B)	EVALUATOR NAME	E (Print)			

EVALUATOR SIGNATURE: _____

West Virginia Public Service Training



	Fire Fighter 1	PERFORMANCE E	VALUATION	LA	DE
JPR Task: Two fire fighter	rung raise.				
Skill No. FF 1-27		FORMANCE CRITERIA	AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	VALUATOR		
	Candidate sha	all be provided with the	e following:		
1. Ladder					
2. Fire Fighter					
	INSTRUC	CTIONS TO THE CAND	IDATE		
"The student shal			f an extension ladder with a pai	tner."	
Minimum PPE: Structural F	F gear				
	goon	PERFORMANCE			
				YES	NO
1. Dons PPE,	forms into team, and	d enters accountabilit	y system.		
		adder and the other i			
	overhead hazards.		•		
4. Fire fighter	at butt lowers butt of	f lower beam to grour	nd.		
		until both beams con			
			her rung with both hands,		
9	own, and leans back	00.0	•		
7. Fire fighter	at tip swings under I	adder and walks towa	ard butt, raising rungs hand-		
· ·	until ladder is vertical		0 0		
8. Stands on (opposite sides and p	ivots ladder into posi	tion as necessary.		
		•	placing the toe of boot		
9	osite beams of ladd	9			
			smoothly until tip is at		
			stabilizes ladder by holding		
outside of k	0	3	, ,		
11. Fire fighter	facing structure plac	es one foot against o	ne beam of ladder and both		
· ·	lean ladder into place	•			
12. Ties halyar	d.				
13. Works smo	othly as a team and	uses good communic	cation.		
14. Uses prope	er lifting techniques.	V			
		ladder on apparatus			
-			TOTALS		
C = Critical Step	C = Critical Step PASS CANDIDATE MUST COMPLETE 1				
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>L</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 436	EVALUATOR NAME	- (Print)			

4.3.6(B)

EVALUATOR SIGNATURE: _____



JPR Task: One fire fighter rung raise for ladders under 14'. Skill No. FF 1-28 PERFORMANCE CRITERIA AND INSTRUCTIONS	
INSTRUCTIONS TO THE MONITOR/EVALUATOR	
Candidate shall be provided with the following:	
1. Ladder under 14'	
INSTRUCTIONS TO THE CANDIDATE	
"The student shall be able to safely rung raise a ladder under 14'."	
Minimum PPE: Structural FF gear	
PERFORMANCE	
YES N	0
1. Dons PPE.	
Carries ladder to desired location, butt first.	
C 3. Checks for overhead hazards.	
4. By the tip, raises the ladder to hip level.	
5. Walks hand-over-hand down the rungs until the ladder is vertical.	
6. Heels the ladder.	
7. Leans the ladder into place.	
8. Smoothly handles ladder at all times.	
9. Uses proper lifting techniques.	
10. Starts drill and finishes drill with ladder on apparatus.	
TOTALS	
C = Critical Step PASS CANDIDATE MUST COMPLETE 7	
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.	
NFPA 1001, 2019 Edition	
Objective(s): 4.3.6, EVALUATOR NAME (Print)	
4.3.6(B)	
EVALUATOR SIGNATURE:	
10/2019 rev.	



JPR Task: One fire fighter single ladder carry and roof ladder deployment

Skill No. FF 1-30

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Roof ladder
- 2. Secure ladder to climb to roof to deploy roof ladder

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to safely single carry and deploy a roof ladder"

Minimum PPE: Structural FF gear

				PERF	ORMANCE			
							YES	NO
С	1.					operating on the ladder.		
						scending/descending,		
				improp	erly donned p	rotective equipment, etc.		
	2.	Proper ladd						
			er, butt end forward		•			
			er, tip end forward fo	or roof o	deployment.			
	3.	Proper raise						
			of climbing ladder to					
		Prepares hooks prior to raising/deploying roof ladder.						
		Proper climbing method (smoothly and rhythmically, hands and feet movement).						
		Proper ladder hoist (shoulder placement just above midpoint).						
С			g lock employed correctly (opposite from working side).					
	8.	Places roof	ladder with hooks d	own, ur	ntil securing ov	U		
						TOTALS		
	Critical S	•						
Failu	re on th	is step manda	ites failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	<u>.L. </u>	
NIED	N 1001 ·	0010 Edition	TEST DATE		I OCATION:			
INIFA	4 1001, <i>i</i>	2017 Luition	ILSI DAIL		LOCATION			
Obje	ctive(s):	4.3.6,	EVALUATOR NAME	(Print)				
4.3.6				,				
			EVALUATOR SIGNA	ATURE:				
10/00	10							
111/71)19 rev							



JPR Task: Escaping from an entanglement.

Skill No. FF 1-31

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Walkie talkie
- 2. Prop to simulate entanglement

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to safely and properly free themselves from an entaglement."

Minimum PPE: Full PPE & SCBA					
PERFORMANCE					
	YES	NO			
C 1. Transmits MAYDAY over portable radio.					
C 2. Activates PASS.					
Stays calm and controls breathing.					
4. Changes position (backs up, turns on side) to try to free self.					
5. Uses swimmer stroke to try to free self.					
6. Loosens SCBA straps, removes one arm, slides pack to front of body, and tries to free SCBA manually.					
7. Cuts entanglement if able and necessary, being aware of possible electrocution risk.					
8. Exits safely.					
Notifies immediate supervisor or command when out of hazard.					
TOTAL	S				
C = Critical Step PASS CANDIDATE MUST COMPLET Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SK	ETE 7 (ILL.				
NFPA 1001, 2019 Edition TEST DATE LOCATION:					
Objective(s): 4.3.5 EVALUATOR NAME (Print)					
EVALUATOR SIGNATURE:					
10/2019 rev.					



JPR Task: Fire Extinguishment in a passenger vehicle.

Skill No. FF 1-32

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Charged hose line
- 2. One more FF minimum
- 3. Prop or vehicle to simulate a vehicle fire

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to safely and properly fire extinguish a passenger vehicle."

g a contract of the second of									
Minimum PPE: Full PPE & SCBA									
PERFORMANCE									
	YES	NO							
C 1. Fails to maintain team accountability.									
C 2. Fails to wear complete PPE (including SCBA).									
3. Selection of proper hose line and nozzle.									
4. Extinguishes fire (recognizable fire stream and application technique, applies from uninvolved to involved areas, and uphill/upwind).									
5. Method of attack consistent with known or anticipated hazards (attacks from side, avoids bumpers, recognizes airbag presence, catalytic converters, and contents/cargo).									
6. Identifies and controls leaking flammable liquids (verbalized)(alternative fuels and multiple fuel tanks).									
7. Demonstrates ability to access vehicle compartments (tools available and trunk(s)/hood(s) propped open).									
8. Overhauls involved vehicle compartments (remove unburned class "A" materials).									
TOTALS									
C = Critical Step PASS CANDIDATE MUST COMPLETE STEPS TOTAL TO PASS SKILL									
NFPA 1001, 2019 Edition TEST DATE LOCATION:									
Objective(s): 4.3.7, 4.3.7(B) EVALUATOR NAME (Print)									
EVALUATOR SIGNATURE:									
10/2019 rev.									



JPR Task: Safely attack and extinguish an exterior fire involving Class A materials.

Skill No. FF 1-33

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Charged hose line
- 2. One more FF minimum
- 3. Class A materials to be burned
- 4. Walkie talkie
- 5. Tools to break up burning materials

INSTRUCTIONS TO THE CANDIDATE

"The student shall be able to properly recognize and manage hazards, handle hose lines, and use hand tools to extinguish an exterior Class A fire"

Minimum PPE: Full PPE & SCBA

IVIIIIIII	num PPI	E: FUILPPE &	SCBA					
				PERFORMANCE				
						YES	NO	
С	1.	1. Dons full PPE and SCBA, responds safely, forms into a team, and enters into						
		personal ac	countability system.	-				
	2.	Performs size	ze-up and arrival rep	oort, calling for addition	onal resources if needed.			
	3. Ensures apparatus is positioned to protect work area (uphill, upwind, and							
	protesting work area from traffic).							
	4. Develops and implements strategy.							
	5. Assures crew fully protected from hazards.							
	6.	Deploys hos	se line.					
	7. Assures crew attacks from uphill, upwind, and if necessary maintains safe							
		distance to	stay out of collapse	zone of stacked mate	erials.			
	8. Breaks up material with tools or streams.							
	9.	Evaluates a	nd modifies water a	pplication as necessa	ary.			
	10. Maintains good body posture and mechanics throughout attack.							
	11.	Notifies con	nmand that fire is un	der control and loss	stopped.			
	12	. Initiates orig	in/cause investigati	on while protecting a	rson evidence.			
	13.	. Returns cre	w and equipment to	service.				
					TOTALS			
	Critical S			PASS				
Failu	ire on th	is step manda	ites failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>.L.</u>		
MED	۸ ۱۸۸۱ ۱	2010 Edition	TEST DATE	LOCATION:				
IVI F	A 1001, .	2017 LUILIOII	ILSI DAIL	LOCATION				
Obje	ctive(s):	4.3.8,	EVALUATOR NAME	(Print)				
4.3.8				· ,				
			EVALUATOR SIGNA	ATURE:				
10/20)19 rev.							



	· ·			MAA	DE
JPR Task: Deploy master s	stream device with two	people.			
Skill No. FF1-34A	PEI	RFORMANCE CRITERI	A AND INSTRUCTIONS		
		S TO THE MONITOR/E			
	Candidate sha	all be provided with the	e following:		
 Master stream device 	ce	•	G		
2. Fire Apparatus con	nected to a water supp	ly			
Hose to choose from	n to connect master st	ream to apparatus			
Fire Fighter					
		CTIONS TO THE CAND			
The student sl	nall be able to proper	ly deploy a master str	eam device with another persor	٦.	
Mision DDE Charlaste	F				
Minimum PPE: Structural F	r gear	DEDECOMANCE			
		PERFORMANCE		YES	NO
C 1. Wears full protective equipment properly.					NO
	opriate feeder lines.	репу.			
		ures protection (if possib	المار)		
			tream device (if applicable).		
5. Calls for water		c securing the master s	iream device (ii applicable).		
6. Operates ma					
o. Operates ma	otor ouroum.		TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 5	1
Failure on this step manda	ates failure on task!		STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.3.8,	EVALUATOR NAME	E (Print)			
4.3.8(B),					
	EVALUATOR SIGNA	ATURE:			
40/0040					
10/2019 rev.					



	•			WV	DE			
JPR Task: Operate a large hand line for an exterior attack.								
Skill No. FF1-34B	PEI	RFORMANCE CRITER	IA AND INSTRUCTIONS					
	INSTRUCTIONS TO THE MONITOR/EVALUATOR							
	Candidate sha	all be provided with th	ne following:					
1. 150' of 2 ½" hose								
Fire apparatus conr	nected to a water supp	ly						
	INICTOLIC	OTIONS TO THE OWNE	NDATE					
The atual and also like also		CTIONS TO THE CANE						
i ne student snali be abi	e to properly demons		and operate a large hand line fo	r an ext	erior			
		attack.						
Minimum PPE: Structural F	F near							
William TT E. Structural T	i godi	PERFORMANCE						
				YES	NO			
1. Closes nozzle, makes loop with hose, assures nozzle is under hose line.								
2. Lashes hose	together at crossing p	oint or uses body weigh	nt to sit or kneel on hose.					
			sses itself for maneuverability.					
4. Opens water	and directs on designa	ated area.						
			TOTALS					
C = Critical Step		PASS						
Failure on this step manda	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKII	<u>_L.</u>				
NEDA 4004 0040 E IIII	TEOT DATE							
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_						
Objective(c), 429	EVALUATOD NAME	(Drint)						
Objective(s): 4.3.8, 4.3.8(B)	EVALUATUR NAIVIE	<u> </u>						
4.3.0(D)	EVALUATOR SIGNA	ΔΤΙΙΡΕ.						
	EVALUATOR SIGN							
10/2019 rev.								



JPR Task: As part of a two-person team, rescue a downed fire fighter who is wearing PPE and SCBA.

Skill No. FF1-35A

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Two additional FF's in fill PPE and SCBA
- 2. Walkie talkie
- 3. Scenario

INSTRUCTIONS TO THE CANDIDATE

The student shall be able to properly remove a downed fire fighter with PPE and SCBA from the immediate hazard with one candidate pulling on SCBA from the immediate hazard with one candidate pulling on SCBA straps and placing the legs of downed fire fighter over the shoulders of the second candidate while pushing the downed fire fighter to safety.

Minimum PPF: Full PPF and SCBA

PERFORMANCE				
	YES	NO		
Students locate downed fire fighter.				
2. Students reset downed fire fighter's PASS, activate own PASS devices as needed in order				
to aid in communication with inside and outside crews.				
3. Activate MAYDAY procedures if needed.				
 First student applies approved escape-breathing system if possible. Does not compromise own air supply. 				
Second student converts the downed fire fighter's harness.				
6. First student drags by grabbing the downed fire fighter's shoulder straps or uses webbing to create a handle.				
7. Second student stays at downed fire fighter's legs after converting harness and pushes as				
first candidate pulls.				
8. Remove downed fire fighter from hazard area to safety.				
9. Stay low.				
10. Do not further injure downed fire fighter.				
TOTALS				
C = Critical Step PASS CANDIDATE MUST COMPLET	E 7			
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL				
NFPA 1001, 2019 Edition				
Objective(s): 4.3.5 EVALUATOR NAME (Print)				
EVALUATOR SIGNATURE:				
10/2019 rev.				



JPR Task: Rescue a downed fire fighter who is wearing PPE and SCBA from the immediate hazard by converting the harness and pulling on SCBA straps.

Skill No. FF1-35B

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Two additional FF's in full PPE and SCBA
- 2. Walkie Talkie
- 3. Scenario

INSTRUCTIONS TO THE CANDIDATE

The student shall be able to properly locate a downed fire fighter, operate PASS devices, assess the fire fighter and situation, use portable radio, use escape breathing system if available, convert SCBA into makeshift harness, and drag downed fire fighter to safety.

Minimum PPE: Full PPE and SCBA

PERFORMANCE				
			YES	NO
Student locates do	wned fire fighter.			
Assesses the victir	n and the situation.			
Resets victim's PA	SS, activates own PASS as needed in c	order to aid in communication		
with inside and out	side crews.			
	lirects on designated area.			
	e legs of the downed fire fighter.			
- U	downed fire fighter onto shoulder.			
Locates and looser	ns, the waist straps and shoulder straps	of the downed fire fighter's		
SCBA harness.				
8. Unbuckles the downed fire fighter's waist strap and buckles the waist strap under the lifted				
leg.				
Tightens the strap and removes downed fire fighter from hazard area.				
		TOTALS		
C = Critical Step	PASS	CANDIDATE MUST COMPLET	E 7	
Failure on this step mandates f	ailure on task! FAIL	STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition TES	T DATE LOCATION:_			
	LILATOD NAME (Duint)			
Objective(s): 4.3.5	ALUATOR NAME (Print)			
EV/A	LILIATOD SICNATUDE.			
EVA	ALUATOR SIGNATURE:			
10/2019 rev.				
10/201/161.				



IDD Tools Describes a serie					
JPR Task: Rescuing a cons	SCIOUS VICUM From a WINDOW.				
0	DEDECOMANICE ODITEDIA AND INCTRICATIONS				
Skill No. FF1-36					
	INSTRUCTIONS TO THE MONITOR/EVALUATOR				
	Candidate shall be provided with the following:				
	d story window access				
2. Conscious victim					
3. Fire Fighter					
4. Extension ladder					
	INCTRUCTIONS TO THE CANDIDATE				
The above	INSTRUCTIONS TO THE CANDIDATE				
rne stud	dent shall be able to safely rescue a conscious victim from a window.				
Minimum PPE: Full PPE an	d SCBV				
Willimum I L. Tuil I L an	PERFORMANCE				
	T ENI ONIMANOL	YES	NO		
1. Places ladder	into position, with the tip below the windowsill.	ILS	110		
First fire fighter climbs ladder and goes into room and makes contact with victim.					
3. Second fire fighter climbs to top of ladder and stops one rung before tip.					
	circle with arms around victim.				
	vn ladder safely with victim.				
	m by squeezing him/her against rungs.		·		
I	TOTALS				
C = Critical Step	PASS CANDIDATE MUST COMPLETE	E 5			
Failure on this step manda		L			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:				
Objective(s): 4.3.9,	EVALUATOR NAME (Print)				
4.3.9(B),4 5.3.6,4.3.6(B)	EVALUATOR CIONATURE				
	EVALUATOR SIGNATURE:				



	· ·			VV	O. S.
JPR Task: Rescuing an unc	conscious victim from a	a window.			
Skill No. FF1-37	PER	RFORMANCE CRITER	A AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	VALUATOR		
	Candidate sha	all be provided with th	e following:		
1. Location with secon		•	3		
Conscious victim	,				
Fire Fighter					
4. Extension ladder					
	INSTRUC	CTIONS TO THE CAND	IDATE		
The stude	nt shall be able to sa	fely rescue an uncons	scious victim from a window.		
		•			
Minimum PPE: Full PPE an	d SCBA				
		PERFORMANCE			
				YES	NO
		tip below the windowsi	l.		
2. One fire fighter enters to assist the victim.					
3. The second fire fighter climbs to the window.					
		nigher than the other wit	h higher leg bent so thigh is		
parallel with g					
			ctim's back is toward ladder.		
		. Fire Fighter places arn	ns under victim's arms and		
grasps ladder					
7. Slowly proceed	eds down ladder.				
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	<u></u> 5	
Failure on this step manda	ites failure on task!	FAIL	STEPS TOTAL TO PASS SKILI	L.	
NEDA 1001 2010 E-liki	TECT DATE	LOCATION			
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective/c), 4.2.0	EVALUATOD NAME	(Drint)			
Objective(s): 4.3.9, 4.3.9(B), 4.3.6, 4.3.6(B)	EVALUATOR NAME				
4.3.7(D), 4.3.0, 4.3.0(D)	EVALUATOR SIGNA	ΔΤΙΙΡΕ.			
	LVALUATUR SIGNA	\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			



JPR Task: Conduct a primary search of a building.

Skill No. FF1-38

PERFORMANCE CRITERIA AND INSTRUCTIONS

INSTRUCTIONS TO THE MONITOR/EVALUATOR

Candidate shall be provided with the following:

- 1. Additional FF
- 2. Tools to choose from
- 3. Location to conduct search and a scenario

INSTRUCTIONS TO THE CANDIDATE

The student shall be able to safely conduct a primary search of a structure and rescue any victims with obstructed vision as part of a search team.

Minimum PPE: Full PPE and SCBA PERFORMANCE YES NO 1. Dons PPE and SCBA, responds safely, and enters the personnel accountability system. 2. Brings hand tools, a hand light, a radio, a thermal imaging device, and search ropes if indicated. 3. Notifies command that team is entering the building and what direction the search is going to be made in. 4. Utilizes hand tools for forcible entry and ground ladders if needed.
 Dons PPE and SCBA, responds safely, and enters the personnel accountability system. Brings hand tools, a hand light, a radio, a thermal imaging device, and search ropes if indicated. Notifies command that team is entering the building and what direction the search is going to be made in.
 Brings hand tools, a hand light, a radio, a thermal imaging device, and search ropes if indicated. Notifies command that team is entering the building and what direction the search is going to be made in.
indicated. 3. Notifies command that team is entering the building and what direction the search is going to be made in.
Notifies command that team is entering the building and what direction the search is going to be made in.
4. Utilizes hand tools for forcible entry and ground ladders if needed.
5. Conducts a quick and systematic search by staying on outside wall and searching room to room.
6. Maintains contact with an outside wall.
7. Maintains team integrity with visual, voice, or direct contact.
Uses most efficient movement according to hazard: duck walks or crawls when floor
cannot be seen; stands only when feet can be seen; student's head is not in heated portion of the room; and uses tools to extend reach.
9. Clears all rooms visually or by touch.
10. Search area includes stairs up to the landing on next floor level. Does not go into
basements until directed to by supervising officer.
11. Stops periodically to listen for victims and fire sounds.
12. Communicates landmarks to team members (i.e. doors, windows, inside corners,
furniture).
13. Observes fire, smoke, and heat conditions and updates command.
14. Locates and removes victims and notifies IC.
15. When search of assigned area is complete, conducts PAR of team, and gives "All Clear" of
assigned area to supervising officer.
C = Critical Step PASS CANDIDATE MUST COMPLETE 11
C = Critical Step PASS CANDIDATE MUST COMPLETE 11 Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.
Failure of this step manuales failure of task: FAIL STEPS TOTAL TO PASS SKILL.
NFPA 1001, 2019 Edition
Objective(s): 4.3.9, EVALUATOR NAME (Print)
.3.9(B)
EVALUATOR SIGNATURE:
10/2019 rev.



JPR Task: Conduct a secondary search of a building. Skill No. FF1-39 PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. Additional FF 2. Tools to choose from 3. Location to conduct search and a scenario INSTRUCTIONS TO THE CANDIDATE The student shall be able to safely conduct a secondary search of a structure and rescue any victims as part of a search team. Minimum PPE: Full PPE and SCBA **PERFORMANCE** YES NO 1. Dons full PPE and SCBA. 2. Utilizes the personnel accountability system while operating as a member of a team. 3. Brings hand tools, a hand light, a radio or thermal imaging device, and search ropes if indicated. 4. Notifies command when entering building and states the direction taken. 5. Systematic and thorough, looks for potential, unknown, or missed victims... 6. Checks for hidden fires, salvage needs, and indicators of cause, origin, or arson. 7. Protects evidence. 8. Communicates with team members and command. 9. Conducts PAR (Personnel Accountability Reports) and notifies command when search is complete. TOTALS PASS _____ CANDIDATE MUST COMPLETE 7 C = Critical Step Failure on this step mandates failure on task! FAIL _____ STEPS TOTAL TO PASS SKILL. TEST DATE _____ LOCATION:____ NFPA 1001, 2019 Edition EVALUATOR NAME (Print) Objective(s): 4.3.9,

EVALUATOR SIGNATURE: _____

10/2019 rev.

4.3.9(B)



JPR Task: Blanket drag.
Skill No. FF1-40A PERFORMANCE CRITERIA AND INSTRUCTIONS
INSTRUCTIONS TO THE MONITOR/EVALUATOR
Candidate shall be provided with the following:
1. Blanket
2. Victim to rescue
INSTRUCTIONS TO THE CANDIDATE
The student shall be able to properly demonstrate the ability to safely drag a victim by using a blanket.
Minimum PPE: Full PPE and SCBA
PERFORMANCE
YES NO
1. Stretches material being used.
Rolls victim onto side. Bunches one-third of material next to victim's body.
3. Lays victim down (supine). Pulls bunched material from underneath and wraps around
victim.
Grabs material at head and drags victim to safety.
TOTALS
C = Critical Step PASS CANDIDATE MUST COMPLETE 3
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.
NFPA 1001, 2019 Edition
Objective (s) A 2 0
Objective(s): 4.3.9, EVALUATOR NAME (Print)
4.3.9(B) EVALUATOR SIGNATURE:
LVALUATOR SIGNATURE.
10/2019 rev.



JPR Task: Clothes drag.			
Skill No. FF1-40B	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Victim to rescue 			
	INSTRUCTIONS TO THE CANDIDATE		
The student shall be able	to properly demonstrate the ability to safely drag a victim by using victim	ı's clot	hing.
	10004		
Minimum PPE: Full PPE an			
	PERFORMANCE		
		YES	NO
	nind victim's head, grabs clothing around collar and shoulder area.		<u> </u>
2. Lifts with legs	until fully upright. Walks backward, dragging victim to safety.		<u> </u>
	TOTALS		<u> </u>
C = Critical Step	PASS CANDIDATE MUST COMPLETI		
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKILI	L .	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective (s), 4.2.0	FVALUATOD NAME (Delicat)		
Objective(s): 4.3.9,	EVALUATOR NAME (Print)		
4.3.9(B)	EVALUATOD SICNATUDE.		
	EVALUATOR SIGNATURE:		
10/2010 rov			



JPR Task: Fire fighter drag	ļ.					
Skill No. FF1-40C	No. FF1-40C PERFORMANCE CRITERIA AND INSTRUCTIONS					
	INSTRUCTION	S TO TH	IE MONITOR/E	EVALUATOR		
	Candidate sha	all be pro	ovided with th	e following:		
 Victim to rescue 				-		
	INSTRUC	CTIONS T	TO THE CAND	IDATE		
The studen	t shall be able to pro	perly de	monstrate the	ability to safely drag a victim.		
Minimum PPE: Full PPE an	d SCBA					
		PERFO	DRMANCE			
1					YES	NO
Ties victim's wrists together.						
Gets on hands and knees, straddles victim.						
		nis/her ne	eck, straightens	s arms, drags victim by crawling		
on hands and	knees.					
		T		TOTALS	1	
C = Critical Step				CANDIDATE MUST COMPLET		
Failure on this step manda	ates failure on task!	FAIL _		STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NFPA 1001, 2019 Edition	TEST DATE		LOCATION:			
	5./AA. TOB A.A.A.	- (5)				
Objective(s): 4.3.9,	EVALUATOR NAME	: (Print)				
4.3.9(B)	EVALUATOR CION	ATUDE				
	EVALUATUR SIGNA	ATUKE:				
10/2010 rov						
l 10/2019 rev.						



JPR Task: One-person wa	alking assist.				
Skill No. FF1-40D	ill No. FF1-40D PERFORMANCE CRITERIA AND INSTRUCTIONS				
	INSTRUCTIONS TO THE MONITOR/EVALUATOR				
	Candidate shall be provided with the following:				
 Victim to rescue 					
	INSTRUCTIONS TO THE CANDIDATE				
The student shall	be able to properly demonstrate the ability to safely assist a victim with w	alking.			
Minimum PPE: Full PPE a					
	PERFORMANCE	1			
		YES	NO		
Assists victim with standing.					
	lace his/her arm around the candidate's neck, holds onto victim's wrist, which				
	er candidate's shoulder.				
3. Puts free arr	n around victim's waist to assist with walking.				
0 0 111 101	TOTALS				
C = Critical Step	PASS CANDIDATE MUST COMPLET				
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>.L.</u>			
NEDA 4004, 0040 E 111.	TECT DATE				
NFPA 1001, 2019 Edition	TEST DATE LOCATION:				
Objective (a), 4.2.0	FVALUATOD MAME (Deint)				
Objective(s): 4.3.9,	EVALUATOR NAME (Print)				
4.3.9(B)	EVALUATOR SIGNATURE.				
	EVALUATOR SIGNATURE:				
10/2019 rev					



	J			MAA	DE
JPR Task: Standing drag.					
Skill No. FF1-40E	PE	RFORMANCE CRITER	IA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/E	EVALUATOR		
	Candidate sh	all be provided with th	e following:		
 Victim to rescue 					
-		CTIONS TO THE CAND			
The student sha	Il be able to properly	demonstrate the abilit	y to safely perform a standing o	drag.	
Minimum PPE: Full PPE a	nd SCBA				
	10 001	PERFORMANCE			
				YES	NO
Stands at the head of the supine victim. Then kneels at the victim's head.					
2. Raises the victim's head and torso 90°. The victim is leaning against the candidate.					
		raps his/her arms arour	nd the victim's chest, and locks		
his/her arms					ļ
	ght up using his/her leg	S.			
5. Drags the vi	ctim out.				
C Critical Stan		DACC	TOTALS CANDIDATE MUST COMPLET	Е 1	
C = Critical Step Failure on this step mand	latos failuro on tackl		STEPS TOTAL TO PASS SKIL		
Tallule on this step mand	ates failule off task:	I AIL	SILES TOTAL TOTASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.3.9,	EVALUATOR NAME	E (Print)			
4.3.9(B)					
	EVALUATOR SIGN	ATURE:			
10/2019 rev					



	•			WVI	DE
JPR Task: Two-person chair carry.					
Skill No. FF1-40F	PERI	FORMANCE CRITERI	A AND INSTRUCTIONS		
	INSTRUCTIONS	TO THE MONITOR/E	VALUATOR		
		I be provided with the			
1. Chair		•	3		
2. Additional Fire Fight	er				
3. Victim to rescue					
	INSTRUCT	TIONS TO THE CAND	IDATE		
The student sh	all be able to properly	demonstrate the abi	lity to safely chair carry a victir	n.	
Minimum PPE: Fill PPE and	ISCBA				
		PERFORMANCE			
				YES	NO
1. One fire fighter stands behind seated victim, places arms over victim's shoulders, reaches					
down, grasps					
Fire fighter tilt	s chair back on rear leg	ງs. Second fire fighter (grasps tips of chair's front legs.		
	should be between legs				
			ommand to lift and walk.		
4. Watches victi	m for airway complication	ons.			
			TOTALS		<u>I</u>
C = Critical Step			CANDIDATE MUST COMPLET		
Failure on this step manda	tes failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>L</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
		()			
Objective(s): 4.3.9,	EVALUATOR NAME ((Print)			
4.3.9(B)	51/41 114 TOD 010114	TUDE			
	EVALUATOR SIGNA	TURE:			
10/2010					
10/2019 rev.					



JPR Task: Two-person extr	emity carry.				
Skill No. FF1-40G	PERF	FORMANCE CRITERI	A AND INSTRUCTIONS		
		TO THE MONITOR/E			
		be provided with the			
 Additional Fire Fight 	er	•	G		
Victim to rescue					
		IONS TO THE CAND			
The student	shall be able to prope	erly demonstrate the	ability to safely carry a victim.		
Minimum PPE: Full PPE an	4 CCDV				
WIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		PERFORMANCE			
		I LIN ONWANCE		YES	NO
1. Helps the victim to sit up.					110
2. One fire fighter kneels behind victim, reaches under victim's arms, and grasps victim's					
wrists.			.		
Other fire fight	ter backs in-between vio	ctim's legs, reaches ar	ound, and grasps the victim		
behind knees					
	back gives command to	stand and carry victin	n away. Coordinates		
movements w	ith his/her partner.		TOTALO		
C Critical Cton	r	DACC	TOTALS	Г 2	
C = Critical Step Failure on this step manda		FAIL	CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
Tallule off this step manua	ites failule off task: 1	AIL	STEFS TOTAL TO FASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.3.9,	EVALUATOR NAME ((Print)			
4.3.9(B)					
	EVALUATOR SIGNAT	ГURE:			
10/2010 rov					
10/2019 rev.					



JPR Task: Two-person seat carry.		
Skill No. FF1-40H PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Candidate shall be provided with the following:		
1. Additional Fire Fighter		
2. Victim to rescue		
INSTRUCTIONS TO THE CANDIDATE		
The student shall be able to properly demonstrate the ability to safely seat carry a victin	n.	
Misiron DDE Full DDE and CODA		
Minimum PPE: Full PPE and SCBA		
PERFORMANCE	YES	NO
Kneels beside victim, near hips.	ILS	NO
 Raises victim to sitting position, links arms with partner behind victim's back. 		
3. Places his/her free arms under victim's knees and links arms with partner.		
4. If possible, has victim put his/her arms around the candidate's neck for additional support.		
TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLET	F 3	<u> </u>
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition		
Objective(s): 4.3.9, EVALUATOR NAME (Print)		
4.3.9(B)		
EVALUATOR SIGNATURE:		
10/2019 rev		



			_
JPR Task: Webbing sling d	rag.		
Skill No. FF1-40l	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Webbing to make sl 	ing		
Victim to rescue			
	INSTRUCTIONS TO THE CANDIDATE		
The student shall be able	e to properly demonstrate the ability to safely drag a victim by using a we	bbing s	sling.
Minimum DDE E. II DDE an	1 CODA		
Minimum PPE: Full PPE an			
	PERFORMANCE	VEC	NO
1 Diagon deline	to contain of least as well-bloom to be able decidation to be al.	YES	NO
	in center of loop so webbing is behind victim's back.	<u> </u>	
	pop over victim, places above victim's head. Reaches through, grabs webbing		
	s back, and pulls excess webbing through. placement to protect victim's head while dragging.		
3. Aujusis Hanu	placement to protect victim's nead write dragging. TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 2	<u> </u>
Failure on this step manda			
Tallule off this step manua	ites failule off task: FAIL STEPS TOTAL TO FASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
111 171 1001, 2017 Edition	1231 BATE 200/MION.		
Objective(s): 4.3.9,	EVALUATOR NAME (Print)		
4.3.9(B)	· ,		
	EVALUATOR SIGNATURE:		
			·
10/2019 rev.			



JPR Task: Fire suppression-interior structure, grade level. Skill No. FF1-41 PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR Candidate shall be provided with the following: 1. Minimum of one additional Fire Fighter 2. Charged hose line 3. Walkie talkie 4. Tools INSTRUCTIONS TO THE CANDIDATE The student shall be able to properly demonstrate how to suppress an interior grade level structure. Minimum PPE: Full PPE and SCBA PERFORMANCE YES NO 1. Wears full protective equipment and SCBA properly. C 2. Properly advances hose line from one of the following loads: Minuteman Load Pre-connected Flat Load Triple Layer Load 3. Clears remaining hose from hose bed and flakes out hose line before entering. С 4. Maintains communication. 5. Enters structure properly (per building's condition). 6. Locates fire and radios for water. 7. Extinguishes fire using the directed attack methods. C TOTALS C = Critical Step PASS _____ CANDIDATE MUST COMPLETE 5 Failure on this step mandates failure on task! FAIL _____ STEPS TOTAL TO PASS SKILL. TEST DATE _____ LOCATION: NFPA 1001, 2019 Edition EVALUATOR NAME (Print) Objective(s): 4.3.10,

EVALUATOR SIGNATURE: _____

4.3.10(B),4.3.8, 4.3.8(B)



JPR Task: Fire suppression	n-interior structure, ab	ove grade level.			
Skill No. FF1-42	PE	RFORMANCE CRITER	IA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/E	EVALUATOR		
		all be provided with th	e following:		
 Minimum one additi 	onal Fire Fighter				
2. Charged hose line					
3. Tools					
	INSTRUC	CTIONS TO THE CAND	DIDATE		
The student shall be at			ss an interior above grade leve	struct	ure.
			v		
Minimum PPE: Full PPE an	d SCBA				
		PERFORMANCE		\/E0	
0 1 1/1/2015		LCODA		YES	NO
C 1. Wears full pro	otective equipment and	O SCBA properly.	and of the following loads:		
2. Property adva		enor stairs to the life by	one of the following loads:		
Minuteman L					
Triple Layer I					
		e bed and flakes out ho	se line before advancing to the		
fire area.					
4. Maintains cor					
	and radios for water.				
C 6. Extinguishes	fire using the directed	attack methods.	TOTALC	<u> </u>	
C = Critical Step		DACC	TOTALS CANDIDATE MUST COMPLET		
Failure on this step manda	ates failure on taskl	FAIL	CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL	L	
Tundro on this stop mana	atos fantio on tusk.		TOTAL TOTAL OF THE	· - ·	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
	5./AA. TOD NAME	- (D 1 1)			
Objective(s): 4.3.10, 4.3.10(B),4.3.8, 4.3.8(B)	EVALUATOR NAME	<u> </u>			
4.3.10(D),4.3.0, 4.3.0(D)	EVALUATOR SIGN	ATIIRF:			
	LIMEOMI ON SIGN				
10/2019 rev.	1				



	o g o	·WVI	DE.
JPR Task: Fire suppressi	on-interior structure, below grade level.		
Skill No. FF1-43	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Minimum one addi			
2. Charged hose line			
3. Tools			
	INSTRUCTIONS TO THE CANDIDATE		
The student shall be a	ible to properly demonstrate how to suppress an interior below grade level	structi	ure.
Minimum PPE: Full PPE a		ou dou	u. 0.
	PERFORMANCE		
		YES	NO
	rotective equipment and SCBA properly.		
	ture properly (per Building's condition).		
	ommunications.		
	hose from hose bed, flakes hose prior to descending stairs.		
5. Calls for wat			
	airs safely (feet first in the sitting position) with charged line.		
C 7. Locates and	extinguishes fire using the directed method.		
0 0 215 - 1 01	TOTALS CANDIDATE MUST COMPLET		
C = Critical Step	PASS CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
Failure on this step mand	lates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
- WIT A 1001, 2017 EUIUOII	LOOKHON.		
Objective(s): 4.3.10,	EVALUATOR NAME (Print)		
4.3.10(B),4.3.8, 4.3.8(B)	· ,		
	EVALUATOR SIGNATURE:		



JPR Task: Perform a horse	eshoe hose load.				
Skill No. FF 1-44A	PER	RFORMANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
 Fire Apparatus 			-		
2. 2 ½" fire hose					
		CTIONS TO THE CAND		•	
"The student sh	iall be able to proper	ly demonstrate the abi	ility to do a horseshoe hose loa	d."	
Minimum PPE: Gloves					
William Chicker		PERFORMANCE			
				YES	NO
1. To set up for a for	ward lay, the student places the female hose coupling in l	ne male coupling in hose bed first	st at rear corner. To set up for reverse lay,		
0	hose on edge against either w				
2	with rear of hose bed.	MI 01 11000 0001			
4. Lays hose back to the front and around inside of hose bed so it approaches rear along opposite wall of hose bed. Makes fold at rear of hose bed. Lays hose back around edge of hose bed inside first length of hose.					
5. Continues to lay hose around edges of hose bed. Each fold of hose will take up decreasing amount of space in inside of horseshoe.					
		dent begins second layer by brin	ging hose from rear of hose bed and laying		
-	nal layers using same pattern	as was done for first laver.			
	, <u>-</u> <u>F</u>	· · · · · · · · · · · · · · · · · ·	TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 5	
Failure on this step manda	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
		- ()			
Objective(s): 4.3.10,	EVALUATOR NAME	<u> </u>			
4.3.10(B), 4.3.8, 4.3.8(B)	EVALUATOD SICN	ATLIDE:			
	EVALUATUR SIGNA	ATURE.			
10/2019 rev.					
10/20171011					



JPR Task: Perform a minu	uteman hose load.					
Skill No. FF 1-44B	PER	FORMA	ANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTION	S TO TH	HE MONITOR/E	VALUATOR		
	Candidate sha	all be pr	ovided with the	e following:		
 Fire Apparatus 						
2. 1 ¾ ″ fire hose						
	INSTRUC	2MOIT	TO THE CAND	IDΔTF		
"The student sh				lity to do a minuteman hose loa	ad."	
mo stadom sm	un de adie te properi	y donio		inty to do a minute man ness let		
Minimum PPE: Gloves						
		PERF	ORMANCE			
					YES	NO
	emale end of first l					
				ning hose with male		
		be co	nnected later	. Does not connect to		
rest of load						
	remaining hose s					
	zle on first length					
5. Loads remains 5. sides of be		o hose	bed, alterna	ting folds from left to right		
6. Connects la	ast section loaded	to the	first section p	placed in bed.		
7. Lays remai	ning loose hose o	n top o	f load.			
				TOTALS		
C = Critical Step				CANDIDATE MUST COMPLET		
Failure on this step manda	ites failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	.L.	
NFPA 1001, 2019 Edition	TEST DATE		LOCATION:			
Objective(s): 4.3.10,	EVALUATOR NAME	(Print)				
4.3.10(B), 4.3.8, 4.3.8(B)	EVALUATOR SIGNA	ATURE:				



JPR Task: Perform a sh	oulder carry.					
Skill No. FF 1-44C		RFORMANCE	CRITERI	A AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MC	ONITOR/E	EVALUATOR		
	Candidate sh	all be provide	d with th	e following:		
 Fire Apparatus 				-		
Fire hose						
		CTIONS TO TH				
"The student s	shall be able to prope	rly demonstra	ite the ab	pility to perform a shoulder carr	y."	
Minimum PPE: Gloves						
		PERFORMA	ANCE		ı	·
_					YES	NO
	tailboard of engine					
	_	•	onal hos	se on student's shoulder		
	olds reach to knee					
				rection advancing hose.		
	e fighter receives s					
	ugh fire fighters ha	ve received	hose lo	pads, the hose is		
uncoupled	from hose bed.					
6. All fire figh	ters walk toward w	ater supply.	Last fir	e fighter starts off-loading		
			t fire figh	nter proceeds to do the		
same until	all of hose is laid of	out.				
				TOTALC		
0 0 11 1 01 1		DACC		TOTALS		
C = Critical Step	ataa failura an taaki			CANDIDATE MUST COMPLET		
Failure on this step mand	ates failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	L.	
NEDA 1001 2010 Edition	TECT DATE	1.004	ATION.			
NFPA 1001, 2019 Edition	IESI DAIE	LUC	ATION:			
Objective(s): 4.3.10,	EVALUATOD NAMI	(Drint)				
4.3.10(B), 5.3.8, 4.3.8(B)	LVALUATOR NAIVII	_ (F11110)				
7.3.10(D), 3.3.0, 4.3.0(D)	EVALUATOR SIGN	ATHRF.				
	LVALOATION SION					
10/2019 rev						



JPR Task: Pre-connected flat hose load.			
Skill No. FF 1-44D PERFORMANCE CRITERIA A	AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVA	ALUATOR		
Candidate shall be provided with the form	ollowing:		
1. Fire Apparatus	-		
2. Fire hose			
INSTRUCTIONS TO THE CANDIDA			
"The student shall be able to properly demonstrate how to load	d a pre-connected flat hose lo	oad."	
Mishau DDF Chara			
Minimum PPE: Gloves			
PERFORMANCE		VEC	NO
Attaches female coupling to appropriate male discharge.		YES	NO
 Attaches female coupling to appropriate male discharge. Lays first length flat against divider/partition. 			
3. Folds hose upon itself, fold even with edge of bed.			
4. Continues toward front of bed (or opposite side) angling slight	tly to place this length		
adjacent to the first.	ily to place this length		
5. Continues toward rear of bed (or opposite side) placing next le	ength against preceding		
length or opposite divider/partition thus creating the first tier of			
6. Continues in above manner until next coupling or one-third tot			
Creates approximately 8" loop (for pull handle) at one-third total length	th of load.		
7. NOTE : Loops on both sides for cross lay hose beds.			
8. Continues with folds (as above) until next coupling or two-third			
Creates approximately 14" loop (for pull handle) at two-thirds total ler	ngth of load.		
9. NOTE : Loops on both sides for cross lay hose beds.			
10. Completes load with male coupling on top.			
11. Attaches nozzle to male coupling.			
12. Creates short folds as needed throughout, so couplings do no	t hang out.		
	TOTALC		
O Cuiti and Chara	TOTALS		
C = Critical Step Failure on this step mandates failure on task! PASS C FAIL S	CANDIDATE MUST COMPLET	L 9 1	
railule on this step manuales failule on task: FAIL 3	STEPS TOTAL TO PASS SKIL	L	
NFPA 1001, 2019 Edition TEST DATE LOCATION:			
TEST BATE ECOATION			
Objective(s): 4.3.10, EVALUATOR NAME (Print)			
4.3.10(B), 4.3.8, 4.3.8(B)			
EVALUATOR SIGNATURE:			
10/2019 rev.			



JPR Task: Triple layer	nose load.				
Skill No. FF 1-44E	PER	RFORMANCE CRITE	RIA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR	R/EVALUATOR		
	Candidate sha	all be provided with	the following:		
1. Fire Apparatus					
2. Fire hose					
	INCTDUO	STIONS TO THE CAL	MDIDATE		
"Tho et		CTIONS TO THE CAL	rate a triple-layer hose load."		
THE ST	udent Shan be able to	property demonstr	ate a triple-layer flose load.		
Minimum PPE: Gloves					
		PERFORMANCE			
				YES	NO
	. •		into one (1) 150' length.		
	ale coupling to approp	<u> </u>			
	e in a straight line from				
	at a point approximately				
	ack upon itself creating	a three-layer stack o	t hose.		
6. Rolls toward	1 0	Iding stock into hose	had		
	re stack and begins fol	U	of bed (or opposite side).		-
			oposite side) angling slightly to		
	gth adjacent first and t	` 1	, , , , ,		
	above manner until en	0 11			
	ad by attaching nozzle				
	<u> </u>	1 0			
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	ΓE 8	
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NEDA 1001 2010 Edition	TECT DATE	LOCATION	_		
NFPA 1001, 2019 Edition	TEST DATE	LUCATION	:		
Objective(s): 4.3.10,	FVALUATOR NAME	(Print)			
4.3.10(B),4.3.8, 4.3.8(B)		- \			
	EVALUATOR SIGNA	ATURE:			



JPR Task: Advancing an uncharged hose line up a ladder.		
Skill No. FF 1-45A PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Candidate shall be provided with the following:		
1. Ladder		
2. Uncharged hose line		
INSTRUCTIONS TO THE CANDIDATE		. "
"The student shall be able to properly demonstrate how to advance an uncharged hose line up	a ladde	₽r.″
Minimum PPE: Structural FF PPE and SCBA		
PERFORMANCE		
	YES	NO
Advances an uncharged hose line to ladder.		
Picks up nozzle; places hose across chest with nozzle draped over shoulder.		
3. Climbs up ladder with uncharged hose line.		
4. Once first fire fighter reaches first fly section of ladder, second fire fighter shoulders hose		
to assist advancing hose line up ladder.		
5. Nozzle is placed over top rung of ladder and into fire building.		
6. Additional hose can be fed up ladder until sufficient hose is inside building. Secures hose		
to ladder with hose strap.		
TOTALC		
C = Critical Step PASS CANDIDATE MUST COMPLET		
C = Critical Step PASS CANDIDATE MUST COMPLET Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL	I	
Tailule off this step mandates failule off task: TAIL STEFS TOTAL TO FASS SKIL	<u>-L.</u>	
NFPA 1001, 2019 Edition TEST DATE LOCATION:		
Objective(s): 4.3.10, EVALUATOR NAME (Print)		
4.3.10(B), 4.3.8, 4.3.8(B)		
EVALUATOR SIGNATURE:		
10/2019 rev.		



JPR Task: Operating	a hose stream from a ladder.		
Skill No. FF 1-45B	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
1. Ladder			
2. Charged hose line			
"TI I I I I	INSTRUCTIONS TO THE CANDIDATE		
"The student shal	l be able to properly demonstrate how to operate a hose stream from a lac	ider."	
 Minimum PPE: Structural F	E DDE and SCRA		
WIIIIIIIIIIIIIII PPE. SIIUCIUIAI F	PERFORMANCE		
	FERI ORIMANCE	YES	NO
1. Climbs ladde	r with hose line at height to be operated.	ILS	110
C 2. Applies leg lo			
	between two rungs and secures using hose strap.		
	rates hose stream from ladder. Be aware of back-pressure from nozzle.		
, , , , , , , , , , , , , , , , , , , ,			
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 3	
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.10,	EVALUATOR NAME (Print)		
4.3.10(B), 4.3.8,4.3.8(B)	EVALUATOR CICNATURE.		
	EVALUATOR SIGNATURE:		
10/2019 rev.			
10/201716V.			



JPR Task: Operating	y a fog stream nozzle.		
Skill No. FF 1-46A	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Charged hose line			
	INSTRUCTIONS TO THE CANDIDATE		
	"The student shall be able to properly operate a fog nozzle."		
Minimum PPE: Structural F			
	PERFORMANCE		
		YES	NO
1. Attains a sta			
2. Slowly opens	s valve allowing water flow.		
3. Opens the va	alve completely.		
4. Selects the o	desired water pattern by rotating the bezel of the nozzle.		
5. Applies water	er where needed.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 4	
	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
	TEST DATE LOCATION:		
Objective(s): 4.3.10, 4.3.10(B), 4.3.8, 4.3.8(B)	EVALUATOR NAME (Print)		
4.3.13, 4.3.13(B), 4.3.8.5.3	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: Operating	a smooth bore nozzle.		
Skill No. FF 1-46B	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Charged hose line			
	h bore tips to choose from		
Zi rissorument er emese	INSTRUCTIONS TO THE CANDIDATE		
"The	student shall be able to properly operate a smooth bore nozzle."		
Minimum PPE: Structural FF	PERFORMANCE		
	PERFURINANCE	YES	NO
Selects desire	d tin siza	ILS	NO
2. Has a stable s	to an a first and the a		
3. Slowly opens	g		
	ompletely to achieve maximum effectiveness.		
	to desired location.		
31 2 H 3 G G G H 3 G H	. 10 4001104 1004110111		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 4	
Failure on this step manda	tes failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.10,	EVALUATOR NAME (Print)		
4.3.10(B), 4.3.8,			
4.3.8(B)4.3.13, 4.3.13(B),	EVALUATOR SIGNATURE:		
4.3.8.5.3			
10/2019 rev.			



JPR Task: Replacing a section of hose.				
Skill No. FF 1-47,48 PERFORMANCE CRITERIA AND INSTRUCTIONS				
INSTRUCTIONS TO THE MONITOR/EVALUATOR				
Charged hose line				
2. Hose clamp				
INSTRUCTIONS TO THE CANDIDATE				
"The student shall be able to properly demonstrate the ability to replace a section of hose."				
Minimum PPE: Structural FF PPE				
PERFORMANCE				
YES	NO			
Shuts down or clamps off damaged line.				
Removes damaged hose.				
Replaces with two sections to ensure length will be adequate.				
4. Restores water flow.				
5. Shuts down or clamps off damaged line.				
TOTALS				
C = Critical Step PASS CANDIDATE MUST COMPLETE 4				
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.				
Tallare of this step manages failure of task. This STEES TO THE TO THIS SKIEE.				
NFPA 1001, 2019 Edition TEST DATE LOCATION:				
Objective(s): 4.3.10, EVALUATOR NAME (Print)				
4.3.10(B)				
EVALUATOR SIGNATURE:				
10/2019 rev				



JPR Task: One fire fighter foot-tilt method of coupling fire hose.		
Skill No. FF 1-49A PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Two uncharged sections of hose		
INSTRUCTIONS TO THE CANDIDATE		
"The student shall be able to properly demonstrate the ability to properly connect hose using foot- Minimum PPE: Structural FF PPE	-tilt met	ihod."
PERFORMANCE		
	YES	NO
1. Wears gloves.		
Places one foot on hose behind male coupling.		
3. Pushes down with foot to tilt male coupling upward.		
4. Places one hand behind female coupling and grasps hose.		
5. Places other hand on coupling swivel.		
Brings two couplings together and aligns Higbee indicators. Rotates swivel in clockwise direction to connect.		
TOTALC		
C = Critical Step PASS CANDIDATE MUST COMPLET		
C = Critical Step PASS CANDIDATE MUST COMPLET Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL		
Tailule of this step mandates failule of task: TAIL STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NFPA 1001, 2019 Edition		
Objective(s): 4.3.10, EVALUATOR NAME (Print)		
4.3.10(B) EVALUATOR SIGNATURE:		
10/2019 rev.		



JPR Task: One fire	fighter knee-press method of uncoupling fire h	iose.		
Skill No. FF 1-49B	PERFORMANCE CRITERIA			
	INSTRUCTIONS TO THE MONITOR/E\	/ALUATOR		
1 T	Para Chara			
1. Two uncharged sec	tion of nose			
	INSTRUCTIONS TO THE CANDII	DATE		
"The student shall be a	ble to properly demonstrate the ability to ur		s meth	od."
Minimum PPE: Structural F	F PPE PERFORMANCE			
	PERFURMANCE		VEC	NO
1 1 1 1 1			YES	NO
1. Wears glove:				
	connection by female coupling.			
	tion upright. Rests male coupling on firm surfa			
4. Places a knee on female coupling and uses body weight to press down.				
5. Turns female swivel counterclockwise and loosens coupling.				
		TOTALS		
C = Critical Step	PASS	CANDIDATE MUST COMPLET	E 4	l.
Failure on this step mand		STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.3.10,	EVALUATOR NAME (Print)			
4.3.10(B)				
	EVALUATOR SIGNATURE:			
10/2019 rev.				
10/201/100.				



				., ,	
JPR Task: Uncoup	ling hose with spanner	wrenches.			
Skill No. FF 1-49C			A AND INSTRUCTIONS		
	INSTRUCTIONS	TO THE MONITOR/E	VALUATOR		
 Two uncharged sec Two spanner wrenc 					
		TIONS TO THE CAND			
"The student shall	be able to properly de	emonstrate the ability	to uncouple hose using spani	ners."	
Minimum PPE: Structural F	F PPE				
		PERFORMANCE			
				YES	NO
1. Wears gloves					<u> </u>
	nnection on ground abov				-
	oanner wrench on femal				
	ond spanner wrench on				
5. Pusnes doin	spanner handles down t	toward ground to loose	en connection.		
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 4	
Failure on this step manda		FAIL	STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition					
Objective(s): 4.3.10, 4.3.10(B)	EVALUATOR NAME	(Print)			
1.3.10(b)	EVALUATOR SIGNA	TURE:			
10/2019 rev.					



JPR Task: Two fire	e fighter method for co	oupling a fire hos	se.		
Skill No. FF 1-50A	PEI	RFORMANCE (CRITERIA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MON	NITOR/EVALUATOR		
 Two uncharged sec Additional fire fighte 	r				
		CTIONS TO THE			
"The student sha	all be able to properly	y demonstrate	the ability to connect hose with a parti	ner."	
Minimum PPE: Structural F	F PPE				
		PERFORMAN	NCE	_	
				YES	NO
1. Wears gloves					
			ind coupling, holds tight against body.		
Second fire fighter holds female coupling with both hands.					
Second fire fighter brings female coupling to male coupling.					
			pee indicator for easy alignment.		
	ghter turns female cou		ockwise until it clicks.		
/. Turns female	coupling clockwise to	couple hose.	TOTALO		
0 0211 101 1		DACC	TOTALS		
C = Critical Step	stac failura on tackl	PASS FAIL	CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL		
Failure on this step manda	les failule off task!	FAIL	STEPS TOTAL TO PASS SKIL	-L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCA	TION:		
Objective(s): 4.3.10, 4.3.10(B)	EVALUATOR NAME	E (Print)			
	EVALUATOR SIGNA	ATURE:			
10/2019 rev.					



JPR Task: Two-fir	efighter stiff arm meth	od for uncoupling a fire	hose.		
Skill No. FF 1-50B	PEI	RFORMANCE CRITER	IA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/I	EVALUATOR		
 Two uncharged sec Additional fire fighte 					
		CTIONS TO THE CANE			
"The student shall be	able to properly dem	nonstrate the ability to	uncouple hose using stiff-arm	method	".b
Minimum PPE: Structural F	F PPE				
		PERFORMANCE			
1				YES	NO
1. Wears gloves					
			oupling.		
		nters push toward each			
4. While pushing	g toward each other fir	re fighters turn coupling	counterclockwise to loosen.		
			TOTALO		
0 0 111 1 101		D400	TOTALS CANDIDATE MUST COMPLET		
C = Critical Step					
Failure on this step manda	ites tailure on task!	FAIL	STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.10, 4.3.10(B)	EVALUATOR NAME	E (Print)			
4.3.10(b)	EVALUATOR SIGNA	ATURE:			
10/2019 rev.					



JPR Task: Pickin	g up and draining hose.		
Skill No. FF 1-51	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Uncharged section (of hose		
	INSTRUCTIONS TO THE CANDIDATE		
"The student shall b	e able to properly demonstrate the ability to pick up and drain a section of	of hose.	"
The stadent snan s	o abio to proporty domenous are and abinty to prost ap and aram a coolient	,, ,,,,,,,,	
Minimum PPE: Structural F			
	PERFORMANCE		
		YES	NO
1. Wears gloves			
	of hose straight on flat surface.		
	e end and lifts hose to shoulder level.		
	length of hose, folds back and forth over shoulder.		
5. Continues un	til entire length is on shoulder.		
		<u> </u>	
		4	
	TOTALS	<u></u>	
C = Critical Step	PASS CANDIDATE MUST COMPLETED FOR A STEEL FAIL STEEL TO DASS SKILL	ΓΕ 4	
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKI	<u>_L.</u>	
NEDA 1001 2010 Edition	TEST DATE LOCATION:		
NFPA 1001, 2019 EUILIOIT	LOCATION		
Objective(s): 4.5.2	EVALUATOR NAME (Print)		
	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: Working from a ladder.		
Skill No. FF 1-52 PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Uncharged section of hose		
INSTRUCTIONS TO THE CANDIDATE		
"The student shall be able to properly demonstrate the ability to safely work from a lac	dder."	
Minimum PPE: Structural FF PPE		
PERFORMANCE		
	YES	NO
1. Wears PPE.		
Climbs ladder to desired height, then goes one rung higher.		
3. Notes side where work is to be performed.		
4. Extends opposite leg between rungs.		
5. Bends knee around rung and brings foot back under rung.		
6. Secures foot around lower rung or beam.		
7. Moves other leg down rung.		
TOTAL	.S	
C = Critical Step PASS CANDIDATE MUST COMPL	ETE 5	
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SI	KILL.	
NFPA 1001, 2019 Edition		
Objective(s): 4.3.11, EVALUATOR NAME (Print)		
4.3.11(B), 4.3.6, 4.3.6(B) EVALUATOR SIGNATURE:		
10/2010 roy		



JPR Task: Hydr	raulic ventilation.		
Skill No. FF 1-53	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
 Charged hose line Assortment of nozz Window or door ope 	ening		
	INSTRUCTIONS TO THE CANDIDATE		
"The student shall be at	ple to properly demonstrate the ability to safely ventilate using the hydra	ulic met	nod."
Minimum PPE: Structural F			
	PERFORMANCE		
<u>, </u>		YES	NO
C 1. Wears PPE.			
C 2. Identifies pro			
3. Selects and o opening.	demonstrates proper fog pattern to cover 85 to 90% of window or door		
4. Selects prope	er distance from opening for maximum effectiveness.		
	TOTALS	,	
C = Critical Step Failure on this step mand	PASS CANDIDATE MUST COMPLE ates failure on task! FAIL STEPS TOTAL TO PASS SKI		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.11, 4.3.11(B), 4.3.19	EVALUATOR NAME (Print)		
	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: Neg	ative pressure ventilation	on.			
Skill No. FF 1-54	PERI	FORMANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTIONS	TO THE MONITOR/E	VALUATOR		
 Fan (Smoke Ejecto Window or door ope Salvage covers 	r) ening				
·**		TIONS TO THE CANDI			
"The student	shall demonstrate the	ability to properly ver	ntilate using negative pressure	."	
Minimum PPE: Structural F	F PPE and SCBA				
		PERFORMANCE			
				YES	NO
	ne area to be ventilated				
			ard side of the building.		
	ld be hung as high in the				
4. Removes any screens, and		area used to ventilate s	moke, including curtains,		
5. Reduces chu sheeting.	rning by covering the ar	rea around the fan with	salvage covers or plastic		
	nening on the windward	d side of the structure t	o provide cross ventilation.		
or Trovides arr	proming on the Milanare		TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET		
Failure on this step mand		FAIL	STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.3.11,	EVALUATOR NAME	(Print)			
4.3.11(B)	EVALUATOR SIGNA	TURE:			
10/2019 rev.	1				



Skill No. FF 1-55 PERFORMANCE CRITERIA AND INSTRUCTIONS INSTRUCTIONS TO THE MONITOR/EVALUATOR 1. Fan (Smoke Ejector) 2. Window or door opening INSTRUCTIONS TO THE CANDIDATE "The student shall demonstrate the ability to properly ventilate using positive pressure." Minimum PPE: Structural FF PPE and SCBA PERFORMANCE YES NO 1. Determines the location of the fire within the building and the direction of attack. 2. Places the fan 4' to 10' in front of the opening to be used for attack. 3. Provides an exhaust opening at or near the fire. This opening can be made before starting the fan or when the fan is started. 4. Checks for interior openings that could allow the products of combustion to be pushed into unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. TOTALS C = Critical Step Failure on this step mandates failure on task! FAIL	JPR Ta	ısk:	Pos	itive pressure ventilati	on.				
1. Fan (Smoke Ejector) 2. Window or door opening INSTRUCTIONS TO THE CANDIDATE "The student shall demonstrate the ability to properly ventilate using positive pressure." Minimum PPE: Structural FF PPE and SCBA PERFORMANCE YES NO 1. Determines the location of the fire within the building and the direction of attack. 2. Places the fan 4' to 10' in front of the opening to be used for attack. 3. Provides an exhaust opening at or near the fire. This opening can be made before starting the fan or when the fan is started. 4. Checks for interior openings that could allow the products of combustion to be pushed into unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. C = Critical Step Failure on this step mandates failure on task! FAIL CANDIDATE MUST COMPLETE 5 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:	Skill No	o. FF 1-5	5	PEI	RFORMA	ANCE CRITERI	A AND INSTRUCTIONS		
INSTRUCTIONS TO THE CANDIDATE				INSTRUCTION	S TO TH	IE MONITOR/E	VALUATOR		
"The student shall demonstrate the ability to properly ventilate using positive pressure." Minimum PPE: Structural FF PPE and SCBA PERFORMANCE 1. Determines the location of the fire within the building and the direction of attack. 2. Places the fan 4' to 10' in front of the opening to be used for attack. 3. Provides an exhaust opening at or near the fire. This opening can be made before starting the fan or when the fan is started. 4. Checks for interior openings that could allow the products of combustion to be pushed into unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. TOTALS C = Critical Step Failure on this step mandates failure on task! TEST DATE CANDIDATE MUST COMPLETE 5 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:				ning					
PERFORMANCE 1. Determines the location of the fire within the building and the direction of attack. 2. Places the fan 4' to 10' in front of the opening to be used for attack. 3. Provides an exhaust opening at or near the fire. This opening can be made before starting the fan or when the fan is started. 4. Checks for interior openings that could allow the products of combustion to be pushed into unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. C = Critical Step Failure on this step mandates failure on task! TOTALS TOTALS TOTALS C = Critical Step FAIL LOCATION: TEST DATE LOCATION:									
PERFORMANCE YES NO 1. Determines the location of the fire within the building and the direction of attack. 2. Places the fan 4' to 10' in front of the opening to be used for attack. 3. Provides an exhaust opening at or near the fire. This opening can be made before starting the fan or when the fan is started. 4. Checks for interior openings that could allow the products of combustion to be pushed into unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. TOTALS C = Critical Step Failure on this step mandates failure on task! FAIL CANDIDATE MUST COMPLETE 5 STEPS TOTAL TO PASS SKILL.		"Tł	he student s	shall demonstrate the	e ability	to properly ve	ntilate using positive pressure	."	
1. Determines the location of the fire within the building and the direction of attack. 2. Places the fan 4' to 10' in front of the opening to be used for attack. 3. Provides an exhaust opening at or near the fire. This opening can be made before starting the fan or when the fan is started. 4. Checks for interior openings that could allow the products of combustion to be pushed into unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. TOTALS C = Critical Step Failure on this step mandates failure on task! TEST DATE LOCATION:	Minimur	m PPE:	Structural FI	F PPE and SCBA					
1. Determines the location of the fire within the building and the direction of attack. 2. Places the fan 4' to 10' in front of the opening to be used for attack. 3. Provides an exhaust opening at or near the fire. This opening can be made before starting the fan or when the fan is started. 4. Checks for interior openings that could allow the products of combustion to be pushed into unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. TOTALS C = Critical Step Failure on this step mandates failure on task! TEST DATE LOCATION: LOCATION: LOCATION:					PERFO	DRMANCE			
2. Places the fan 4' to 10' in front of the opening to be used for attack. 3. Provides an exhaust opening at or near the fire. This opening can be made before starting the fan or when the fan is started. 4. Checks for interior openings that could allow the products of combustion to be pushed into unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. TOTALS C = Critical Step PASS CANDIDATE MUST COMPLETE 5 Failure on this step mandates failure on task! FAIL NEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:								YES	NO
3. Provides an exhaust opening at or near the fire. This opening can be made before starting the fan or when the fan is started. 4. Checks for interior openings that could allow the products of combustion to be pushed into unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. TOTALS C = Critical Step Failure on this step mandates failure on task! PASS CANDIDATE MUST COMPLETE 5 FAIL STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:									
the fan or when the fan is started. 4. Checks for interior openings that could allow the products of combustion to be pushed into unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. TOTALS C = Critical Step Failure on this step mandates failure on task! TEST DATE LOCATION:						U			
unwanted areas. 5. Starts the fan and checks the cone of air produced. It should completely cover the opening. This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. TOTALS C = Critical Step Failure on this step mandates failure on task! PASS CANDIDATE MUST COMPLETE 5 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:		th	ne fan or whe	en the fan is started.					
This can be checked by running a hand around the door frame to feel the direction of air currents. 6. Allows smoke to clear – usually 30 seconds to one (1) minute depending on the size of the area to be ventilated and smoke conditions. TOTALS C = Critical Step Failure on this step mandates failure on task! TEST DATE LOCATION:		UI	nwanted are	as.					
area to be ventilated and smoke conditions. TOTALS C = Critical Step Failure on this step mandates failure on task! NFPA 1001, 2019 Edition TEST DATE LOCATION:		T) Cl	his can be cl urrents.	hecked by running a h	and arou	und the door fra	me to feel the direction of air		
C = Critical Step Failure on this step mandates failure on task! PASS CANDIDATE MUST COMPLETE 5 STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:						to one (1) minu	te depending on the size of the		
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL. NFPA 1001, 2019 Edition TEST DATE LOCATION:	•						TOTALS		
				ites failure on task!			CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL	E 5 L.	
Objective(s): 4.3.11. EVALUATOR NAME (Print)	NFPA 1	1001, 201	19 Edition	TEST DATE		LOCATION:			
4.3.11(B)			.3.11,	EVALUATOR NAME	(Print)				
EVALUATOR SIGNATURE:	7.0.11(1			EVALUATOR SIGNA	ATURE:				
10/2019 rev.	10/2019	9 rev.							



JPR Task:	Maintaining a power saw.		
Skill No. FF 1-56	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
1. Power saw			
	INSTRUCTIONS TO THE CANDIDATE		
	"The student shall be able to maintain a power saw after use."		
	The statent shall be able to maintain a power saw after ase.		
Minimum PPE: Glove	s, eye and hearing protection		
	PERFORMANCE		
		YES	NO
	PPE (including eye and hearing protection).		
	manufacturer recommendations.		
	es clutch cover, bar, and chain. Inspects clutch cover, bar, and chain for damage		
and we	ar. Replaces if necessary.		
4. Clean/ir	nspects clutch cover, drive, bar, chain, and power head using a cloth, cleaning		
	and compressed air.		
	s air filter and cleans/replaces as needed.		
	omponents with a substance recommended by the manufacturer to prevent		
coating			
	bar and chain back on, flipping bar over each time to help wear bar evenly.		
	es the clutch cover.		
	the chain tension (makes sure bar and chain cool before adjusting).		
10. FIIIS WIT	h fuel. Fills bar and chain oil.		
0 0 11 1 01	TOTALS CANDIDATE MUST COMPLET]
C = Critical Step	PASS CANDIDATE MUST COMPLET	上 / □	
ranure on this step i	nandates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NEDA 1001 2019 Edi	tion TEST DATE LOCATION:		
1011 A 1001, 2017 Lui	TEST DATE ECCATION		
Objective(s): 4.3.4 (E	EVALUATOR NAME (Print)		
	. ,		
	EVALUATOR SIGNATURE:		
10/2019 rev			-



JPR Task:	Climbing a ladder while carrying a tool.		
Skill No. FF 1-59	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Ladder Axe, pike pole or			
	INSTRUCTIONS TO THE CANDIDATE		
"The stude	nt shall demonstrate the ability to safely climb a ladder while carrying a tool.	7	
Minimum PPE: Structura	I FF PPE and SCBA		
	PERFORMANCE		
		YES	NO
1. Wears PP	Ξ.		
2. Holds tool	in one hand and places it against beam.		
3. Slides too	up beam, while sliding opposite hand up other beam.		
	TOTALS		
C = Critical Step Failure on this step ma	PASS CANDIDATE MUST COMPLETI ndates failure on task! FAIL STEPS TOTAL TO PASS SKILI		
NFPA 1001, 2019 Editio			
Objective(s): 4.3.12, 3-3.12(B), 4.3.11, 4.3.11(B	EVALUATOR NAME (Print)EVALUATOR SIGNATURE:		
10/2019 rev			



JPR 1	Гask:	Sounding a roof.				
Skill l	No. FF 1-60	PE	RFORMANCE CRITE	RIA AND INSTRUCTIONS		
		INSTRUCTION	IS TO THE MONITOR	R/EVALUATOR		
2.	Ladder Axe, pike pole Structure with	or halligan bar				
		INSTRU	CTIONS TO THE CAN	NDIDATE		
		"The student shall demo	onstrate the ability to	properly sound a roof."		
Minim	ium PPE: Structi	ıral FF PPE and SCBA				
			PERFORMANCE			
					YES	NO
	1. Uses a l	nand tool to check roof before	ore stepping onto it.			
	2. Uses too	ol to sound ahead and side	s when walking. Locat	tes support members by sound		
	and rebo	ound. Periodically checks of	conditions around wor	k area.		
	3. Sounds	roof along exit path.				
				TOTALS		
C = C	ritical Step		PASS	CANDIDATE MUST COMPLET	TE 2	
Failu	re on this step m	andates failure on task!	FAIL	STEPS TOTAL TO PASS SKII	LL.	
	1001, 2019 Edit ctive(s): 4.3.12, 3 3)	EVALUATOR NAMI	LOCATION:			
10/20	19 rev.					



JPR Task:	Vertical ventilation.	WV	
Skill No. FF 1-61	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
4 1 11			
 Ladder Roof ladder 			
3. Power saw			
4. Structure with roo	of		
	INSTRUCTIONS TO THE CANDIDATE		
"Th	e student shall demonstrate the ability to properly vertical ventilate."		
Minimum PPE: Structura	LEE DDE and SCRA		
Willimani i E. Structura	PERFORMANCE		
		YES	NO
	eam accountability.		
	plete PPE (including SCBA).		
	aces roof ladder (hooks out, secured over ridge, and windward side).		
	ower tool performance prior to ascending ladder (checks fuel/oil, start and		
	ver tool before ascending). hose deployment for safety purposes (verbalized).		
6. Identifies a	dvantages of removing roof coverings prior to cutting (exposes base materials		
	nail patterns indicating truss location).		
7. Operates v	vith concern for building/structural integrity (sound roof and avoids cutting		
structural i	,		
	opening, student shall verbalize minimum size.		
	all interior barriers (ceiling materials and avoids electrical wiring). eam accountability.		
TO. Maintains	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 7	
Failure on this step mai			
NFPA 1001, 2019 Editio	TEST DATE LOCATION:		
Objective(s): 4.3.12, 3-	EVALUATOR NAME (Print)		
3.12(B)	EVALOATION WANTE (FINITY)		
	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task:	Opening an interior wa	all.			
Skill No. FF 1-62	PEF	RFORMANCE CRITERI	A AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
Axe Wall to breach					
		CTIONS TO THE CAND			
•	'The student shall de	emonstrate how to ope	en an interior wall."		
Minimum PPE: Structural F	F PPE and SCBA				
		PERFORMANCE			
				YES	NO
	hich area of the wall w				
	de to begin cutting nea				
	rd between wall studs				
	vall for electrical switch				
	two vertical cuts, uses wall. Works from top		wall material away from studs		
		s baseboards or windov	v and door trim.		
7. Continues op	ening additional sectio	ons of wall until desired	area is open.		
8. Pulls out any	insulation found behin	d the wall.	•		
			TOTALS		
C = Critical Step Failure on this step manda	ntes failure on task!	PASS FAIL	CANDIDATE MUST COMPLET STEPS TOTAL TO PASS SKIL	E 6 L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.3.13, 4.3.13(B), 4.3.10,	EVALUATOR NAME	E (Print)			
4.3.10(B)	EVALUATOR SIGNA	ATURE:			
10/2010 rov					



JPR Task: Folding and rolling salvage cover							
Skill No. FF 1-63 A PERFORMANCE CRITERIA AND INSTRUCTIONS							
INSTRUCTIONS TO THE MONITOR/EVALUATOR	INSTRUCTIONS TO THE MONITOR/EVALUATOR						
Candidate shall be provided with the following:							
1. Salvage cover							
2. Partner							
INSTRUCTIONS TO THE CANDIDATE							
"The student shall demonstrate the ability to properly fold and roll a salvage cover"							
Minimum PPE: Work Gloves							
PERFORMANCE							
	YES	NO					
Spreads salvage cover flat on ground, faces partner.							
2. Both fire fighters place one hand on outer edge of cover and other hand a quarter of the							
way in from edge.							
3. Flips the outside edge into the middle of the cover, creating a fold at the quarter point.							
4. Flips outside fold into same point of cover, creating second fold. Repeats steps 2,3, and 4							
from opposite side of cover. Folded edges meet at middle of cover with folds touching but							
not overlapping. 5. Tightly rolls cover end to end.		-					
5. Tightiy foils cover end to end.							
TOTALS							
C = Critical Step PASS CANDIDATE MUST COMPLET							
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL	 .L.						
NFPA 1001, 2019 Edition							
Objective(s): 4.3.14, EVALUATOR NAME (Print)							
4.3.14(B)							
EVALUATOR SIGNATURE:							
10/2010 rov							
10/2019 rev.							



JPR Task: Performing a ba	lloon toss			
Skill No. FF 1-63 B	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
 Salvage cover 	·			
2. Partner				
	INSTRUCTIONS TO THE CANDIDATE			
"The student shall	demonstrate the ability to properly balloon toss a salvage cover with	a partner."		
Minimum PPE: Work Gloves				
	PERFORMANCE			
		YES	NO	
	on ground beside object.			
2. Unfolds salvage cover along base of object. Each fire fighter grabs one edge and brings it				
to waist heigh				
	ickly so it fills with air.			
	y to other side of object, using air to support salvage cover.			
5. Spreads entir	e salvage cover over object.			
	TOT	A L O		
0 0 111 101	TOT. PASS CANDIDATE MUST COM	ALS		
C = Critical Step				
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS	SKILL.		
NEDA 1001 2010 Edition	TEST DATE LOCATION.			
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
Objective(s): 4.3.14,	EVALUATOR NAME (Print)			
4.3.14(B)	EVALUATOR NAME (FIMI)			
4.5.14(b)	EVALUATOR SIGNATURE:			
	ETTESTION GIGINTIONE.			
10/2019 ray				



TIKE HOTTER TEEN ORWANCE EVALUATION	·WVI	DE.
JPR Task: One-firefighter salvage cover fold		
Skill No. FF 1-63 C PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Candidate shall be provided with the following:		
1. Salvage cover		
2. Broom		
INSTRUCTIONS TO THE CANDIDATE		
"The student shall demonstrate the ability to properly fold a salvage cover"		
Minimum PPE: Work Gloves		
PERFORMANCE		
	YES	NO
Spreads salvage cover flat on ground, faces partner.		
2. Both firefighters place one hand on outer edge of cover and other hand a quarter of the		
way in from edge.		
3. Together, flip outside edge in 3" from middle.		
4. Flips outside fold in to same point of cover, creating second fold. Repeat steps 2, 3, and 4		
from opposite side of cover. Folded edges meet at middle of cover with fold 6" apart. 5. Folds two halves together.		
6. Starts from middle of cover using a broom to brush air out.		
7. Moves to narrow edge of salvage cover.		
8. Folds narrow edge to 3" from middle of cover, creating a fold at quarter point.		
9. Flips outside fold of narrow edge in to same point, creating second fold. Folded edges		
meet at middle of cover with folds 6" apart.		
10. Folds two halves together.		
TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLET	E 7	
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L</u>	
NFPA 1001, 2019 Edition		
CILL II () ACCOUNT (D. I. I)		
Objective(s): 4.3.14, EVALUATOR NAME (Print)		

EVALUATOR SIGNATURE: _____

10/2019 rev.



JPR Task: One firefighter sa	ılvage cover roll.					
Skill No. FF 1-63 D	PER	FORMA	ANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTION	S TO TH	HE MONITOR/E	VALUATOR		
	Candidate sha	all be pr	ovided with the	e following:		
Salvage Cover						
Ü						
	INSTRUC	TIONS	TO THE CAND	IDATE		
"The stud	ent shall demonstra	ate the a	ability to prope	rly unroll a salvage cover"		
Minimum PPE: Work Gloves						
		PERF	ORMANCE			
					YES	NO
	of object being cover	red.				
Unrolls cover over end of object.						
		of object	is reached. Allo	ows remainder of cover to unroll		
and settle at er						
	, unfolding each side					
	d fold on each side ar		es cover comple	tely over object.		
6. Tucks in all loo	se edges around obj	ect.				
				TOTALS		
C = Critical Step				CANDIDATE MUST COMPLET		
Failure on this step mandate	es failure on task!	FAIL		STEPS TOTAL TO PASS SKIL	<u>L.</u>	
NFPA 1001, 2019 Edition	TEST DATE		LOCATION:			
	EVALUATOR MANAE	. (D)				
	EVALUATOR NAME	. (Print)				
4.3.14(B)	EVALUATOD CICAU	ATUDE.				
	EVALUATUR SIGNA	ATUKE:				
10/2010 rov						



JPR Task: One firefighter salvage cover fold.	
Skill No. FF 1-63 E PERFORMANCE CRITERIA AND INSTRUCTIONS	
INSTRUCTIONS TO THE MONITOR/EVALUATOR	
Candidate shall be provided with the following:	
1. Salvage Cover	
INSTRUCTIONS TO THE CANDIDATE	
"The student shall demonstrate the ability to properly fold a salvage cov	<i>l</i> er."
Minimum PPE: Work Gloves	
PERFORMANCE	
	YES NO
C 1. Spreads salvage cover flat on ground, faces partner.	
2. Both fire fighters place one hand on outer edge of cover and other hand a quarter of	of the
way in from edge.	
3. Together, flip outside edge in 3" from middle.	
4. Flips outside fold into same point of cover, creating second fold. Repeat steps 2, 3,	
from opposite side of cover. Folded edges meet at middle of cover with fold 6" apa	Π.
5. Folds two halves together.6. Starts from middle of cover using a broom to push air out.	
7. Moves to narrow edge of salvage cover.	
8. Folds narrow edge to 3" from middle of cover, creating a fold at quarter point.	
9. Flips outside fold of narrow edge into same point, creating second fold. Folded edge	165
meet at middle of cover with folds 6" apart.	
10. Folds two halves together.	
T	TOTALS
C = Critical Step PASS CANDIDATE MUST C	OMPLETE 7
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PA	ASS SKILL.
NFPA 1001, 2019 Edition TEST DATE LOCATION:	
Objective(c), 4.2.14 EVALUATOR NAME (Print)	
Objective(s): 4.3.14, 4.3.14(B)	
EVALUATOR SIGNATURE:	
EVILORITOR GIGIVATORE.	
10/2019 rev.	



		MAL	DE
JPR Task: Two-firefighter	salvage cover fold.		
Skill No. FF 1-63 F	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Salvage Cover 	·		
Additional Fire Figh	ıter		
	INSTRUCTIONS TO THE CANDIDATE		
"The student s	shall demonstrate the ability to properly fold a salvage cover with a partner	."	
Minimum PPE: Work Glove			
	PERFORMANCE	\/F0	NO
0 1 Consode selv	and according to the support of the	YES	NO
	vage cover flat on ground, faces partner.		
	ers place one hand on outer edge of cover and other hand a quarter of the		
way in from 6	erage. ers fold the cover in half.		
U			
4. Folds two halves together again.5. Starts from middle of cover using a broom to brush air out.			
	rrow edge of salvage cover.		
	e cover in half lengthwise.		
	vage cover in half lengthwise again.		
	ver in half a third (and final) time.		
7. 1 0103 110 001	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLETE		
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKILL		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.14,	EVALUATOR NAME (Print)		
4.3.14(B)			
	EVALUATOR SIGNATURE:		

10/2019 rev.



JPR Task: Salvage Cover	Shoulder Toss		
Skill No. FF 1-63 G	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Salvage Cover 	, ·		
_			
	INSTRUCTIONS TO THE CANDIDATE		
"The student shall de	emonstrate the ability to properly unroll a salvage cover utilizing a shoulde	er toss	."
Minimum PPE: Work Glove			
	PERFORMANCE		
		YES	NO
Places folded salvage cover over one arm.			
	over salvaged object with straight-arm movement.		
3. Unfolds cove	r until object is draped.		
	TOTALS	1	
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step manda	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L</u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.3.14,	EVALUATOR NAME (Print)		
4.3.14(B)	EVALUATOR CIONATURE		
	EVALUATOR SIGNATURE:		
10/2010			
10/2019 rev.			



JPR Task: Constructing a	water catch all			
Skill No. FF 1-64	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
 Salvage Cover 				
	INSTRUCTIONS TO THE CANDIDATE			
"The stude	ent shall demonstrate the ability to properly construct a water catch-all."			
Minimum PPE: Work Glove				
	PERFORMANCE	ı		
		YES	NO	
Fully opens large salvage cover on ground.				
2. Rolls two edges inward from opposite sides. Rolls approximately 3' on each side.				
3. Folds each of four corners at a 90° angle. Starts each fold approximately 3′ from edge.				
4. Rolls remaining edges inward approximately 2'.				
5. Lifts rolled ed	dge over cover flaps, tucks under flaps to lock corners.			
	TOTALS			
C = Critical Step	PASS CANDIDATE MUST COMPLET			
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L</u>		
NFPA 1001, 2019 Edition	TEST DATE LOCATION:			
	EVALUATOR MANE (D. L. I)			
Objective(s): 4.3.14,	EVALUATOR NAME (Print)			
4.3.14(B)	EVALUATOR CICNATURE			
	EVALUATOR SIGNATURE:			
10/2010 rov				
10/2019 rev.				



JPR Task: Constructing a	water chute				
Skill No. FF 1-65	PERFORMANCE CRITERIA AND INSTRUCTIONS				
	INSTRUCTIONS TO THE MONITOR/EVALUATOR				
	Candidate shall be provided with the following:				
 Salvage Cover 	·				
Step Ladder					
3. 2 Pike Poles					
	INSTRUCTIONS TO THE CANDIDATE				
"The stu	dent shall demonstrate the ability to properly construct a water chute."				
Minimum PPE: Work Glove					
	PERFORMANCE				
		YES	NO		
Fully opens large salvage cover on ground.					
2. Rolls tightly from one edge to middle of salvage cover. If using pike poles, lays one pole					
	on edge of salvage cover and rolls around handle.				
	e edge until edges are 1' to 3' apart.	<u> </u>			
4. Turns cover					
5. Positions ch	ute so it collects dripping water and channels toward drain.				
6. Uses a stepl	adder or tall object to support chute made with pike poles.				
	TOTALS				
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 5			
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u>L</u>			
NFPA 1001, 2013Edition	TEST DATE LOCATION:				
Objective(s): 4.3.14,	EVALUATOR NAME (Print)				
4.3.14(B)					
	EVALUATOR SIGNATURE:				
10/2019 rev.					



JPR Task: Stop water flor	w from sprinkler.				
Skill No. FF 1-66	PER	RFORMANCE CRITER	IA AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/	EVALUATOR		
		all be provided with th	ne following:		
 Sprinkler Stop / Wo 	oden Wedges				
2. Step Ladder					
Sprinkler System President	rop				
	INCTOLIC	STIONS TO THE CANE			
"The student of		CTIONS TO THE CANE		or II	
"The Student S	naii demonstrate the	ability to property Sto	p the water flow from a sprinkle	er."	
Minimum PPE: Turn out ge	ar helmet aloves eve	nrotection			
William L. Tam out ge	ar, neimet, gioves, eye	PERFORMANCE			
				YES	NO
1. Wears full pro	otective equipment pro	perly.			
			en wedges or sprinkler wedge		
stopper.	·				
Identifies and	l closes main control va	alve.			
4. Identifies and	l opens main drain valv	/e.			
			TOTALS		
C = Critical Step			CANDIDATE MUST COMPLET		
Failure on this step manda	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NED 8 4004 0040 E 1111	TECT DATE	LOCATION			
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.14,	EVALUATOD NAME	(Drint)			
4.3.14(B)	LVALUATOR NAIVIL	- (1 11110)			
T.0.17(D)	EVALUATOR SIGNA	ATURF:			
10/2019 rev.	-				



JPR Task: Drafting station	source - 4 person team.		
Skill No. FF 1-67	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Pumper with drafting 	g ability		
2. Strainer			
3. Hard Suction			
4. Potable Water Tank			
5. Three additional Fire	e righters		
	INSTRUCTIONS TO THE CANDIDATE		
"The student s	shall demonstrate the ability to set up a drafting location as part of a team.	11	
	, , , , , , , , , , , , , , , , , , , ,		
Minimum PPE: Full PPE			
	PERFORMANCE		
4 14/ 6 11		YES	NO
	otective equipment properly.		
	mper intake cap.		
•	iner to hard suction hose male coupling.		
4. Attaches rope 5. Attaches fem	ale coupling of hard section hose to pumper intake.		<u>. </u>
	and strainer into static source (portable tank).		
	ner rope to pumper or other stationary object.		
	ner and strainer-to-hose coupling are under water.		
	e assembly as directed by the examiner.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLETE	E 7	
Failure on this step manda		_•	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.2.15	EVALUATOR NAME (Print)		
Objective(s): 4.3.15, 4.3.15(B)	LVALUATOR NAME (FIIII)		
1.0.13(D)	EVALUATOR SIGNATURE:		

10/2019 rev.



JPR Task: Making a hy	drant connection.				
Skill No. FF 1-68	PEF	RFORMANCE CRITER	IA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/	EVALUATOR		
 Pumper Hydrant Prop Hydrant and Spanr Supply Hose 		all be provided with th	ne following:		
		CTIONS TO THE CANE			
"The stude	ent shall demonstrate	the ability to properly	y make a hydrant connection."		
Minimum PPE: Full PPE					
Willimidin F E. Fail F E		PERFORMANCE			
				YES	NO
1. Grasps enou	igh hose to reach hydra	ant (one or two folds).			
2. Assembles of	correct tools (hydrant w	rench and spanners).			
	nt to check for debris ar	nd adequate flow.			
4. Makes hydra					
1 /	ance of hose section.				
	er intake connection.				
7. Opens fire h	ydrant (completely and	slowly).			
	nydrant (must check ga	isket).			
9. Removes kir					
10. Walks hose	length.				
0 0 211 - 101 -		DACC	TOTALS		
C = Critical Step	atac failura an tackl	PASS	CANDIDATE MUST COMPLET	ይ / !	
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.15, 4.3.15(B)	EVALUATOR NAME	E (Print)			
4.5.15(D)	EVALUATOR SIGN	ATURE:			
10/2019 rev.					



JPR Task: Perform a forward hose lay.			
Skill No. FF 1-69 A PERFORMANCE CRITERIA AND INSTRUCTIONS			
INSTRUCTIONS TO THE MONITOR/EVALUATOR			
Candidate shall be provided with the following:			
1. Pumper			
2. Hydrant Prop			
3. Hydrant and Spanner Wrenches			
4. Supply Hose			
INSTRUCTIONS TO THE CANDIDATE			
"The student shall demonstrate the ability to do a forward hose lay."			
The state in a demonstrate the ability to do a formal a nesse lay.			
Minimum PPE: Full PPE			
PERFORMANCE			
C	YES	NO	
1. Fire apparatus should stop within 10' of hydrant.			
2. Grasps enough hose to loop around hydrant. Steps off apparatus with all necessary tools			
to connect hose to hydrant.			
3. Loops hose around hydrant or secures as department standard operating procedure (SOP)			
describes. Ensures they are not between hose and hydrant. Never stands on hose. 4. Signals driver to proceed to fire.			
5. Connects hose to hydrant after a section of hose is on the ground. Removes appropriate			
size hydrant cap nearest fire. Follows department SOP for checking operating conditions			
of hydrant.			
6. Attaches hose to outlet.			
7. Attaches hydrant wrench to hydrant.			
8. Pump operator uncouples hose and attaches end of hose to pump inlet or clamps hose to			
pump depending on department SOP.			
9. Pump operator signals to charge hose.			
10. Slowly opens hydrant completely.			
11. Follows hose to engine, removing kinks on the way.			
C = Critical Step PASS CANDIDATE MUST COMPLET	LE O		
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL			
Tundre of this step manages failure of task. This Step storage for the step step step step step step step ste	<u></u> -		
NFPA 1001, 2019 Edition			
Objective(s): 4.3.15, EVALUATOR NAME (Print)			
4.3.15(B)			
EVALUATOR SIGNATURE:			
10/2019 rev.			



JPR Task: Shutting down a fire hydrant.			
Skill No. FF 1-69 B PERF	ORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS	TO THE MONITOR/EVALUATOR		
Candidate shall	be provided with the following:		
1. Pumper	·		
2. Hydrant Prop			
3. Hydrant and Spanner Wrenches			
4. Supply Hose			
,			
INSTRUCT	TONS TO THE CANDIDATE		
"The student shall demonstrate	the ability to properly shut down a fire hydrant."		
Minimum PPE: Full PPE			
	PERFORMANCE		
		YES	NO
Turns wrench to close hydrant valve.			
2. Drains hose line.			
Slowly disconnects hose from hydrant outlet.			
	hydrant is fully drained. Places a hand over opening		
L E Donlogge budrent oon			
	TOTALS		
C = Critical Step F	PASS CANDIDATE MUST COMPLETI	E 4	
	FAIL STEPS TOTAL TO PASS SKILI		
NFPA 1001, 2019 Edition TEST DATE	LOCATION:		
Objective(s): 4.3.15, EVALUATOR NAME ((Print)		
4.3.15(B)			
EVALUATOR SIGNAT	ΓURE:		
10/2019 rev.			



JPR Task: Perform a reverse hose lay.		
Skill No. FF 1-70 PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Candidate shall be provided with the following: 1. Pumper 2. Hydrant Prop 3. Hydrant and Spanner Wrenches 4. Supply Hose		
INSTRUCTIONS TO THE CANDIDATE		
"The student shall demonstrate the ability to perform a reverse hose lay."		
Minimum PPE: Full PPE		
PERFORMANCE		
	YES	NO
Pulls sufficient amount of hose from supply engine to inlet of attack engine		
2. Anchors hose to stationary object if possible. Does not stand between hose and stationary		
object.		
Signals driver to proceed to hydrant. Connects supply line to inlet of attack angine.		
4. Connects supply line to inlet of attack engine.5. Pump operator on supply engine uncouples hose and attaches end of hose to pump		
discharge outlet.		
6. Pump operator connects engine to hydrant. Four-way valve may be used to boost pressure.		
7. Pump operator on attack engine signals for water. Operator on supply engine provides		
water. TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLETE	5	
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.		
NFPA 1001, 2019 Edition TEST DATE LOCATION:		
Objective(s): 4.3.15, A 2.15(P) EVALUATOR NAME (Print)		
4.3.15(B) EVALUATOR SIGNATURE:		
10/2019 rev.		



JPR Task: Connectin	g hose line to supply a	a Fire Department Conr	nection		
Skill No. FF 1-71	PER	RFORMANCE CRITERI	A AND INSTRUCTIONS		
	INSTRUCTION	S TO THE MONITOR/E	EVALUATOR		
	Candidate sha	all be provided with th	e following:		
 Pumper 					
FDC Prop					
3. Spanner Wrenches					
Supply Hose					
	W.C.T.D.L.				
# T		CTIONS TO THE CAND			
"The student shall dem	onstrate the ability to	o properly connect a h	nose line to a fire department co	nnecti	on."
Minimum PPE: Full PPE					
WIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		PERFORMANCE			
		PERI ORIVIANCE		YES	NO
1. Locates FDC				ILJ	140
	line from engine disc	harge to FDC			
	os on standpipe inlet.				
	ects interior of connect				
	e line(s) to connection	<i>,</i> ,			
		\ \ /	TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 4	
Failure on this step manda	ites failure on task!		STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:_			
Objective(s): 4.3.15,	EVALUATOR NAME	E (Print)			
4.3.15(B)					
	EVALUATOR SIGNA	ATURE:			
10/2010 rov					
10/2019 rev.					



JPR Task: Connecting and advancing hose line from standpipe connection.	
Skill No. FF 1-72 PERFORMANCE CRITERIA AND INSTRUCTIONS	
INSTRUCTIONS TO THE MONITOR/EVALUATOR	
Candidate shall be provided with the following:	
1. Standpipe Prop	
2. Spanner Wrenches	
3. Attack Hose Bundle / High Rise Pack	
4. Adaptors	
INSTRUCTIONS TO THE CANDIDATE	
"The student shall demonstrate the ability to properly connect and advance a hose line from a stand	oipe
connection."	
MILL DDE E II DDE	
Minimum PPE: Full PPE	
PERFORMANCE	NO
YES	NO
Carries standpipe hose bundle to standpipe connection below fire.	
Attaches proper appliance or adapter if needed. 2. Flature have wrater to flag a phase fire. 2. Flature have wrater to flag a phase fire.	
3. Flakes hose upstairs to floor above fire.	
4. Extends hose to fire floor and prepares for fire attack.	
TOTALS CANDIDATE MUST COMPLETE 3	
C = Critical Step PASS CANDIDATE MUST COMPLETE 3 Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.	
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKILL.	
NFPA 1001, 2019 Edition TEST DATE LOCATION:	
TEST DATE LOCATION	
Objective(s): 4.3.15, EVALUATOR NAME (Print)	
4.3.15(B)	
EVALUATOR SIGNATURE:	
EVILEDITION GIGINTIONE.	
10/2019 rev.	



JPR Task: Operati	ng portable fire extinguishers.		
Skill No. FF 1-73	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
	ry Chemical Extinguishers		
Fire Extinguisher B	urn Prop		
	INCTRUCTIONS TO THE CANDIDATE		
"The ctud	INSTRUCTIONS TO THE CANDIDATE		
The Stud	ent shall demonstrate the ability to properly operate a fire extinguisher."		
Minimum PPE: Full PPE w	ithout SCBA		
William Grant F. E. Can F. E. W.	PERFORMANCE		
		YES	NO
1. Wears comp	lete PPE (without SCBA).		
2. Identifies cla	ss of fire ("A", "B", "C").		
Select correct	ct fire extinguisher/agent.		
	srupting electrical current prior to extinguishing (class "C" fires only).		
	ration prior to using (fully charged and test fire extinguisher).		
6. Extinguishes	fire (proper technique and faces fire when retreating).		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET	E 5	
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	<u></u>	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
NFPA 1001, 2019 EUIIIOII	TEST DATE LOCATION		
Objective(s): 4.3.16,	EVALUATOR NAME (Print)		
4.3.16(B)	EVALUATION WILL (FINIT)		
	EVALUATOR SIGNATURE:		
10/2019 rev.			



JPR Task: Emer	gency scene illumination	n.			
Skill No. FF 1-74	PEF	RFORMANCE CRITE	RIA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITO	R/EVALUATOR		
	Candidate sh	all be provided with	the following:		
1. Apparatus with G	enerator or Portable Ger	nerator	3		
	ghting or Free Standing				
	, , ,	· ·			
	INSTRUC	CTIONS TO THE CA	NDIDATE		
"The stude	nt shall demonstrate th	he ability to properl	y illuminate an emergency scene.	"	
			-		
Minimum PPE: Full PPE	without SCBA				
		PERFORMANCE			
				YES	NO
	plete PPE (without SCB				
2. Considers grounding of generator (may be verbalized).					
	nerator readiness and p				
4. Identifies limitations of power supply equipment (load cannot exceed amperage of circuit					
	al load cannot exceed o		nd fuel dependent).		
5. Operates e	quipment within manufa	cturers' guidelines.			
6. Illuminates	area(s) as directed.				
			TOTALS		
C = Critical Step			CANDIDATE MUST COMPLET		
Failure on this step man	dates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	_L.	
NFPA 1001, 2019 Edition	TEST DATE	LOCATION	l:		
Objective(s): 4.3.17,	EVALUATOR NAME	E (Print)			
4.3.17(B)					
	EVALUATOR SIGNA	ATURE:			
10/2019 rev.					



	FIRE FIGHTER 1 PERFORMANCE EVALUATION	WV	DE. OF
JPR Task:	Securing building utilities.		
Skill No. FF 1-75	PERFORMANCE CRITERIA AND INSTRUC	TIONS	
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
•	g Out Equipment		
Electrical Par			
	Pliers, Spanner Wrench		
 Gas Valve or Water Valve 			
o. Water Valve	οι Ριορ		
	INSTRUCTIONS TO THE CANDIDATE		
"Ti	he student shall demonstrate the ability to properly secure buildin	ng utilities."	
	, , , ,	3	
Minimum PPE: Full F	PPE without SCBA		
	PERFORMANCE		1
		YES	NO
	s complete PPE (including eye protection).		
	ses appropriate tools required for securing utilities (utility keys, pliers, s h, and lock out tags with locks).	panner	
	nstrates shutting off main building electric (opens breaker box, identific	es involved	
	(s), shuts off main breaker, and lock out/tag out).		
	nstrates shutting off natural gas valve(s) – (meter may be inside or out er turn valve).	side, and	
	nstrates shutting off domestic water using water key (locates box, rem	oves cover,	
	s key, and rotates valve until closed).		
6. Identifi	ies hazards of working with utilities (verbalized):		
	Explosive range, ignition sources, asphyxiant, and odorless (odorant a		
	c: Generators (backup supply), shock, ignition source, re-energizing p	ower	
equipn	ment, and electric back-feed hazard.	TOTALC	
C Critical Stan	DACC CANDIDATE M	TOTALS	
C = Critical Step		UST COMPLETE 5 TO PASS SKILL.	
i allule on this step	Illialidates failule off (ask: FAIL STEFS TOTAL	TO PASS SKILL.	
NFPA 1001, 2019 Ed	dition TEST DATE LOCATION:		
Objective(s): 4.3.18, 4.3.18(B)	EVALUATOR NAME (Print)		

EVALUATOR SIGNATURE: _____

10/2019 rev.



JPR Task: Fire	extinguishment-ground	cover fire.			
Skill No. FF 1-76	PEF	RFORMANCE CF	RITERIA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONI	TOR/EVALUATOR		
		all be provided v	vith the following:		
 Assortment of Gro 	und Cover Fire Tools				
		CTIONS TO THE			
"The stude	nt shall demonstrate t	he ability to pro	perly extinguish a ground cover fire."		
Minimum PPE: Full PPE v	vith SCBA	255525444	-		
		PERFORMANO	JE	\/F0	NO
4 Malalala I				YES	NO
	am accountability.		at a constant Products		
			nt as needed/directed).		
	entifies a means of retre				
			r(s), Indian tank(s) for small/slow		
moving fires, and hose lines for large/fast moving fires).5. Method of attack consistent with known or anticipated hazards (uninvolved toward involved					
	nack consistent with kn phill/upwind).	own or anticipate	a nazaras (uninvolvea towara involvea		
		s encountered/ar	nticipated (weather, topography,		
	exposure, and structure		morpatou (mounton, topograpiny,		
7. Extinguishe		•			
,			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 5	
Failure on this step man	dates failure on task!				
NFPA 1001, 2019 Edition	TEST DATE	LOCATI	ON:		
Objective(s): 4.3.19,	EVALUATOR NAMI	E (Print)			
4.3.19(B)	EVALUATOR CON	ATUDE			
	EVALUATOR SIGN	ATUKE:			
10/2010 rov					



JPR Task: Insp	ecting, cleaning and m	naintaining a ladder.			
Skill No. FF 1-77	PEF	RFORMANCE CRITERIA	A AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MONITOR/E	VALUATOR		
	Candidate sh	all be provided with the	e following:		
 Roof Ladder 					
Extension Ladder					
Cleaning Equipmer	nt				
## 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		CTIONS TO THE CAND			•
"The student shall den	nonstrate the technique		ning, and maintaining ladders a	as part	of a
		team."			
Minimum PPE: Work Glove	os Evo Drotoction				
WIIIIIIIIIIIIIII PPE. WORK GIOVE	es, Eye Protection	PERFORMANCE			
		I LINI ONIVIANOL		YES	NO
1 Follows man	ufacturer denartmenta	al, and NFPA 1932 guide	alines	ILJ	NO
2. Cleans all co		ii, and Wi i A 1752 galac	omics.		
		ually inspecting for wear	and damage		
	•	ner recommended mater	· ·		
	unctional check of all c				
		rvice if deficiencies foun	d.		
	naintenance records.		-		
			TOTALS		
C = Critical Step		PASS	CANDIDATE MUST COMPLET	E 5	·
Failure on this step mand	ates failure on task!		STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition	TEST DATE	LOCATION:			
Objective(s): 4.5.1,	EVALUATOR NAME	E (Print)			
4.5.1(B)	EVALUATOR CION	ATUDE			
	EVALUATUR SIGN	ATUKE:			
10/2019 rev					



JPR Task:	Salvage cover inspection and maintenance.			
Skill No. FF 1-79	PERFORMANCE CRITERIA AND INSTRUCTIONS			
	INSTRUCTIONS TO THE MONITOR/EVALUATOR			
	Candidate shall be provided with the following:			
Salvage Cove				
Cleaning Equ	pment			
	INCTRUCTIONS TO THE CANDIDATE			
"The studen	INSTRUCTIONS TO THE CANDIDATE	200 "		
The Studen	t shall be able to properly demonstrate salvage cover inspection and maintenan	ice.		
Minimum PPE: Work	Gloves, Eye Protection			
	PERFORMANCE			
		YES	NO	
Washes and cleans cover properly.				
2. Dries p	roperly to reduce mildew.		<u> </u>	
	es for damage (passing salvage cover over his/her head looking for holes).			
	ny holes found with chalk.			
	ling on the material, holes may be repaired by duct or mastic tape, iron-on patches.			
6. Folds o	r rolls cover properly to local jurisdiction.		<u> </u>	
	TOTALS		L	
C = Critical Step	PASS CANDIDATE MUST COMPLETE			
Failure on this step i	nandates failure on task! FAIL STEPS TOTAL TO PASS SKILL	<u></u>		
NFPA 1001, 2019 Edi	tion TEST DATE LOCATION:			
WIFA 1001, 2019 Lui	TEST DATE LOCATION			
Objective(s): 4.5.1,	EVALUATOR NAME (Print)			
4.5.1(B)				
	EVALUATOR SIGNATURE:			
10/2019 rev.				



JPR Task: De	monstrate the techniques of inspecting, cleaning, maintaining, and storing rope.		
Skill No. FF 1-80 A	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Life Safety Rope 			
Cleaning Equipment	nt		
	INSTRUCTIONS TO THE CANDIDATE		
"The student shall der	monstrate the techniques of inspecting, cleaning, and maintaining and stor	ing rop)e."
Minimum PPE: Work Glove			
	PERFORMANCE		
		YES	NO
	rope with mild soap and water.		
	washer or machine if recommended by the rope's manufacturer.		
3. Air dries the	rope out of direct sunlight and properly stores rope.		
	TOTALS		<u> </u>
C = Critical Step	PASS CANDIDATE MUST COMPLETI		
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKILI	- •	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.5.1,	EVALUATOR NAME (Print)		
4.5.1(B)	FIVAL MATOR CIONATURE		
	EVALUATOR SIGNATURE:		
40/0040			
10/2019 rev.			



JPR Task: In:	spect fire department ropes.		
Skill No. FF 1-80 B	PERFORMANCE CRITERIA AND INSTRUCTIONS		
	INSTRUCTIONS TO THE MONITOR/EVALUATOR		
	Candidate shall be provided with the following:		
 Life Safety Rope 			
	INSTRUCTIONS TO THE CANDIDATE		
"T	he student shall able to properly inspect fire department ropes."		
Minimum PPE: Work Glove			
	PERFORMANCE	ı	
		YES	NO
Inspects rope after each use and at regular intervals.			
Examines the core by looking for depressions, flat spots, or lumps.			
3. Checks the sheath by looking for discolorations, abrasions, flat spots, or imbedded objects.			
4. Removes the	e rope from service if it is damaged.		
	TOTALS		
C = Critical Step	PASS CANDIDATE MUST COMPLET		
Failure on this step mand	ates failure on task! FAIL STEPS TOTAL TO PASS SKIL	L.	
NFPA 1001, 2019 Edition	TEST DATE LOCATION:		
Objective(s): 4.5.1,	EVALUATOR NAME (Print)		
4.5.1(B)			
	EVALUATOR SIGNATURE:		
10/2019 rev.			



IDD Tack. Dolling a base	·WV	
JPR Task: Rolling a hose. Skill No. FF 1-81 PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Candidate shall be provided with the following:		
1. 1 Section of Fire Hose (1.5 or 1.75 inch)		
INSTRUCTIONS TO THE CANDIDATE		
"The student shall be able to properly demonstrate rolling a hose."		
Minimum PPE: Work Gloves, Eye Protection		
PERFORMANCE	VEC	NO
4 (411 DOLLO) D	YES	NO
(ALL ROLLS) Running during the evaluation.		
Straight Roll		
Rolls male coupling in to protect.		
Lays roll down and tamps exposed coils.		
Donut Roll – Method One:		
4. Starts roll approximately 5' – 6' from center toward male coupling.		
5. Rolls toward female coupling.		
6. Ends with sufficient hose (approximately 3') to fold over and protect male coupling.		
Donut Roll – Method Two:		
7. Hose laid flat.		
8. Starts at a point off center about 6' toward the male coupling.		
9. Starts roll towards the female coupling.		
10. Ends with sufficient hose (approximately 3') to fold and protect male coupling.		
Twin Donut Roll:		
11. Places couplings together.		
12. Hose laid flat without twisting, forming two parallel lines from the looped end.		
13. Starts roll from looped end by folding loop over and upon parallel lines.		
14. Rolls toward couplings forming twin rolls.		
Self-Locking Twin Donut Roll:		
15. Places couplings together.		
16. Hose laid flat without twisting, forming two parallel lines from the looped end.		
17. From 2' – 3' from the end, moves one side (up and over) to opposite side, creating a loop.		
18. Faces couplings and brings distal end of loop and places it where the hose crosses.		
19. Starts roll at crossed hoses, rolls toward the couplings and forms twin rolls.		
20. Adjust loops (creating one short and one long) by pulling one side through.		
21. Places long loop through short loop behind couplings and snugs tightly.		
TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLET	 C 15	
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL	E IO	
railule on this step manuales famule on task: FAIL 31EF3 TOTAL TO FA33 SKIL	L.	
NFPA 1001, 2019 Edition		
TEST DATE EOCATION		
Objective(s): 4.5.2, EVALUATOR NAME (Print)		
4.5.2(B)		
EVALUATOR SIGNATURE:		
LVALOATOR SIGNATURE.		
10/2019 rev.		



JPR Task: CI	eaning and inspecting	a fire hose.			
Skill No. FF 1-82	PEF	RFORMANCE C	RITERIA AND INSTRUCTIONS		
	INSTRUCTION	IS TO THE MON	NITOR/EVALUATOR		
	Candidate sh	all be provided	with the following:		
1. Fire Hose (1.5 or 1	.75 inch)	•	•		
Cleaning Equipment	nt				
		CTIONS TO THE			
"The student	shall be able to prop	erly demonstra	ite cleaning and inspecting a fire hose	."	
Mision DDE Wed Ob	E . D. I. I'.				
Minimum PPE: Work Glove	es, Eye Protection	DEDECRIMAN	IOF		
		PERFORMAN	NCE .	YES	NO
1 Hood gloor w	votor and carub bruch /	dotorgont only w	than autramaly sailed	YES	NO
			when extremely soiled).	<u> </u>	
chemicals/fu	,	mage (noies, tea	ars, and presence of absorbed		
I .	,	damaga (ahlan	g, separated from hose, missing	 	-
	l thread damage).	ruamaye (ublum	g, separated from flose, fillssing		
4 Demonstrate	es replacing a hose gas	sket (saueezes h	petween thumb and forefinger, slides in		
place, and si	mooths out).	5.101 (0 90 00200 £	and receiving on a second of the second of t		
5. Demonstrate	es rolling an out of serv	ice length of hos	se (male coupling out, damaged area(s)		
marked and	tagged indicating prob	lem).			
			TOTALS		
C = Critical Step			CANDIDATE MUST COMPLET		
Failure on this step mand	ates failure on task!	FAIL	STEPS TOTAL TO PASS SKIL	<u>.L.</u>	
NFPA 1001, 2019 Edition	TEST DATE	LOCA	ΓΙΟΝ:		
Objective(s), A.F.2	EVALUATOD MANA	- (Drint)			
Objective(s): 4.5.2,	EVALUATUR NAIVII	= (Print)			
4.5.2(B)	ENVITIVED SICK	ATI IDE:			
	LVALUATUR SIGN	ATURL			
10/2019 rev.					

West Virginia Public Service Training HAZARDOUS MATERIALS OPERATIONS PERFORMANCE EVALUATION



JPR Task: Using a Multi-Gas Meter to Provide Atmospheric Monitoring		
Skill No. FF1-83 PERFORMANCE CRITERIA AND INSTRUCTIONS		
INSTRUCTIONS TO THE MONITOR/EVALUATOR		
Candidate shall be provided with the following:		
1. Multi gas meter.		
As candidate monitors the atmosphere. The evaluator will call out simulated readings.		
INSTRUCTIONS TO THE CANDIDATE		
"Correctly utilize a multi-gas meter to provide atmospheric monitoring."		
Minimum PPE: Structural fire fighting PPE including SCBA.		
PERFORMANCE		
	\ <u></u>	NO
	YES	NO
1. Prior to use of the multi gas meter, make sure you understand the manufacturer's		
recommendations and local standard operating procedures for multi gas meter use.		
2. Turn on the device and zero it in a clean atmospheric environment. Let the device warm		
up for at least 15 minutes.		
3. Perform a bump test.		
4. Make sure you understand which hazards and conditions to avoid, and which potential		
interferences might be encountered.		
5. Approach the target atmosphere and carry out the mission.		
6. Note the readings and interpret the meaning of the following conditions:* Changes in the LEL/LFL readings		
* Carbon monoxide levels		
* Oxygen levels		
* hydrogen sulfide levels		
7. Return to a safe atmosphere after completing the mission. Return the meter to zero.		
Follow the appropriate procedures to turn the meter off and return it to service.		
TOTALS		
C = Critical Step PASS CANDIDATE MUST COMPLET	E 6	
Failure on this step mandates failure on task! FAIL STEPS TOTAL TO PASS SKIL		
NFPA 1001, 2019 Edition		
Objective(s): 4.3.21 EVALUATOR NAME (Print)		
EVALUATOR SIGNATURE:		
010/2010 rov		